

INT-013 - GREYSTAR CENTENNIAL HILLS

Project Name: GREYSTAR CENTENNIAL HILLS
LAS VEGAS, NV USA



Architect: TODD & ASSOCIATES, INC.
Engineer: ENNOVATIVE, LLC
Customer: HIRSCHI MASONRY

Job Type: Lump Sum

Estimator: admin
Creation Date: 7/31/2022
Last Modified: 8/1/2022
Status: Complete

Escalation: No

Segment Summary

Segment	Rebar Wgt	Plain Wgt	Misc. Wgt	Total (Lbs)	Costing
Included Segments:					
BUILDING - 1	27,722	0	0	27,722	No
MASONRY WALL	27,722	0	0	27,722	No
BUILDING - 2	19,428	0	0	19,428	No
MASONRY WALL	19,428	0	0	19,428	No
BUILDING - 3	19,389	0	0	19,389	No
MASONRY WALL	19,389	0	0	19,389	No
SITE WORK	32,061	0	0	32,061	No
MASONRY WALL	32,061	0	0	32,061	No

INT-013 - GREYSTAR CENTENNIAL HILLS**Estimate Defaults**

Size Unit: Imperial	Building Code: ACI 1983
Length Unit: Feet - Inches	Concrete Strength: 3000
Weight Unit: Pounds	Lap Table:
Soft Hooks: No	Estimating Lap: 48D
Seismic Hooks: No	Steel Manufactured In: ANY
	Tie Clearance: 0-012
	Spiral Clearance: 0-03
	Spacing Tolerance: 0-00
Rebar Coating: Black	Rebar Grade: 60
Plain Coating: Black	Plain Grade: 60
Number of lap lengths to extend a stock bar before lapping: 1	

INT-013 - GREYSTAR CENTENNIAL HILLS

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes	
1	GI	Segment: BUILDING - 1 Sub-Segment: MASONRY WALL																		
2	MT	BUILDING 1 AREA - A REF. S2.1.1A																		
3	MT	8" THK CMU WALL 43'-6" HEIGHT REF. A7.1.1 (110.5 LFT)																		
4	TR	BF		60		110-06	2-08		16/5	S	71-092							3,220	#5 @32" VERT.	
5	TR	BF		60	3			4	16/5	S	71-092							899	3-#5 COR.	
6	TR	BF		60	2			4	19/6	S	96-092							1,163	2-#6 JB.	
7	TR	LS		60		43-06	2-08	1	16/5	S	110-06				1	48D	20-00	2,356	1-#5 @32" BB.	
8	TR	BF		60		43-06	2-08	4	16/5	H	5-08							425	#5 COR. BB.	
9	TR	BF		60	2			2*4	16/5	S	6-03							104	1-#5 T&B. LB.	
10	TR	LS		60	2			3	16/5	S	110-06				1	48D	20-00	785	2-#5 ROOF BB.	
11	TR	LS		60	1			3	16/5	S	110-06				1	48D	20-00	393	1-#5 CONT.	
12	TR	BF		60	3			4*3	16/5	H	5-08							213	#5 COR. BB.	
13	MT	8" THK CMU WALL 48'0" HEIGHT REF. A7.1.1 (31.5 LFT)																		
14	TR	BF		60		31-06	2-08		16/5	S	79-012							1,073	#5 @32" VERT.	
15	TR	BF		60	3			4	16/5	S	79-012							990	3-#5 COR.	
16	TR	BF		60	2			4	19/6	S	106-072							1,281	2-#6 JB.	
17	TR	LS		60		48-00	2-08	1	16/5	S	31-06				1	48D	20-00	674	1-#5 @32" BB.	
18	TR	BF		60		48-00	2-08	4	16/5	H	5-08							449	#5 COR. BB.	
19	TR	BF		60	2			2*4	16/5	S	6-03							104	1-#5 T&B. LB.	
20	TR	LS		60	2			4	16/5	S	31-06				1	48D	20-00	284	2-#5 ROOF BB.	
21	TR	LS		60	1			4	16/5	S	31-06				1	48D	20-00	142	1-#5 CONT.	
22	TR	BF		60	3			4*4	16/5	H	5-08							284	#5 COR. BB.	
23	MT	8" THK CMU WALL 8'0" HEIGHT REF. 137 (4.5 LFT)																		
24	TR	BF		60		4-06	2-08		16/5	S	8-00							25	#5 @32" VERT.	
25	TR	LS		60		8-00	2-08	1	16/5	S	4-06				1	48D	20-00	19	1-#5 @32" BB.	
26	MT	BUILDING 1 AREA - B REF. S2.1.1B																		
27	MT	8" THK CMU WALL 46'-6" HEIGHT REF. A7.3.0 (37.5 LFT)																		
28	TR	BF		60		37-06	2-08		16/5	S	77-072							1,295	#5 @32" VERT.	
29	TR	BF		60	3			4	16/5	S	77-072							972	3-#5 COR.	
30	TR	BF		60	2			2	19/6	S	105-012							632	2-#6 JB.	
31	TR	LS		60		46-06	2-08	1	16/5	S	37-06				1	48D	20-00	793	1-#5 @32" BB.	
32	TR	BF		60		46-06	2-08	4	16/5	H	5-08							449	#5 COR. BB.	
33	TR	BF		60	2			1*4	16/5	S	7-00							58	1-#5 T&B. LB.	
34	TR	LS		60	2			4	16/5	S	37-06				1	48D	20-00	334	2-#5 ROOF BB.	
35	TR	LS		60	1			4	16/5	S	37-06				1	48D	20-00	167	1-#5 CONT.	
36	TR	BF		60	3			4*4	16/5	H	5-08							284	#5 COR. BB.	
37	MT	BUILDING 1 AREA - C REF. S2.1.1C																		
38	MT	8" THK CMU WALL 43'-6" HEIGHT REF. A7.1.1 (61 LFT)																		
39	TR	BF		60		61-00	2-08		16/5	S	71-092							1,797	#5 @32" VERT.	
40	TR	BF		60	3			2	16/5	S	71-092							449	3-#5 COR.	
41	TR	BF		60	2			2	19/6	S	96-092							582	2-#6 JB.	
42	TR	LS		60		43-06	2-08	1	16/5	S	61-00				1	48D	20-00	1,286	1-#5 @32" BB.	
43	TR	BF		60		43-06	2-08	4	16/5	H	5-08							425	#5 COR. BB.	
44	TR	BF		60	2			1*4	16/5	S	6-03							52	1-#5 T&B. LB.	
45	TR	LS		60	2			3	16/5	S	61-00				1	48D	20-00	429	2-#5 ROOF BB.	
46	TR	LS		60	1			3	16/5	S	61-00				1	48D	20-00	214	1-#5 CONT.	
47	TR	BF		60	3			2*3	16/5	H	5-08							106	#5 COR. BB.	
48	MT	8" THK CMU WALL 48'0" HEIGHT REF. A7.1.1 (10 LFT)																		
49	TR	BF		60		10-00	2-08		16/5	S	79-012							413	#5 @32" VERT.	
50	TR	BF		60	3			2	16/5	S	79-012							495	3-#5 COR.	
51	TR	BF		60	2			2	19/6	S	106-072							641	2-#6 JB.	
52	TR	LS		60		48-00	2-08	1	16/5	S	10-00				1	48D	20-00	198	1-#5 @32" BB.	
53	TR	BF		60		48-00	2-08	2	16/5	H	5-08							225	#5 COR. BB.	
54	TR	BF		60	2			1*4	16/5	S	6-03							52	1-#5 T&B. LB.	
55	TR	LS		60	2			4	16/5	S	10-00				1	48D	20-00	83	2-#5 ROOF BB.	
56	TR	LS		60	1			4	16/5	S	10-00				1	48D	20-00	42	1-#5 CONT.	
57	TR	BF		60	3			2*4	16/5	H	5-08							142	#5 COR. BB.	
58	MT	8" THK CMU WALL 4'-6" HEIGHT REF. 138 (43 LFT)																		
59	TR	LS		60	1			1	16/5	S	43-00				1	48D	20-00	50	1-#5 CONT.	
60	TR	LS		60	2				16/5	S	43-00				1	48D	20-00	100	2-#5 CONT.	
61	TR	BF		60		43-00	2-00	1	13/4	L	4-00							61	#4 @24" DWL.	

INT-013 - GREYSTAR CENTENNIAL HILLS

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes	
62	TR	BF		60	3			1	16/5	H	5-08							18	#5 COR.	
63	GI	Segment: BUILDING - 2 Sub-Segment: MASONRY WALL																		
64	MT	8" THK CMU WALL 43'6" HEIGHT REF. A7.1.3 (61 LFT)																		
65	TR	BF		60		61-00	2-08		16/5	S	71-092							1,797	#5 @32" VERT.	
66	TR	BF		60	3			2	16/5	S	71-092							449	3-#5 COR.	
67	TR	BF		60	2			4	19/6	S	96-092							1,163	2-#6 JB.	
68	TR	LS		60		43-06	2-08	1	16/5	S	61-00				1	48D	20-00	1,286	1-#5 @32" BB.	
69	TR	BF		60		43-06	2-08	2	16/5	H	5-08							213	#5 COR. BB.	
70	TR	BF		60	2			2*4	16/5	S	6-03							104	1-#5 T&B. LB.	
71	TR	LS		60	2			3	16/5	S	61-00				1	48D	20-00	429	2-#5 ROOF BB.	
72	TR	LS		60	1			3	16/5	S	61-00				1	48D	20-00	214	1-#5 CONT.	
73	TR	BF		60	3			2*3	16/5	H	5-08							106	#5 COR. BB.	
74	MT	8" THK CMU WALL 48'-0" HEIGHT REF. A7.1.3 (68 LFT)																		
75	TR	BF		60		68-00	2-08		16/5	S	79-012							2,228	#5 @32" VERT.	
76	TR	BF		60	3			6	16/5	S	79-012							1,485	3-#5 COR.	
77	TR	BF		60	2			4	19/6	S	106-072							1,281	2-#6 JB.	
78	TR	LS		60		48-00	2-08	1	16/5	S	68-00				1	48D	20-00	1,496	1-#5 @32" BB.	
79	TR	BF		60		48-00	2-08	6	16/5	H	5-08							674	#5 COR. BB.	
80	TR	BF		60	2			2*4	16/5	S	6-03							104	1-#5 T&B. LB.	
81	TR	LS		60	2			4	16/5	S	68-00				1	48D	20-00	630	2-#5 ROOF BB.	
82	TR	LS		60	1			4	16/5	S	68-00				1	48D	20-00	315	1-#5 CONT.	
83	TR	BF		60	3			6*4	16/5	H	5-08							425	#5 COR. BB.	
84	MT	8" THK CMU WALL 46'-6" HEIGHT REF. A7.3.0 (37.5 LFT)																		
85	TR	BF		60		37-06	2-08		16/5	S	77-072							1,295	#5 @32" VERT.	
86	TR	BF		60	3			4	16/5	S	77-072							972	3-#5 COR.	
87	TR	BF		60	2			2	19/6	S	105-012							632	2-#6 JB.	
88	TR	LS		60		46-06	2-08	1	16/5	S	37-06				1	48D	20-00	793	1-#5 @32" BB.	
89	TR	BF		60		46-06	2-08	4	16/5	H	5-08							449	#5 COR. BB.	
90	TR	BF		60	2			1*4	16/5	S	7-00							58	1-#5 T&B. LB.	
91	TR	LS		60	2			4	16/5	S	37-06				1	48D	20-00	334	2-#5 ROOF BB.	
92	TR	LS		60	1			4	16/5	S	37-06				1	48D	20-00	167	1-#5 CONT.	
93	TR	BF		60	3			4*4	16/5	H	5-08							284	#5 COR. BB.	
94	MT	8" THK CMU WALL 8'0" HEIGHT REF. 137 (4.5 LFT)																		
95	TR	BF		60		4-06	2-08		16/5	S	8-00							25	#5 @32" VERT.	
96	TR	LS		60		8-00	2-08	1	16/5	S	4-06				1	48D	20-00	19	1-#5 @32" BB.	
97	GI	Segment: BUILDING - 3 Sub-Segment: MASONRY WALL																		
98	MT	BUILDING 3 AREA - A																		
99	MT	8" THK CMU WALL 43'6" HEIGHT REF. A7.1.5 (32 LFT)																		
100	TR	BF		60		32-00	2-08		16/5	S	71-092							973	#5 @32" VERT.	
101	TR	BF		60	3			1	16/5	S	71-092							225	3-#5 COR.	
102	TR	BF		60	2			2	19/6	S	96-092							582	2-#6 JB.	
103	TR	LS		60		43-06	2-08	1	16/5	S	32-00				1	48D	20-00	648	1-#5 @32" BB.	
104	TR	BF		60		43-06	2-08	1	16/5	H	5-08							106	#5 COR. BB.	
105	TR	BF		60	2			1*4	16/5	S	6-03							52	1-#5 T&B. LB.	
106	TR	LS		60	2			3	16/5	S	32-00				1	48D	20-00	216	2-#5 ROOF BB.	
107	TR	LS		60	1			3	16/5	S	32-00				1	48D	20-00	108	1-#5 CONT.	
108	TR	BF		60	3			1*3	16/5	H	5-08							53	#5 COR. BB.	
109	MT	8" THK CMU WALL 48'-0" HEIGHT REF. A7.1.5 (32 LFT)																		
110	TR	BF		60		32-00	2-08		16/5	S	79-012							1,073	#5 @32" VERT.	
111	TR	BF		60	3			3	16/5	S	79-012							743	3-#5 COR.	
112	TR	BF		60	2			2	19/6	S	106-072							641	2-#6 JB.	
113	TR	LS		60		48-00	2-08	1	16/5	S	32-00				1	48D	20-00	684	1-#5 @32" BB.	
114	TR	BF		60		48-00	2-08	3	16/5	H	5-08							337	#5 COR. BB.	
115	TR	BF		60	2			1*4	16/5	S	6-03							52	1-#5 T&B. LB.	
116	TR	LS		60	2			4	16/5	S	32-00				1	48D	20-00	288	2-#5 ROOF BB.	
117	TR	LS		60	1			4	16/5	S	32-00				1	48D	20-00	144	1-#5 CONT.	
118	TR	BF		60	3			3*4	16/5	H	5-08							213	#5 COR. BB.	
119	MT	BUILDING 3 AREA - B																		
120	MT	8" THK CMU WALL 46'-6" HEIGHT REF. A7.3.0 (37.5 LFT)																		
121	TR	BF		60		37-06	2-08		16/5	S	77-072							1,295	#5 @32" VERT.	
122	TR	BF		60	3			4	16/5	S	77-072							972	3-#5 COR.	

INT-013 - GREYSTAR CENTENNIAL HILLS

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
123	TR	BF		60	2			2	19/6	S	105-012							632	2-#6 JB.
124	TR	LS		60		46-06	2-08	1	16/5	S	37-06				1	48D	20-00	793	1-#5 @32" BB.
125	TR	BF		60		46-06	2-08	4	16/5	H	5-08							449	#5 COR. BB.
126	TR	BF		60	2			1*4	16/5	S	7-00							58	1-#5 T&B. LB.
127	TR	LS		60	2			4	16/5	S	37-06				1	48D	20-00	334	2-#5 ROOF BB.
128	TR	LS		60	1			4	16/5	S	37-06				1	48D	20-00	167	1-#5 CONT.
129	TR	BF		60	3			4*4	16/5	H	5-08							284	#5 COR. BB.
130	MT	8" THK CMU WALL 43'6" HEIGHT REF. A7.1.5 (29 LFT)																	
131	TR	BF		60		29-00	2-08		16/5	S	71-092							899	#5 @32" VERT.
132	TR	BF		60	3			1	16/5	S	71-092							225	3-#5 COR.
133	TR	BF		60	2			2	19/6	S	96-092							582	2-#6 JB.
134	TR	LS		60		43-06	2-08	1	16/5	S	29-00				1	48D	20-00	591	1-#5 @32" BB.
135	TR	BF		60		43-06	2-08	1	16/5	H	5-08							106	#5 COR. BB.
136	TR	BF		60	2			1*4	16/5	S	6-03							52	1-#5 T&B. LB.
137	TR	LS		60	2			3	16/5	S	29-00				1	48D	20-00	197	2-#5 ROOF BB.
138	TR	LS		60	1			3	16/5	S	29-00				1	48D	20-00	99	1-#5 CONT.
139	TR	BF		60	3			1*3	16/5	H	5-08							53	#5 COR. BB.
140	MT	8" THK CMU WALL 48'-0" HEIGHT REF. A7.1.5 (36 LFT)																	
141	TR	BF		60		36-00	2-08		16/5	S	79-012							1,238	#5 @32" VERT.
142	TR	BF		60	3			3	16/5	S	79-012							743	3-#5 COR.
143	TR	BF		60	2			2	19/6	S	106-072							641	2-#6 JB.
144	TR	LS		60		48-00	2-08	1	16/5	S	36-00				1	48D	20-00	763	1-#5 @32" BB.
145	TR	BF		60		48-00	2-08	3	16/5	H	5-08							337	#5 COR. BB.
146	TR	BF		60	2			1*4	16/5	S	6-03							52	1-#5 T&B. LB.
147	TR	LS		60	2			4	16/5	S	36-00				1	48D	20-00	321	2-#5 ROOF BB.
148	TR	LS		60	1			4	16/5	S	36-00				1	48D	20-00	161	1-#5 CONT.
149	TR	BF		60	3			3*4	16/5	H	5-08							213	#5 COR. BB.
150	GI	Segment: SITE WORK Sub-Segment: MASONRY WALL																	
151	MT	RAMADA FOUNDATION REF. S2.4.1																	
152	MT	DOUBLE 8" MASONRY WALL REF. 514 (28.5 LFT)																	
153	TR	BF		60		28-06	2-08	2	13/4	S	6-06							104	#4 @32" VERT.
154	TR	BF		60	1			4	13/4	S	28-06	2-00						82	1-#4 BB.
155	TR	BF		60		28-06	2-08	3	13/4	L	2-00							48	#4 @32" HOOK BAR.
156	MT	POOL BARRIER MASONRY PILASTER REF. 505/S3.5.1 9 (2 EACH)																	
157	TR	BF		60	3			2	13/4	S	6-00							24	3-#4 VERT.
158	MT	POOL EQUIPMENT SCREEN WALL REF. 506/S3.5.1 (75 LFT)																	
159	TR	BF		60		75-00	2-08		13/4	S	8-06							170	#4 @32" VERT.
160	TR	BF		60	1			2	13/4	S	83-00							111	1-#4 BB. T&B.
161	MT	MONUMENT SIGN REF.515/S3.5.2 (24 LFT)																	
162	TR	BF		60		24-00	2-08		13/4	S	2-06							17	#4 @32" VERT.
163	TR	BF		60	1			2	13/4	S	24-00							32	1-#4 BB. T&B.
164	MT	CANTILEVER SITE RETAINING WALL REF. 501/S3.5.1 (811 LFT)																	
165	TR	BF		60		811-00	0-08		16/5	S	8-00							10,161	#5 @8" VERT.
166	TR	BF		60		811-00	4-00		16/5	S	8-06							1,809	#5 @48" VERT.
167	TR	LS		60	1			2	13/4	S	811-00				1	48D	20-00	1,201	1-#4 CONT.
168	MT	PROPERTY LINE CANTIEVER SITE RETAINING WALL REF. 502/S3.5.1 (1073 LFT)																	
169	TR	BF		60		1073-00	0-08		16/5	S	8-00							13,440	#5 @8" VERT.
170	TR	BF		60		1073-00	4-00		16/5	S	8-06							2,394	#5 @48" VERT.
171	TR	LS		60	1			2	13/4	S	1073-00				1	48D	20-00	1,591	1-#4 CONT.
172	MT	REFUSE ENCLOSURE REF. A1.3																	
173	MT	8" CMU WALL 8'-0" HEIGHT (75 LFT)																	
174	TR	BF		60		75-00	2-08		16/5	S	8-00							250	#5 @32" VERT.
175	TR	BF		60	3			2	16/5	S	8-00							50	3-#5 COR.
176	TR	BF		60	2			2	19/6	S	8-00							48	2-#6 JB.
177	TR	LS		60		8-00	2-08	1	16/5	S	75-00				1	48D	20-00	344	1-#5 @32" BB.
178	TR	BF		60		8-00	2-08	3	16/5	H	5-08							71	#5 COR. BB.
179	MT	GATE COLUMN FOUNDATION REF. 508/S3.5.1 (2 EACH)																	
180	TR	BF		60	4			2	13/4	S	6-06							35	4-#4 VERT.
181	TR	BF		60	1			8*2	13/4	S	2-00							21	1-#4 CONT.
182	TR	BF		60		6-06	2-00	2	13/4	L	8-08							58	#4 @24" TIES.

INT-013 - GREYSTAR CENTENNIAL HILLS

Rebar Sub-Segment Summary

Segment: BUILDING - 1

Sub-Segment: MASONRY WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

** Grade 60, Black **

13/4	61	0	0	61	0
16/5	23,362	20,342	3,020	0	18,734
19/6	4,299	4,299	0	0	4,299
	<u>27,722</u>	<u>24,641</u>	<u>3,020</u>	<u>61</u>	<u>23,033</u>

Total for Segment: BUILDING - 1

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

** Grade 60, Black **

13/4	61	0	0	61	0
16/5	23,362	20,342	3,020	0	18,734
19/6	4,299	4,299	0	0	4,299
	<u>27,722</u>	<u>24,641</u>	<u>3,020</u>	<u>61</u>	<u>23,033</u>

INT-013 - GREYSTAR CENTENNIAL HILLS

Rebar Sub-Segment Summary

Segment: BUILDING - 2

Sub-Segment: MASONRY WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

** Grade 60, Black **

16/5	16,351	14,200	2,151	0	13,149
19/6	3,077	3,077	0	0	3,077
	<u>19,428</u>	<u>17,277</u>	<u>2,151</u>	<u>0</u>	<u>16,226</u>

Total for Segment: BUILDING - 2

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

** Grade 60, Black **

16/5	16,351	14,200	2,151	0	13,149
19/6	3,077	3,077	0	0	3,077
	<u>19,428</u>	<u>17,277</u>	<u>2,151</u>	<u>0</u>	<u>16,226</u>

INT-013 - GREYSTAR CENTENNIAL HILLS

Rebar Sub-Segment Summary

Segment: BUILDING - 3

Sub-Segment: MASONRY WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

** Grade 60, Black **

16/5	16,313	14,162	2,151	0	12,097
19/6	3,076	3,076	0	0	3,076
	<u>19,389</u>	<u>17,238</u>	<u>2,151</u>	<u>0</u>	<u>15,173</u>

Total for Segment: BUILDING - 3

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

** Grade 60, Black **

16/5	16,313	14,162	2,151	0	12,097
19/6	3,076	3,076	0	0	3,076
	<u>19,389</u>	<u>17,238</u>	<u>2,151</u>	<u>0</u>	<u>15,173</u>

INT-013 - GREYSTAR CENTENNIAL HILLS

Rebar Sub-Segment Summary

Segment: SITE WORK

Sub-Segment: MASONRY WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

** Grade 60, Black **

13/4	3,494	3,388	0	106	2,863
16/5	28,519	28,448	71	0	250
19/6	48	48	0	0	0
	<u>32,061</u>	<u>31,884</u>	<u>71</u>	<u>106</u>	<u>3,113</u>

Total for Segment: SITE WORK

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

** Grade 60, Black **

13/4	3,494	3,388	0	106	2,863
16/5	28,519	28,448	71	0	250
19/6	48	48	0	0	0
	<u>32,061</u>	<u>31,884</u>	<u>71</u>	<u>106</u>	<u>3,113</u>

INT-013 - GREYSTAR CENTENNIAL HILLS

Estimate Totals

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
13/4	3,555	3,388	0	167	2,863
16/5	84,545	77,152	7,393	0	44,230
19/6	10,500	10,500	0	0	10,452
	<u>98,600</u>	<u>91,040</u>	<u>7,393</u>	<u>167</u>	<u>57,545</u>