

INT-052 - SOSSAMAN BUSINESS CAMPUS

Project Name: SOSSAMAN BUSINESS CAMPUS
 3305 S. SOSSAMAN RD
 Mesa, AZ 85212 USA



Architect: ADW ARCHITECTS
Engineer: SIMPLY STRUCTURAL
Customer: CONCRETE STRATEGIES

Job Type: Lump Sum

Estimator: admin
Creation Date: 8/24/2022
Last Modified: 8/26/2022
Status: Complete

Escalation: No

Segment Summary

Segment	Rebar Wgt	Plain Wgt	Misc. Wgt	Total (Lbs)	Costing
Included Segments:					
BUILDING 1	142,151	0	0	142,151	No
SPREAD FOOTING	3,430	0	0	3,430	No
WALL FOOTING	16,813	0	0	16,813	No
CONCRETE WALL	5,483	0	0	5,483	No
TILT UP PANEL	116,425	0	0	116,425	No
BUILDING 2	128,687	0	0	128,687	No
SPREAD FOOTING	3,201	0	0	3,201	No
WALL FOOTING	19,781	0	0	19,781	No
CONCRETE WALL	4,958	0	0	4,958	No
TILT UP PANEL	100,747	0	0	100,747	No
BUILDING 3	110,252	0	0	110,252	No
SPREAD FOOTING	1,878	0	0	1,878	No
WALL FOOTING	20,060	0	0	20,060	No
CONCRETE WALL	5,005	0	0	5,005	No
TILT UP PANEL	83,309	0	0	83,309	No
BUILDING 4	163,553	0	0	163,553	No
SPREAD FOOTING	4,588	0	0	4,588	No
WALL FOOTING	24,008	0	0	24,008	No
CONCRETE WALL	5,173	0	0	5,173	No
TILT UP PANEL	129,784	0	0	129,784	No
BUILDING 5	160,182	0	0	160,182	No
SPREAD FOOTING	4,588	0	0	4,588	No
WALL FOOTING	23,194	0	0	23,194	No
CONCRETE WALL	5,104	0	0	5,104	No
TILT UP PANEL	127,296	0	0	127,296	No
BUILDING 6	114,597	0	0	114,597	No
SPREAD FOOTING	1,878	0	0	1,878	No
WALL FOOTING	21,872	0	0	21,872	No
CONCRETE WALL	5,050	0	0	5,050	No
TILT UP PANEL	85,797	0	0	85,797	No
BUILDING 7	97,464	0	0	97,464	No
SPREAD FOOTING	1,878	0	0	1,878	No
WALL FOOTING	13,803	0	0	13,803	No
CONCRETE WALL	5,075	0	0	5,075	No
TILT UP PANEL	76,708	0	0	76,708	No

INT-052 - SOSSAMAN BUSINESS CAMPUS

Segment	Rebar Wgt	Plain Wgt	Misc. Wgt	Total (Lbs)	Costing
BUILDING 8	150,055	0	0	150,055	No
SPREAD FOOTING	4,541	0	0	4,541	No
WALL FOOTING	19,830	0	0	19,830	No
CONCRETE WALL	5,635	0	0	5,635	No
TILT UP PANEL	120,049	0	0	120,049	No
SITE WORK	21,187	0	0	21,187	No
LIGHT POLE	5,244	0	0	5,244	No
DUMPSTER ENCLOSURE	15,065	0	0	15,065	No
STAIRCASE	175	0	0	175	No
SIDE WALK	703	0	0	703	No

INT-052 - SOSSAMAN BUSINESS CAMPUS**Estimate Defaults**

Size Unit: Imperial	Building Code: ACI 1983
Length Unit: Feet - Inches	Concrete Strength: 3000
Weight Unit: Pounds	Lap Table:
Soft Hooks: No	Estimating Lap: 48D
Seismic Hooks: No	Steel Manufactured In: ANY
	Tie Clearance: 0-012
	Spiral Clearance: 0-03
	Spacing Tolerance: 0-00
Rebar Coating: Black	Rebar Grade: 60
Plain Coating: Black	Plain Grade: 60
Number of lap lengths to extend a stock bar before lapping: 1	

INT-052 - SOSSAMAN BUSINESS CAMPUS

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
1	GI	Segment: BUILDING 1 Sub-Segment: SPREAD FOOTING																	
2	MT	FOUNDATION PLAN - REF. S1000																	
3	MT	SPREAD FOOTING - REF. S1000																	
4	MT	F1(2'-0"x2'-0"x10") - (8 EACH)																	
5	TR	BF			60	4			8	16/5	S	2-00						67	2-#5 EW.
6	MT	F2(5'-0"x5'-0"x12") - (10 EACH)																	
7	TR	BF			60	20			10	16/5	S	5-00						1,043	5-#5 T&B EW
8	TR	BF			60	4			10	10/3	L	6-06						98	#3 @48" STANDEES EW
9	MT	F4(8'-0"x8'-0"x16") - (8 EACH)																	
10	TR	BF			60	32			8	16/5	S	8-00						2,136	8-#5 T&B EW
11	TR	BF			60	4			8	10/3	L	7-02						86	#3 @48" STANDEES EW
12	GI	Segment: BUILDING 1 Sub-Segment: WALL FOOTING																	
13	MT	WALL FOOTING - REF. S1000																	
14	MT	WF1(4'-0"x16")																	
15	TR	BF			60	4			1	16/5	S	727-06						3,035	4-#5 BOT CONT.
16	TR	BF			60	4			1	16/5	S	749-06						3,127	4-#5 TOP CONT.
17	TR	BF			60	1314			1	16/5	S	4-00						5,481	#5 @12" T&B SW
18	TR	BF			60	165			1	10/3	L	7-02						445	#3 @48" STANDEES EW
19	MT	WF2(5'-0"x16")																	
20	TR	BF			60	5			1	16/5	S	24-00						125	5-#5 BOT CONT.
21	TR	BF			60	5			1	16/5	S	24-00						125	5-#5 TOP CONT.
22	TR	BF			60	50			1	16/5	S	5-00						261	#5 @12" T&B SW
23	TR	BF			60	8			1	10/3	L	7-02						22	#3 @48" STANDEES EW
24	MT	WF3(6'-0"x16")																	
25	TR	BF			60	8			1	19/6	S	96-00						1,154	8-#6 BOT CONT.
26	TR	BF			60	6			1	16/5	S	96-09						605	6-#5 TOP CONT.
27	TR	BF			60	170			1	16/5	S	6-00						1,064	#5 @12" T&B SW
28	TR	BF			60	32			1	10/3	L	7-02						86	#3 @48" STANDEES EW
29	MT	WF(2'-8"x12") (SEC:111)																	
30	TR	BF			60	3			1	13/4	S	74-03						149	3-#4 CONT.
31	TR	BF			60	27			1	16/5	H	4-10						136	#5 @32" CMU DWLS
32	MT	WF(4'-0"x12") (SEC:108)																	
33	TR	BF			60	4			1	16/5	S	76-00						317	4-#5 CONT.
34	TR	BF			60	46			1	16/5	H	6-00						288	#5 @18" DWLS
35	MT	WF(2'-6"x12") (SEC:108)																	
36	TR	BF			60	2			1	16/5	S	76-00						159	2-#5 CONT.
37	TR	BF			60	43			1	16/5	H	5-03						235	#5 @18" DWLS
38	GI	Segment: BUILDING 1 Sub-Segment: CONCRETE WALL																	
39	MT	8" THK CONCRETE WALL																	
40	TR	BF			60	121			1	13/4	S	6-08						539	#4 @12" VERTS
41	TR	BF			60	8			1	13/4	S	133-08						714	#4 @12" HOR
42	TR	BF			60	1			1	16/5	S	137-00						143	1-#5 TOP CONT.
43	MT	POUR STRIP TO SLAB DWLS(SEC: 105)																	
44	TR	BF			60	355			1	16/5	S	2-00						741	#5 @24" DWLS
45	MT	(SEC:101)																	
46	TR	BF			60	2			17	13/4	L	5-08						129	#4 DWLS
47	TR	BF			60	2			17	13/4	L	4-00						91	#4 DWLS
48	MT	(SEC: 102) @OPNG																	
49	TR	BF			60	219			1	13/4	S	3-00						439	#4 @12" DWLS
50	MT	(SEC:104) @TRUCK DOCK																	
51	TR	BF			60	2			1	16/5	S	24-00						50	2-#4 CONT.
52	TR	BF			60	13			1	16/5	S	5-02						70	#5 @24" DWLS
53	TR	BF			60	13			1	16/5	S	5-04						72	#5 @24" DWLS
54	MT	(SEC:112) @TRUCK DOCK OPNG																	
55	TR	BF			60	15			1	13/4	L	1-04						13	#4 @24" DWLS
56	MT	10" THK CONC. CURB (S114)																	
57	TR	BF			60	5			1	16/5	L	4-02						22	#5 @48" D/V
58	TR	BF			60	2			1	16/5	S	16-00						33	#5 T&B CONT.
59	TR	BF			60	2			1	16/5	S	16-00						33	#5 @16 HOR
60	MT	8" THK CONC. STEM WALL (S115)																	
61	TR	BF			60	5			1	16/5	H	3-10						20	#5 @48 D/V

INT-052 - SOSSAMAN BUSINESS CAMPUS

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
62	TR	BF		60	2			1	16/5	S	14-00							29	#5 T&B CONT.
63	MT	DETAIL 108 Typ @ Ea Building																	
64	TR	BF		60	4			2	16/5	S	66-00							551	4-#5 CONT. @ FTG.
65	TR	BF		60	41			2	16/5	H	6-06							556	DWLS - #5@18
66	TR	BF		60	61			2	13/4	S	6-00							489	VERT #4@12
67	TR	BF		60	7			2	13/4	S	65-04							611	HOR #4@12
68	TR	BF		60	1			2	16/5	S	66-00							138	1-#5 CONT. @ T
69	GI	Segment: BUILDING 2 Sub-Segment: SPREAD FOOTING																	
70	MT	FOUNDATION PLAN - REF. S2000																	
71	MT	SPREAD FOOTING - REF. S1000																	
72	MT	F1(2'-0"x2'-0"x10") - (8 EACH)																	
73	TR	BF		60	4			8	16/5	S	2-00							67	2-#5 EW.
74	MT	F2(5'-0"x5'-0"x12") - (8 EACH)																	
75	TR	BF		60	20			8	16/5	S	5-00							834	5-#5 T&B EW
76	TR	BF		60	4			8	10/3	L	6-06							78	#3 @48" STANDEES EW
77	MT	F4(8'-0"x8'-0"x16") - (8 EACH)																	
78	TR	BF		60	32			8	16/5	S	8-00							2,136	8-#5 T&B EW
79	TR	BF		60	4			8	10/3	L	7-02							86	#3 @48" STANDEES EW
80	GI	Segment: BUILDING 2 Sub-Segment: WALL FOOTING																	
81	MT	WALL FOOTING - REF. S1000																	
82	MT	WF1(4'-0"x16")																	
83	TR	BF		60	4			1	16/5	S	769-00							3,208	4-#5 BOT CONT.
84	TR	BF		60	4			1	16/5	S	793-00							3,308	4-#5 TOP CONT.
85	TR	BF		60	692			1	16/5	S	4-00							2,887	#5 @12" T&B SW
86	TR	BF		60	173			1	10/3	L	7-02							466	#3 @48" STANDEES EW
87	MT	WF2(5'-0"x16")																	
88	TR	BF		60	5			1	16/5	S	46-06							242	5-#5 BOT CONT.
89	TR	BF		60	5			1	16/5	S	48-06							253	5-#5 TOP CONT.
90	TR	BF		60	82			1	16/5	S	5-00							428	#5 @12" T&B SW
91	TR	BF		60	13			1	10/3	L	7-02							35	#3 @48" STANDEES EW
92	MT	WF3(6'-0"x16")																	
93	TR	BF		60	8			1	19/6	S	96-00							1,154	8-#6 BOT CONT.
94	TR	BF		60	6			1	16/5	S	96-09							605	6-#5 TOP CONT.
95	TR	BF		60	170			1	16/5	S	6-00							1,064	#5 @12" T&B SW
96	TR	BF		60	32			1	10/3	L	7-02							86	#3 @48" STANDEES EW
97	MT	WF4(6'-0"x20")																	
98	TR	BF		60	12			1	19/6	S	154-00							2,776	12-#6 BOT CONT.
99	TR	BF		60	6			1	16/5	S	155-03							972	6-#5 TOP CONT.
100	TR	BF		60	270			1	16/5	S	6-00							1,690	#5 @12" T&B SW
101	TR	BF		60	51			1	10/3	L	7-10							150	#3 @48" STANDEES EW
102	MT	WF(4'-0"x12") (SEC:108)																	
103	TR	BF		60	4			1	16/5	S	28-00							117	4-#5 CONT.
104	TR	BF		60	20			1	16/5	H	6-00							125	#5 @18" DWLS
105	MT	WF(2'-6"x12") (SEC:108)																	
106	TR	BF		60	2			1	16/5	S	40-06							84	2-#5 CONT.
107	TR	BF		60	24			1	16/5	H	5-03							131	#5 @18" DWLS
108	GI	Segment: BUILDING 2 Sub-Segment: CONCRETE WALL																	
109	MT	8" THK CONCRETE WALL																	
110	TR	BF		60	71			1	13/4	S	6-08							316	#4 @12" VERTS
111	TR	BF		60	8			1	13/4	S	80-03							429	#4 @12" HOR
112	TR	BF		60	1			1	16/5	S	82-09							86	1-#5 TOP CONT.
113	MT	POUR STRIP TO SLAB DWLS																	
114	MT	(SEC: 105)																	
115	TR	BF		60	385			1	16/5	S	2-00							804	#5 @24" DWLS
116	MT	(SEC:101)																	
117	TR	BF		60	2			18	13/4	L	5-08							136	#4 DWLS
118	TR	BF		60	2			18	13/4	L	4-00							96	#4 DWLS
119	MT	(SEC: 102) @OPNG																	
120	TR	BF		60	163			1	13/4	S	3-00							327	#4 @12" DWLS
121	MT	(SEC:104) @TRUCK DOCK																	
122	TR	BF		60	2			1	16/5	S	24-00							50	2-#4 CONT.

INT-052 - SOSSAMAN BUSINESS CAMPUS

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
123	TR	BF		60	13			1	16/5	S	5-02							70	#5 @24" DWLS
124	TR	BF		60	13			1	16/5	S	5-04							72	#5 @24" DWLS
125	MT	(SEC:112) @TRUCK DOCK OPNG																	
126	TR	BF		60	15			1	13/4	L	1-04							13	#4 @24" DWLS
127	MT	10" THK CONC. CURB (S114)																	
128	TR	BF		60	9			1	16/5	L	4-02							39	#5 @48" D/V
129	TR	BF		60	2			1	16/5	S	30-00							63	#5 T&B CONT.
130	TR	BF		60	2			1	16/5	S	30-00							63	#5 @16 HOR
131	MT	8" THK CONC. STEM WALL (S115)																	
132	TR	BF		60	5			1	16/5	H	3-10							20	#5 @48 D/V
133	TR	BF		60	2			1	16/5	S	14-00							29	#5 T&B CONT.
134	MT	DETAIL 108 Typ @ Ea Building																	
135	TR	BF		60	4			2	16/5	S	66-00							551	4-#5 CONT. @ FTG.
136	TR	BF		60	41			2	16/5	H	6-06							556	DWLS - #5@18
137	TR	BF		60	61			2	13/4	S	6-00							489	VERT #4@12
138	TR	BF		60	7			2	13/4	S	65-04							611	HOR #4@12
139	TR	BF		60	1			2	16/5	S	66-00							138	1-#5 CONT. @ T
140	GI	Segment: BUILDING 3 Sub-Segment: SPREAD FOOTING																	
141	MT	FOUNDATION PLAN - REF. S3000																	
142	MT	SPREAD FOOTING - REF. S1000																	
143	MT	F1(2'-0"x2'-0"x10") - (4 EACH)																	
144	TR	BF		60	4			4	16/5	S	2-00							33	2-#5 EW.
145	MT	F2(5'-0"x5'-0"x12") - (4 EACH)																	
146	TR	BF		60	20			4	16/5	S	5-00							417	5-#5 T&B EW
147	TR	BF		60	4			4	10/3	L	6-06							39	#3 @48" STANDEES EW
148	MT	F4(8'-0"x8'-0"x16") - (5 EACH)																	
149	TR	BF		60	32			5	16/5	S	8-00							1,335	8-#5 T&B EW
150	TR	BF		60	4			5	10/3	L	7-02							54	#3 @48" STANDEES EW
151	GI	Segment: BUILDING 3 Sub-Segment: WALL FOOTING																	
152	MT	WALL FOOTING - REF. S1000																	
153	MT	WF1(4'-0"x16")																	
154	TR	BF		60	4			1	16/5	S	546-03							2,279	4-#5 BOT CONT.
155	TR	BF		60	4			1	16/5	S	563-03							2,350	4-#5 TOP CONT.
156	TR	BF		60	984			1	16/5	S	4-00							4,105	#5 @12" T&B SW
157	TR	BF		60	123			1	10/3	L	7-02							331	#3 @48" STANDEES EW
158	MT	WF2(5'-0"x16")																	
159	TR	BF		60	5			1	16/5	S	75-09							395	5-#5 BOT CONT.
160	TR	BF		60	5			1	16/5	S	78-09							411	5-#5 TOP CONT.
161	TR	BF		60	134			1	16/5	S	5-00							699	#5 @12" T&B SW
162	TR	BF		60	21			1	10/3	L	7-02							57	#3 @48" STANDEES EW
163	MT	WF3(6'-0"x16")																	
164	TR	BF		60	8			1	19/6	S	82-00							985	8-#6 BOT CONT.
165	TR	BF		60	6			1	16/5	S	82-09							518	6-#5 TOP CONT.
166	TR	BF		60	142			1	16/5	L	6-00							889	#5 @12" T&B SW
167	TR	BF		60	27			1	10/3	L	7-02							73	#3 @48" STANDEES EW
168	MT	WF4(6'-0"x20")																	
169	TR	BF		60	12			1	19/6	S	164-00							2,956	12-#6 BOT CONT.
170	TR	BF		60	6			1	16/5	S	165-03							1,034	6-#5 TOP CONT.
171	TR	BF		60	290			1	16/5	S	6-00							1,815	#5 @12" T&B SW
172	TR	BF		60	55			1	10/3	L	7-10							162	#3 @48" STANDEES EW
173	MT	WF(4'-0"x12") (SEC:108)																	
174	TR	BF		60	4			1	16/5	S	76-09							320	4-#5 CONT.
175	TR	BF		60	46			1	16/5	H	6-00							288	#5 @18" DWLS
176	MT	WF(2'-6"x12") (SEC:108)																	
177	TR	BF		60	2			1	16/5	S	76-00							159	2-#5 CONT.
178	TR	BF		60	43			1	16/5	H	5-03							235	#5 @18" DWLS
179	GI	Segment: BUILDING 3 Sub-Segment: CONCRETE WALL																	
180	MT	8" THK CONCRETE WALL																	
181	TR	BF		60	121			1	13/4	S	6-08							539	#4 @12" VERTS
182	TR	BF		60	8			1	13/4	S	133-08							714	#4 @12" HOR
183	TR	BF		60	1			1	16/5	S	137-00							143	1-#5 TOP CONT.

INT-052 - SOSSAMAN BUSINESS CAMPUS

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
184	MT	POUR STRIP TO SLAB DWLS																	
185	MT	(SEC:105)																	
186	TR	BF		60	338			1	16/5	S	2-00							706	#5 @24" DWLS
187	MT	(SEC:101)																	
188	TR	BF		60	2			15	13/4	L	5-08							114	#4 DWLS
189	TR	BF		60	2			15	13/4	L	4-00							80	#4 DWLS
190	MT	(SEC:102) @OPNG																	
191	TR	BF		60	71			1	13/4	S	3-00							142	#4 @12" DWLS
192	MT	(SEC:104) @TRUCK DOCK																	
193	TR	BF		60	2			1	16/5	S	12-00							25	2-#4 CONT.
194	TR	BF		60	7			1	16/5	S	5-02							38	#5 @24" DWLS
195	TR	BF		60	7			1	16/5	S	5-04							39	#5 @24" DWLS
196	MT	(SEC:112) @TRUCK DOCK OPNG																	
197	TR	BF		60	6			1	13/4	L	1-04							5	#4 @24" DWLS
198	MT	10" THK CONC. CURB (S114)																	
199	TR	BF		60	5			1	16/5	L	4-02							22	#5 @48" D/V
200	TR	BF		60	2			1	16/5	S	16-00							33	#5 T&B CONT.
201	TR	BF		60	2			1	16/5	S	16-00							33	#5 @16 HOR
202	MT	8" THK CONC. STEM WALL (S115)																	
203	TR	BF		60	3			1	16/5	H	3-10							12	#5 @48 D/V
204	TR	BF		60	2			1	16/5	S	7-00							15	#5 T&B CONT.
205	MT	DETAIL 108 Typ @ Ea Building																	
206	TR	BF		60	4			2	16/5	S	66-00							551	4-#5 CONT. @ FTG.
207	TR	BF		60	41			2	16/5	H	6-06							556	DWLS - #5@18
208	TR	BF		60	61			2	13/4	S	6-00							489	VERT #4@12
209	TR	BF		60	7			2	13/4	S	65-04							611	HOR #4@12
210	TR	BF		60	1			2	16/5	S	66-00							138	1-#5 CONT. @ T
211	GI	Segment: BUILDING 4 Sub-Segment: SPREAD FOOTING																	
212	MT	FOUNDATION PLAN - REF. S4000																	
213	MT	SPREAD FOOTING - REF. S1000																	
214	MT	F1(2'-0"x2'-0"x10") - (4 EACH)																	
215	TR	BF		60	4			4	16/5	S	2-00							33	2-#5 EW.
216	MT	F2(5'-0"x5'-0"x12") - (4 EACH)																	
217	TR	BF		60	20			4	16/5	S	5-00							417	5-#5 T&B EW
218	TR	BF		60	4			4	10/3	L	6-06							39	#3 @48" STANDEES EW
219	MT	F3(6'-0"x6'-0"x14") - (1 EACH)																	
220	TR	BF		60	24			1	16/5	S	8-00							200	6-#5 T&B EW
221	TR	BF		60	4			1	10/3	L	6-10							10	#3 @48" STANDEES EW
222	MT	F4(8'-0"x8'-0"x16") - (14 EACH)																	
223	TR	BF		60	32			14	16/5	S	8-00							3,737	8-#5 T&B EW
224	TR	BF		60	4			14	10/3	L	7-02							151	#3 @48" STANDEES EW
225	GI	Segment: BUILDING 4 Sub-Segment: WALL FOOTING																	
226	MT	WALL FOOTING - REF. S1000																	
227	MT	WF1(4'-0"x16")																	
228	TR	BF		60	4			1	16/5	S	982-06							4,099	4-#5 BOT CONT.
229	TR	BF		60	4			1	16/5	S	1012-06							4,224	4-#5 TOP CONT.
230	TR	BF		60	1772			1	16/5	S	4-00							7,392	#5 @12" T&B SW
231	TR	BF		60	222			1	10/3	L	7-02							598	#3 @48" STANDEES EW
232	MT	WF2(5'-0"x16")																	
233	TR	BF		60	5			1	16/5	S	99-09							520	5-#5 BOT CONT.
234	TR	BF		60	5			1	16/5	S	102-09							536	5-#5 TOP CONT.
235	TR	BF		60	182			1	16/5	S	5-00							949	#5 @12" T&B SW
236	TR	BF		60	29			1	10/3	S	7-02							78	#3 @48" STANDEES EW
237	MT	WF4(6'-0"x20")																	
238	TR	BF		60	12			1	19/6	S	141-00							2,541	12-#6 BOT CONT.
239	TR	BF		60	6			1	16/5	S	142-03							890	6-#5 TOP CONT.
240	TR	BF		60	244			1	16/5	S	6-00							1,527	#5 @12" T&B SW
241	TR	BF		60	46			1	10/3	L	7-10							136	#3 @48" STANDEES EW
242	MT	WF(4'-0"x12") (SEC:108)																	
243	TR	BF		60	4			1	16/5	S	40-06							169	4-#5 CONT.
244	TR	BF		60	24			1	16/5	H	6-00							150	#5 @18" DWLS

INT-052 - SOSSAMAN BUSINESS CAMPUS

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes	
245	MT																			
246	TR	BF		60	2			1	16/5	S	37-06								78	2-#5 CONT.
247	TR	BF		60	22			1	16/5	H	5-03								120	#5 @18" DWLS
248	GI	Segment: BUILDING 4 Sub-Segment: CONCRETE WALL																		
249	MT	8" THK CONCRETE WALL																		
250	TR	BF		60	61			1	13/4	S	6-08								272	#4 @12" VERTS
251	TR	BF		60	8			1	13/4	S	66-10								357	#4 @12" HOR
252	TR	BF		60	1			1	16/5	S	68-06								71	1-#5 TOP CONT.
253	MT	POUR STRIP TO SLAB DWLS																		
254	MT	(SEC: 105)																		
255	TR	BF		60	521			1	16/5	S	2-00								1,088	#5 @24" DWLS
256	MT	(SEC:101)																		
257	TR	BF		60	2			22	13/4	L	5-08								167	#4 DWLS
258	TR	BF		60	2			22	13/4	L	4-00								118	#4 DWLS
259	MT	(SEC: 102) @OPNG																		
260	TR	BF		60	259			1	13/4	S	3-00								519	#4 @12" DWLS
261	MT	(SEC:104) @TRUCK DOCK																		
262	TR	BF		60	2			1	16/5	S	24-00								50	2-#4 CONT.
263	TR	BF		60	13			1	16/5	S	5-02								70	#5 @24" DWLS
264	TR	BF		60	13			1	16/5	S	5-04								72	#5 @24" DWLS
265	MT	(SEC:112) @TRUCK DOCK OPNG																		
266	TR	BF		60	19			1	13/4	L	1-04								17	#4 @24" DWLS
267	MT	8" THK CONC. STEM WALL (S115)																		
268	TR	BF		60	3			1	16/5	H	3-10								12	#5 @48 D/V
269	TR	BF		60	2			1	16/5	S	7-00								15	#5 T&B CONT.
270	MT	DETAIL 108 Typ @ Ea Building																		
271	TR	BF		60	4			2	16/5	S	66-00								551	4-#5 CONT. @ FTG.
272	TR	BF		60	41			2	16/5	H	6-06								556	DWLS - #5@18
273	TR	BF		60	61			2	13/4	S	6-00								489	VERT #4@12
274	TR	BF		60	7			2	13/4	S	65-04								611	HOR #4@12
275	TR	BF		60	1			2	16/5	S	66-00								138	1-#5 CONT. @ T
276	GI	Segment: BUILDING 5 Sub-Segment: SPREAD FOOTING																		
277	MT	FOUNDATION PLAN - REF. S5000																		
278	MT	SPREAD FOOTING - REF. S1000																		
279	MT	F1(2'-0"x2'-0"x10") - (4 EACH)																		
280	TR	BF		60	4			4	16/5	S	2-00								33	2-#5 EW.
281	MT	F2(5'-0"x5'-0"x12") - (4 EACH)																		
282	TR	BF		60	20			4	16/5	S	5-00								417	5-#5 T&B EW
283	TR	BF		60	4			4	10/3	L	6-06								39	#3 @48" STANDEES EW
284	MT	F3(6'-0"x6'-0"x14") - (1 EACH)																		
285	TR	BF		60	24			1	16/5	S	8-00								200	6-#5 T&B EW
286	TR	BF		60	4			1	10/3	L	6-10								10	#3 @48" STANDEES EW
287	MT	F4(8'-0"x8'-0"x16") - (14 EACH)																		
288	TR	BF		60	32			14	16/5	S	8-00								3,737	8-#5 T&B EW
289	TR	BF		60	4			14	10/3	L	7-02								151	#3 @48" STANDEES EW
290	GI	Segment: BUILDING 5 Sub-Segment: WALL FOOTING																		
291	MT	WALL FOOTING - REF. S1000																		
292	MT	WF1(4'-0"x16")																		
293	TR	BF		60	4			1	16/5	S	964-03								4,023	4-#5 BOT CONT.
294	TR	BF		60	4			1	16/5	S	993-03								4,144	4-#5 TOP CONT.
295	TR	BF		60	1742			1	16/5	S	4-00								7,266	#5 @12" T&B SW
296	TR	BF		60	218			1	10/3	L	7-02								587	#3 @48" STANDEES EW
297	MT	WF2(5'-0"x16")																		
298	TR	BF		60	5			1	16/5	S	75-09								395	5-#5 BOT CONT.
299	TR	BF		60	5			1	16/5	S	78-09								411	5-#5 TOP CONT.
300	TR	BF		60	134			1	16/5	S	5-00								699	#5 @12" T&B SW
301	TR	BF		60	21			1	10/3	L	7-02								57	#3 @48" STANDEES EW
302	MT	WF4(6'-0"x20")																		
303	TR	BF		60	12			1	19/6	S	141-00								2,541	12-#6 BOT CONT.
304	TR	BF		60	6			1	16/5	S	142-03								890	6-#5 TOP CONT.
305	TR	BF		60	244			1	16/5	S	6-00								1,527	#5 @12" T&B SW

INT-052 - SOSSAMAN BUSINESS CAMPUS

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes	
306	TR	BF		60	46			1	10/3	L	7-10							136	#3 @48" STANDEES EW	
307	MT	WF(4'-0"x12") (SEC:108)																		
308	TR	BF		60	4			1	16/5	S	40-06							169	4-#5 CONT.	
309	TR	BF		60	24			1	16/5	H	6-00							150	#5 @18" DWLS	
310	MT	WF(2'-6"x12") (SEC:108)																		
311	TR	BF		60	2			1	16/5	S	37-06							78	2-#5 CONT.	
312	TR	BF		60	22			1	16/5	H	5-03							120	#5 @18" DWLS	
313	GI	Segment: BUILDING 5 Sub-Segment: CONCRETE WALL																		
314	MT	8" THK CONCRETE WALL																		
315	TR	BF		60	61			1	13/4	S	6-08							272	#4 @12" VERTS	
316	TR	BF		60	8			1	13/4	S	66-10							357	#4 @12" HOR	
317	TR	BF		60	1			1	16/5	S	68-06							71	1-#5 TOP CONT.	
318	MT	POUR STRIP TO SLAB DWLS																		
319	MT	(SEC: 105)																		
320	TR	BF		60	505			1	16/5	S	2-00							1,054	#5 @24" DWLS	
321	MT	(SEC:101)																		
322	TR	BF		60	2			22	13/4	L	5-08							167	#4 DWLS	
323	TR	BF		60	2			22	13/4	L	4-00							118	#4 DWLS	
324	MT	(SEC: 102) @OPNG																		
325	TR	BF		60	235			1	13/4	S	3-00							471	#4 @12" DWLS	
326	MT	(SEC:104) @TRUCK DOCK																		
327	TR	BF		60	2			1	16/5	S	25-00							52	2-#4 CONT.	
328	TR	BF		60	14			1	16/5	S	5-02							75	#5 @24" DWLS	
329	TR	BF		60	14			1	16/5	S	5-04							78	#5 @24" DWLS	
330	MT	(SEC:112) @TRUCK DOCK OPNG																		
331	TR	BF		60	19			1	13/4	L	1-04							17	#4 @24" DWLS	
332	MT	8" THK CONC. STEM WALL (S115)																		
333	TR	BF		60	3			1	16/5	H	3-10							12	#5 @48 D/V	
334	TR	BF		60	2			1	16/5	S	7-00							15	#5 T&B CONT.	
335	MT	DETAIL 108 Typ @ Ea Building																		
336	TR	BF		60	4			2	16/5	S	66-00							551	4-#5 CONT. @ FTG.	
337	TR	BF		60	41			2	16/5	H	6-06							556	DWLS - #5@18	
338	TR	BF		60	61			2	13/4	S	6-00							489	VERT #4@12	
339	TR	BF		60	7			2	13/4	S	65-04							611	HOR #4@12	
340	TR	BF		60	1			2	16/5	S	66-00							138	1-#5 CONT. @ T	
341	GI	Segment: BUILDING 6 Sub-Segment: SPREAD FOOTING																		
342	MT	FOUNDATION PLAN - REF. S6000																		
343	MT	SPREAD FOOTING - REF. S1000																		
344	MT	F1(2'-0"x2'-0"x10") - (4 EACH)																		
345	TR	BF		60	4			4	16/5	S	2-00							33	2-#5 EW.	
346	MT	F2(5'-0"x5'-0"x12") - (4 EACH)																		
347	TR	BF		60	20			4	16/5	S	5-00							417	5-#5 T&B EW	
348	TR	BF		60	4			4	10/3	L	6-06							39	#3 @48" STANDEES EW	
349	MT	F4(8'-0"x8'-0"x16") - (5 EACH)																		
350	TR	BF		60	32			5	16/5	S	8-00							1,335	8-#5 T&B EW	
351	TR	BF		60	4			5	10/3	L	7-02							54	#3 @48" STANDEES EW	
352	GI	Segment: BUILDING 6 Sub-Segment: WALL FOOTING																		
353	MT	WALL FOOTING - REF. S1000																		
354	MT	WF1(4'-0"x16")																		
355	TR	BF		60	4			1	16/5	S	678-03							2,830	4-#5 BOT CONT.	
356	TR	BF		60	4			1	16/5	S	699-03							2,917	4-#5 TOP CONT.	
357	TR	BF		60	1222			1	16/5	S	4-00							5,097	#5 @12" T&B SW	
358	TR	BF		60	153			1	10/3	L	7-02							412	#3 @48" STANDEES EW	
359	MT	WF2(5'-0"x16")																		
360	TR	BF		60	5			1	16/5	S	46-06							242	5-#5 BOT CONT.	
361	TR	BF		60	5			1	16/5	S	48-06							253	5-#5 TOP CONT.	
362	TR	BF		60	82			1	16/5	S	5-00							428	#5 @12" T&B SW	
363	TR	BF		60	13			1	10/3	L	7-02							35	#3 @48" STANDEES EW	
364	MT	WF4(6'-0"x20")																		
365	TR	BF		60	12			1	19/6	S	238-00							4,290	12-#6 BOT CONT.	
366	TR	BF		60	6			1	16/5	S	239-09							1,500	6-#5 TOP CONT.	

INT-052 - SOSSAMAN BUSINESS CAMPUS

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
367	TR	BF		60	422			1	16/5	S	6-00							2,641	#5 @12" T&B SW
368	TR	BF		60	79			1	10/3	L	7-10							233	#3 @48" STANDEES EW
369	MT	WF(4'-0"x12") (SEC:108)																	
370	TR	BF		60	4			1	16/5	S	76-09							320	4-#5 CONT.
371	TR	BF		60	46			1	16/5	H	6-00							288	#5 @18" DWLS
372	MT	WF(2'-6"x12") (SEC:108)																	
373	TR	BF		60	2			1	16/5	S	71-09							150	2-#5 CONT.
374	TR	BF		60	43			1	16/5	H	5-03							235	#5 @18" DWLS
375	GI	Segment: BUILDING 6 Sub-Segment: CONCRETE WALL																	
376	MT	8" THK CONCRETE WALL																	
377	TR	BF		60	121			1	13/4	S	6-08							539	#4 @12" VERTS
378	TR	BF		60	8			1	13/4	S	133-08							714	#4 @12" HOR
379	TR	BF		60	1			1	16/5	S	137-00							143	1-#5 TOP CONT.
380	MT	POUR STRIP TO SLAB DWLS																	
381	MT	(SEC: 105)																	
382	TR	BF		60	354			1	16/5	S	2-00							739	#5 @24" DWLS
383	MT	(SEC:101)																	
384	TR	BF		60	2			16	13/4	L	5-08							121	#4 DWLS
385	TR	BF		60	2			16	13/4	L	4-00							85	#4 DWLS
386	MT	(SEC: 102) @OPNG																	
387	TR	BF		60	71			1	13/4	S	3-00							142	#4 @12" DWLS
388	MT	(SEC:104) @TRUCK DOCK																	
389	TR	BF		60	2			1	16/5	S	12-00							25	2-#4 CONT.
390	TR	BF		60	7			1	16/5	S	5-02							38	#5 @24" DWLS
391	TR	BF		60	7			1	16/5	S	5-04							39	#5 @24" DWLS
392	MT	(SEC:112) @TRUCK DOCK OPNG																	
393	TR	BF		60	6			1	13/4	L	1-04							5	#4 @24" DWLS
394	MT	10" THK CONC. CURB (S114)																	
395	TR	BF		60	5			1	16/5	L	4-02							22	#5 @48" D/V
396	TR	BF		60	2			1	16/5	S	16-00							33	#5 T&B CONT.
397	TR	BF		60	2			1	16/5	S	16-00							33	#5 @16 HOR
398	MT	8" THK CONC. STEM WALL (S115)																	
399	TR	BF		60	3			1	16/5	H	3-10							12	#5 @48 D/V
400	TR	BF		60	2			1	16/5	S	7-00							15	#5 T&B CONT.
401	MT	DETAIL 108 Typ @ Ea Building																	
402	TR	BF		60	4			2	16/5	S	66-00							551	4-#5 CONT. @ FTG.
403	TR	BF		60	41			2	16/5	H	6-06							556	DWLS - #5@18
404	TR	BF		60	61			2	13/4	S	6-00							489	VERT #4@12
405	TR	BF		60	7			2	13/4	S	65-04							611	HOR #4@12
406	TR	BF		60	1			2	16/5	S	66-00							138	1-#5 CONT. @ T
407	GI	Segment: BUILDING 7 Sub-Segment: SPREAD FOOTING																	
408	MT	FOUNDATION PLAN - REF. S7000																	
409	MT	SPREAD FOOTING - REF. S1000																	
410	MT	F1(2'-0"x2'-0"x10") - (4 EACH)																	
411	TR	BF		60	4			4	16/5	S	2-00							33	2-#5 EW.
412	MT	F2(5'-0"x5'-0"x12") - (4 EACH)																	
413	TR	BF		60	20			4	16/5	S	5-00							417	5-#5 T&B EW
414	TR	BF		60	4			4	10/3	L	6-06							39	#3 @48" STANDEES EW
415	MT	F4(8'-0"x8'-0"x16") - (5 EACH)																	
416	TR	BF		60	32			5	16/5	S	8-00							1,335	8-#5 T&B EW
417	TR	BF		60	4			5	10/3	L	7-02							54	#3 @48" STANDEES EW
418	GI	Segment: BUILDING 7 Sub-Segment: WALL FOOTING																	
419	MT	WALL FOOTING - REF. S1000																	
420	MT	WF1(4'-0"x16")																	
421	TR	BF		60	4			1	16/5	S	565-03							2,358	4-#5 BOT CONT.
422	TR	BF		60	4			1	16/5	S	582-03							2,429	4-#5 TOP CONT.
423	TR	BF		60	1022			1	16/5	S	4-00							4,263	#5 @12" T&B SW
424	TR	BF		60	128			1	10/3	L	7-02							345	#3 @48" STANDEES EW
425	MT	WF2(5'-0"x16")																	
426	TR	BF		60	5			1	16/5	S	191-06							999	5-#5 BOT CONT.
427	TR	BF		60	5			1	16/5	S	91-06							477	5-#5 TOP CONT.

INT-052 - SOSSAMAN BUSINESS CAMPUS

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes	
428	TR	BF		60	346			1	16/5	S	5-00							1,804	#5 @12" T&B SW	
429	TR	BF		60	54			1	10/3	L	7-02							145	#3 @48" STANDEES EW	
430	MT	WF(4'-0"x12") (SEC:108)																		
431	TR	BF		60	4			1	16/5	S	75-09							316	4-#5 CONT.	
432	TR	BF		60	45			1	16/5	H	6-00							282	#5 @18" DWLS	
433	MT	WF(2'-6"x12") (SEC:108)																		
434	TR	BF		60	2			1	16/5	S	71-09							150	2-#5 CONT.	
435	TR	BF		60	43			1	16/5	H	5-03							235	#5 @18" DWLS	
436	GI	Segment: BUILDING 7 Sub-Segment: CONCRETE WALL																		
437	MT	8" THK CONCRETE WALL																		
438	TR	BF		60	121			1	13/4	S	6-08							539	#4 @12" VERTS	
439	TR	BF		60	8			1	13/4	S	133-08							714	#4 @12" HOR	
440	TR	BF		60	1			1	16/5	S	137-00							143	1-#5 TOP CONT.	
441	MT	POUR STRIP TO SLAB DWLS																		
442	MT	(SEC: 105)																		
443	TR	BF		60	307			1	16/5	S	2-00							641	#5 @24" DWLS	
444	MT	(SEC:101)																		
445	TR	BF		60	2			14	13/4	L	5-08							106	#4 DWLS	
446	TR	BF		60	2			14	13/4	L	4-00							75	#4 DWLS	
447	MT	(SEC: 102) @OPNG																		
448	TR	BF		60	94			1	13/4	S	3-00							188	#4 @12" DWLS	
449	MT	(SEC:104) @TRUCK DOCK																		
450	TR	BF		60	2			1	16/5	S	25-00							52	2-#4 CONT.	
451	TR	BF		60	14			1	16/5	S	5-02							75	#5 @24" DWLS	
452	TR	BF		60	14			1	16/5	S	5-04							78	#5 @24" DWLS	
453	MT	(SEC:112) @TRUCK DOCK OPNG																		
454	TR	BF		60	6			1	13/4	L	1-04							5	#4 @24" DWLS	
455	MT	10" THK CONC. CURB (S114)																		
456	TR	BF		60	5			1	16/5	L	4-00							21	#5 @48" D/V	
457	TR	BF		60	2			1	16/5	S	16-00							33	#5 T&B CONT.	
458	TR	BF		60	2			1	16/5	S	16-00							33	#5 @16 HOR	
459	MT	8" THK CONC. STEM WALL (S115)																		
460	TR	BF		60	3			1	16/5	H	3-10							12	#5 @48 D/V	
461	TR	BF		60	2			1	16/5	S	7-00							15	#5 T&B CONT.	
462	MT	DETAIL 108 Typ @ Ea Building																		
463	TR	BF		60	4			2	16/5	S	66-00							551	4-#5 CONT. @ FTG.	
464	TR	BF		60	41			2	16/5	H	6-06							556	DWLS - #5@18	
465	TR	BF		60	61			2	13/4	S	6-00							489	VERT #4@12	
466	TR	BF		60	7			2	13/4	S	65-04							611	HOR #4@12	
467	TR	BF		60	1			2	16/5	S	66-00							138	1-#5 CONT. @ T	
468	GI	Segment: BUILDING 8 Sub-Segment: SPREAD FOOTING																		
469	MT	FOUNDATION PLAN - REF. S8000																		
470	MT	SPREAD FOOTING - REF. S1000																		
471	MT	F1(2'-0"x2'-0"x10") - (8 EACH)																		
472	TR	BF		60	4			8	16/5	S	2-00							67	2-#5 EW.	
473	MT	F2(5'-0"x5'-0"x12") - (10 EACH)																		
474	TR	BF		60	20			10	16/5	S	5-00							1,043	5-#5 T&B EW	
475	TR	BF		60	4			10	10/3	L	6-06							98	#3 @48" STANDEES EW	
476	MT	F4(8'-0"x8'-0"x16") - (12 EACH)																		
477	TR	BF		60	32			12	16/5	S	8-00							3,204	8-#5 T&B EW	
478	TR	BF		60	4			12	10/3	L	7-02							129	#3 @48" STANDEES EW	
479	GI	Segment: BUILDING 8 Sub-Segment: WALL FOOTING																		
480	MT	WALL FOOTING - REF. S1000																		
481	MT	WF1(4'-0"x16")																		
482	TR	BF		60	4			1	16/5	S	931-00							3,884	4-#5 BOT CONT.	
483	TR	BF		60	4			1	16/5	S	959-00							4,001	4-#5 TOP CONT.	
484	TR	BF		60	1682			1	16/5	S	4-00							7,016	#5 @12" T&B SW	
485	TR	BF		60	211			1	10/3	L	7-02							568	#3 @48" STANDEES EW	
486	MT	WF2(5'-0"x16")																		
487	TR	BF		60	5			1	16/5	S	24-00							125	5-#5 BOT CONT.	
488	TR	BF		60	5			1	16/5	S	24-00							125	5-#5 TOP CONT.	

INT-052 - SOSSAMAN BUSINESS CAMPUS

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
489	TR	BF		60	50			1	16/5	S	5-00							261	#5 @12" T&B SW
490	TR	BF		60	8			1	10/3	L	7-02							22	#3 @48" STANDEES EW
491	MT	WF3(6'-0"x16")																	
492	TR	BF		60	8			1	19/6	S	25-00							300	8-#6 BOT CONT.
493	TR	BF		60	6			1	16/5	S	25-00							156	6-#5 TOP CONT.
494	TR	BF		60	52			1	16/5	S	6-00							325	#5 @12" T&B SW
495	TR	BF		60	10			1	10/3	L	7-02							27	#3 @48" STANDEES EW
496	MT	WF5(8'-0"x20")																	
497	TR	BF		60	16			1	19/6	S	45-00							1,081	16-#6 BOT CONT.
498	TR	BF		60	8			1	16/5	S	45-06							380	8-#5 TOP CONT.
499	TR	BF		60	38			1	16/5	S	6-00							238	#5 @12" T&B SW
500	TR	BF		60	19			1	10/3	L	7-02							51	#3 @48" STANDEES EW
501	MT	WF(4'-0"x12") (SEC:108)																	
502	TR	BF		60	4			1	16/5	S	75-09							316	4-#5 CONT.
503	TR	BF		60	45			1	16/5	H	6-00							282	#5 @18" DWLS
504	MT	WF(2'-8"x12") (SEC:111)																	
505	TR	BF		60	3			1	13/4	S	75-03							151	3-#4 CONT.
506	TR	BF		60	27			1	16/5	H	4-10							136	#5 @32" CMU DWLS
507	MT	WF(2'-6"x12") (SEC:108)																	
508	TR	BF		60	2			1	16/5	S	71-09							150	2-#5 CONT.
509	TR	BF		60	43			1	16/5	H	5-03							235	#5 @18" DWLS
510	GI	Segment: BUILDING 8 Sub-Segment: CONCRETE WALL																	
511	MT	8" THK CONCRETE WALL																	
512	TR	BF		60	121			1	13/4	S	6-08							539	#4 @12" VERTS
513	TR	BF		60	8			1	13/4	S	133-08							714	#4 @12" HOR
514	TR	BF		60	1			1	16/5	S	137-00							143	1-#5 TOP CONT.
515	MT	POUR STRIP TO SLAB DWLS																	
516	MT	(SEC: 105)																	
517	TR	BF		60	436			1	16/5	S	2-00							910	#5 @24" DWLS
518	MT	(SEC:101)																	
519	TR	BF		60	2			20	13/4	L	5-08							151	#4 DWLS
520	TR	BF		60	2			20	13/4	L	4-00							107	#4 DWLS
521	MT	(SEC: 102) @OPNG																	
522	TR	BF		60	165			1	13/4	S	3-00							331	#4 @12" DWLS
523	MT	(SEC:104) @TRUCK DOCK																	
524	TR	BF		60	2			1	16/5	S	23-00							48	2-#4 CONT.
525	TR	BF		60	13			1	16/5	S	5-02							70	#5 @24" DWLS
526	TR	BF		60	13			1	16/5	S	5-04							72	#5 @24" DWLS
527	MT	(SEC:112) @TRUCK DOCK OPNG																	
528	TR	BF		60	6			1	13/4	L	1-04							5	#4 @24" DWLS
529	MT	10" THK CONC. CURB (S114)																	
530	TR	BF		60	9			1	16/5	L	4-02							39	#5 @48" D/V
531	TR	BF		60	2			1	16/5	S	32-00							67	#5 T&B CONT.
532	TR	BF		60	2			1	16/5	S	32-00							67	#5 @16 HOR
533	MT	8" THK CONC. STEM WALL (S115)																	
534	TR	BF		60	3			1	16/5	H	3-10							12	#5 @48 D/V
535	TR	BF		60	2			1	16/5	S	7-00							15	#5 T&B CONT.
536	MT	DETAIL 108 Typ @ Ea Building																	
537	TR	BF		60	4			2	16/5	S	66-00							551	4-#5 CONT. @ FTG.
538	TR	BF		60	41			2	16/5	H	6-06							556	DWLS - #5@18
539	TR	BF		60	61			2	13/4	S	6-00							489	VERT #4@12
540	TR	BF		60	7			2	13/4	S	65-04							611	HOR #4@12
541	TR	BF		60	1			2	16/5	S	66-00							138	1-#5 CONT. @ T
542	GI	Segment: BUILDING 1 Sub-Segment: TILT UP PANEL																	
543	MT	S1300																	
544	MT	NORTH ELEVATION																	
545	MT	P101 & P105																	
546	TR	BF		60	49			2	16/5	S	41-06							4,242	PR1 - #5@12" VERT
547	TR	BF		60	43			2	13/4	S	47-06							2,729	#4@12" HOR
548	TR	BF		60	5			-2	16/5	S	7-09							-81	DEDUCT OPNG.
549	TR	BF		60	9			-2	13/4	S	3-04							-40	HOR

INT-052 - SOSSAMAN BUSINESS CAMPUS

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
550	TR	BF		60	4			4	16/5	S	41-06							693	PR2 - #5@14 V EF
551	TR	BF		60	3			4	16/5	S	41-06							519	PR2 - #5@14 V EF
552	TR	BF		60	6			-2	16/5	S	41-06							-519	DEDUCT PR1
553	TR	BF		60	2			10	16/5	S	41-06							866	EDGE REINF.2-#5 VERT
554	TR	BF		60	2			6	16/5	H	50-06							632	EDGE REINF.T&B
555	TR	BF		60	2			4	16/5	S	7-04							61	OPNG. - 2-#5 T&B
556	TR	BF		60	4			8	16/5	S	4-00							133	DIAGNL - 2-#5 EF
557	MT	P102 & P104																	
558	TR	BF		60	5			4	16/5	S	41-06							866	PR3 - #5@12 V EF
559	TR	BF		60	43			4	13/4	S	3-09							431	#4@12 H EF
560	TR	BF		60	6			4	16/5	S	41-06							1,039	PR5 - #5@8 V EF
561	TR	BF		60	43			4	16/5	S	3-02							568	#4@12 H EF
562	TR	BF		60	9			4	16/5	S	39-04							1,477	PR4 - #5@10 V EF
563	TR	BF		60	41			4	13/4	S	6-02							676	#4@12 H EF
564	TR	BF		60	5			4	16/5	S	41-06							866	PR3 - #5@12 V EF
565	TR	BF		60	43			4	13/4	S	3-09							431	#4@12 H EF
566	TR	BF		60	6			4	16/5	S	41-06							1,039	PR5 - #5@8 V EF
567	TR	BF		60	43			4	16/5	S	12-00							2,153	#4@12 H EF
568	TR	BF		60	13			4	16/5	S	41-06							2,251	PR1 - #5@12" VERT
569	TR	BF		60	43			4	13/4	S	47-06							5,458	#4@12" HOR
570	TR	BF		60	13			-4	16/5	S	14-06							-786	DEDUCT OPNG.
571	TR	BF		60	16			-4	13/4	S	15-00							-641	HOR
572	TR	BF		60	5			4	16/5	S	41-06							866	PR1 - #5@12" VERT
573	TR	BF		60	43			4	13/4	S	6-02							709	#4@12" HOR
574	TR	BF		60	5			-4	16/5	S	7-09							-162	DEDUCT OPNG.
575	TR	BF		60	9			-4	13/4	S	3-02							-76	HOR
576	TR	BF		60	2			20	16/5	S	41-06							1,731	EDGE REINF.2-#5 VERT
577	TR	BF		60	2			8	16/5	H	53-00							884	EDGE REINF.T&B
578	TR	BF		60	2			4	16/5	S	7-04							61	OPNG. - 2-#5 T&B
579	TR	BF		60	4			16	16/5	S	4-00							267	DIAGNL - 2-#5 EF
580	TR	BF		60	2			4	16/5	S	16-00							134	OPNG. - 2-#5 T&B
581	TR	BF		60	4			16	16/5	S	4-00							267	DIAGNL - 2-#5 EF
582	MT	P103																	
583	TR	BF		60	7			4	16/5	S	46-00							1,343	PR3 - #5@12 V EF
584	TR	BF		60	47			4	13/4	S	5-08							712	#4@12 H EF
585	TR	BF		60	7			4	16/5	S	44-00							1,285	PR3 - #5@12 V EF
586	TR	BF		60	47			4	13/4	S	6-00							754	#4@12 H EF
587	TR	BF		60	10			3	16/5	S	46-00							1,439	PR1 - #5@12" VERT
588	TR	BF		60	47			3	13/4	S	9-00							848	#4@12" HOR
589	TR	BF		60	10			-3	16/5	S	10-06							-329	DEDUCT OPNG.
590	TR	BF		60	12			-3	13/4	S	9-00							-216	HOR
591	TR	BF		60	2			8	16/5	S	46-00							768	EDGE REINF.2-#5 VERT
592	TR	BF		60	2			3	16/5	H	53-00							332	EDGE REINF.T&B
593	TR	BF		60	2			6	16/5	S	13-00							163	OPNG. - 2-#5 T&B
594	TR	BF		60	4			12	16/5	S	4-00							200	DIAGNL - 2-#5 EF
595	TR	BF		60	2			1	19/6	S	245-00							736	2-#6 - CHORD REINF.
596	TR	BF		60	43			10	13/4	S	3-00							861	ADD'L LAP @ HOR
597	TR	BF		60	47			3	13/4	S	3-00							282	ADD'L LAP @ HOR
598	MT	EAST ELEVATION																	
599	MT	P106																	
600	TR	BF		60	50			1	16/5	S	41-06							2,164	PR1 - #5@12" VERT
601	TR	BF		60	43			1	13/4	S	50-06							1,451	#4@12" HOR
602	TR	BF		60	6			2	16/5	S	41-06							519	PR5 - #5@8 V EF
603	TR	BF		60	43			2	16/5	S	3-00							269	#4@12 H EF
604	TR	BF		60	2			5	16/5	S	41-06							433	EDGE REINF.2-#5 VERT
605	TR	BF		60	2			3	16/5	H	55-00							344	EDGE REINF.T&B
606	TR	BF		60	2			2	16/5	H	23-00							96	EDGE REINF.T&B
607	MT	P107																	
608	TR	BF		60	44			1	16/5	S	41-06							1,904	PR1 - #5@12" VERT
609	TR	BF		60	43			1	13/4	S	50-00							1,436	#4@12" HOR
610	TR	BF		60	7			2	16/5	S	41-06							606	PR5 - #5@8 V EF

INT-052 - SOSSAMAN BUSINESS CAMPUS

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
611	TR	BF		60	43			2	16/5	S	4-00							359	#4@12 H EF
612	TR	BF		60	6			2	16/5	S	41-06							519	PR5 - #5@8 V EF
613	TR	BF		60	43			2	16/5	S	3-00							269	#4@12 H EF
614	TR	BF		60	2			5	16/5	S	41-06							433	EDGE REINF.2-#5 VERT
615	TR	BF		60	2			3	16/5	H	53-00							332	EDGE REINF.T&B
616	TR	BF		60	2			2	16/5	H	23-00							96	EDGE REINF.T&B
617	MT	P108																	
618	TR	BF		60	47			1	16/5	S	41-06							2,034	PR1 - #5@12" VERT
619	TR	BF		60	43			1	13/4	S	51-06							1,479	#4@12" HOR
620	TR	BF		60	7			2	16/5	S	41-06							606	PR5 - #5@8 V EF
621	TR	BF		60	43			2	16/5	S	4-00							359	#4@12 H EF
622	TR	BF		60	2			5	16/5	S	41-06							433	EDGE REINF.2-#5 VERT
623	TR	BF		60	2			3	16/5	H	55-00							344	EDGE REINF.T&B
624	TR	BF		60	2			2	16/5	H	23-00							96	EDGE REINF.T&B
625	TR	BF		60	1			1	16/5	S	50-00							52	1-#5 CONT.
626	TR	BF		60	2			1	19/6	S	152-00							457	2-#6 - CHORD REINF.
627	TR	BF		60	2			4	19/6	H	6-04							76	2-#6 - DETAIL 209A
628	MT	SOUTH ELEVATION																	
629	MT	P109																	
630	TR	BF		60	14			1	16/5	S	41-06							606	PR1 - #5@12" VERT
631	TR	BF		60	43			1	13/4	S	13-00							373	#4@12" HOR
632	TR	BF		60	2			2	16/5	S	41-06							173	2-#5 V @ EDGE
633	TR	BF		60	2			1	16/5	S	39-06							82	2-#5 V @ EDGE
634	TR	BF		60	2			1	16/5	H	12-00							25	2-#5 @ T
635	TR	BF		60	2			1	16/5	H	14-06							30	2-#5 T
636	TR	BF		60	2			1	16/5	H	16-00							33	2-#5 B
637	MT	P110																	
638	TR	BF		60	6			4	16/5	S	41-06							1,039	PR2 - #5@14 V EF
639	TR	BF		60	43			2	13/4	S	4-09							273	#4@12 H
640	TR	BF		60	6			6	16/5	S	41-06							1,558	PR2 - #5@14 V EF
641	TR	BF		60	43			3	13/4	S	5-02							445	#4@12 H
642	TR	BF		60	6			2	16/5	S	41-06							519	PR1 - #5@12" VERT
643	TR	BF		60	43			2	13/4	S	8-00							460	#4@12" HOR
644	TR	BF		60	6			-2	16/5	S	7-05							-93	DEDUCT
645	TR	BF		60	9			-2	13/4	S	5-00							-60	#4@12" HOR
646	TR	BF		60	6			-2	16/5	S	4-07							-57	DEDUCT
647	TR	BF		60	6			-2	13/4	S	5-00							-40	#4@12" HOR
648	TR	BF		60	9			2	16/5	S	41-06							779	PR1 - #5@12" VERT
649	TR	BF		60	43			2	13/4	S	11-00							632	#4@12" HOR
650	TR	BF		60	9			-2	16/5	S	7-03							-136	DEDUCT
651	TR	BF		60	9			-2	13/4	S	8-00							-96	#4@12" HOR
652	TR	BF		60	9			-2	16/5	S	4-07							-86	DEDUCT
653	TR	BF		60	6			-2	13/4	S	5-00							-40	#4@12" HOR
654	TR	BF		60	2			10	16/5	S	41-06							866	2-#5 V @ EDGE
655	TR	BF		60	2			2	16/5	H	59-00							246	2-#5 T&B
656	TR	BF		60	2			4	16/5	H	59-00							492	2-#5 T&B
657	TR	BF		60	4			32	16/5	S	4-00							534	DIAGNL - 2-#5 EF
658	MT	P111																	
659	TR	BF		60	4			4	16/5	S	41-06							693	PR3 - #5@12 V EF
660	TR	BF		60	43			4	13/4	S	3-00							345	#4@12 H EF
661	TR	BF		60	8			2	16/5	S	41-06							693	PR2 - #5@14 V EF
662	TR	BF		60	43			2	13/4	S	7-04							421	#4@12 H
663	TR	BF		60	45			1	16/5	S	41-06							1,948	PR1 - #5@12" VERT
664	TR	BF		60	43			1	13/4	S	44-00							1,264	#4@12" HOR
665	TR	BF		60	9			-2	16/5	S	4-07							-86	DEDUCT
666	TR	BF		60	6			-2	13/4	S	8-00							-64	#4@12" HOR
667	TR	BF		60	2			7	16/5	S	41-06							606	2-#5 V @ EDGE
668	TR	BF		60	2			1	16/5	H	43-00							90	2-#5 T&B
669	TR	BF		60	2			2	16/5	H	47-00							196	2-#5 T&B
670	TR	BF		60	4			8	16/5	S	4-00							133	DIAGNL - 2-#5 EF
671	MT	P112																	

INT-052 - SOSSAMAN BUSINESS CAMPUS

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
672	TR	BF		60	9			4	16/5	S	42-08							1,602	PR6 - #5@6 V EF
673	TR	BF		60	44			4	13/4	S	4-00							470	#4@12" H EF
674	TR	BF		60	4			6	16/5	S	41-06							1,039	PR3 - #5@12 V EF
675	TR	BF		60	43			6	13/4	S	3-00							517	#4@12 H EF
676	TR	BF		60	8			4	13/4	S	27-00							577	PR8 - #4@12 V EF
677	TR	BF		60	34			4	19/6	S	6-03							1,277	#6@10 H EF
678	TR	BF		60	8			-4	13/4	S	10-07							-226	DEDUCT
679	TR	BF		60	14			-4	19/6	S	6-03							-526	H EF
680	TR	BF		60	13			1	16/5	S	42-08							579	PR1 - #5@12" VERT
681	TR	BF		60	44			1	13/4	S	11-10							348	#4@12" HOR
682	TR	BF		60	2			4	16/5	S	42-08							356	2-#5 V @ EDGE
683	TR	BF		60	2			1	16/5	H	43-00							90	2-#5 T&B
684	TR	BF		60	2			2	16/5	H	47-00							196	2-#5 T&B
685	TR	BF		60	2			5	16/5	H	47-00							490	2-#5 T&B
686	TR	BF		60	5			15	13/4	S	4-00							200	DIAGNL - 2-#5 EF
687	MT	P113																	
688	TR	BF		60	4			4	16/5	S	41-08							695	PR3 - #5@12 V EF
689	TR	BF		60	43			4	13/4	S	3-00							345	#4@12 H EF
690	TR	BF		60	8			8	16/5	S	41-08							2,781	PR2 - #5@14 V EF
691	TR	BF		60	43			4	13/4	S	7-04							842	#4@12 H
692	TR	BF		60	9			3	16/5	S	41-08							1,173	PR1 - #5@12" VERT
693	TR	BF		60	43			3	13/4	S	8-00							689	#4@12" HOR
694	TR	BF		60	9			-3	16/5	S	7-03							-204	DEDUCT
695	TR	BF		60	9			-3	13/4	S	8-00							-144	#4@12" HOR
696	TR	BF		60	9			-3	16/5	S	4-08							-131	DEDUCT
697	TR	BF		60	6			-3	13/4	S	8-00							-96	#4@12" HOR
698	TR	BF		60	6			2	16/5	S	41-08							521	PR1 - #5@12" VERT
699	TR	BF		60	43			2	13/4	S	5-00							287	#4@12" HOR
700	TR	BF		60	6			-2	16/5	S	7-03							-91	DEDUCT
701	TR	BF		60	9			-2	13/4	S	5-00							-60	#4@12" HOR
702	TR	BF		60	6			-2	16/5	S	4-08							-58	DEDUCT
703	TR	BF		60	6			-2	13/4	S	5-00							-40	#4@12" HOR
704	TR	BF		60	2			12	16/5	S	41-08							1,043	2-#5 V @ EDGE
705	TR	BF		60	2			6	16/5	H	67-00							839	2-#5 T&B
706	TR	BF		60	4			40	16/5	S	4-00							667	DIAGNL - 2-#5 EF
707	MT	P114																	
708	TR	BF		60	12			1	16/5	S	42-06							532	PR1 - #5@12" VERT
709	TR	BF		60	44			1	13/4	S	10-08							313	#4@12" HOR
710	TR	BF		60	13			2	19/6	S	42-06							1,660	PR7 - #6@6 V EF
711	TR	BF		60	44			2	13/4	S	6-00							353	#4@12 H EF
712	TR	BF		60	9			1	16/5	S	27-00							253	PR1 - #5@12" VERT
713	TR	BF		60	28			1	13/4	S	7-04							137	#4@12" HOR
714	TR	BF		60	25			1	13/4	S	6-06							109	PR8 - #4@12 V
715	TR	BF		60	9			2	19/6	S	24-00							649	#6@10 H EF
716	TR	BF		60	2			3	16/5	S	42-06							266	2-#5 V @ EDGE
717	TR	BF		60	2			1	16/5	S	27-00							56	2-#5 V @ EDGE
718	TR	BF		60	2			3	16/5	H	27-00							169	2-#5 T&B
719	TR	BF		60	2			1	16/5	H	23-00							48	2-#5 T&B
720	TR	BF		60	2			1	16/5	H	20-00							42	2-#5 T&B
721	TR	BF		60	4			4	16/5	S	4-00							67	DIAGNL - 2-#5 EF
722	TR	BF		60	2			1	19/6	S	245-00							736	2-#6 - CHORD REINF.
723	TR	BF		60	2			1	16/5	S	245-00							511	1-#5 - CONT - DETAIL 323
724	TR	BF		60	2			4	10/3	L	9-00							27	2-#3 - DETAIL 313
725	TR	BF		60	2			9	13/4	H	3-03							39	2-#4 - DETAIL 314
726	TR	BF		60	2			9	13/4	S	4-00							48	1-#4 - CONT.
727	MT	WEST ELEVATION																	
728	MT	P115																	
729	TR	BF		60	3			6	16/5	S	27-00							507	PR3 - #5@12 V EF
730	TR	BF		60	28			6	13/4	S	2-00							225	#4@12 H EF
731	TR	BF		60	13			2	19/6	S	42-06							1,660	PR7 - #6@6 V EF
732	TR	BF		60	44			2	13/4	S	6-00							353	#4@12 H EF

INT-052 - SOSSAMAN BUSINESS CAMPUS

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
733	TR	BF		60	6			2	16/5	S	42-06							532	PR5 - #5@8 V EF
734	TR	BF		60	44			2	16/5	S	3-00							275	#4@12 H EF
735	TR	BF		60	54			2	13/4	S	4-00							289	PR8 - #4@12 V EF
736	TR	BF		60	6			2	19/6	S	52-09							951	#6@10 H EF
737	TR	BF		60	54			2	13/4	S	5-00							361	PR8 - #4@12 V EF
738	TR	BF		60	8			2	19/6	S	52-09							1,268	#6@10 H EF
739	TR	BF		60	9			1	16/5	S	27-00							253	PR1 - #5@12" VERT
740	TR	BF		60	28			1	13/4	S	7-08							143	#4@12" HOR
741	TR	BF		60	8			2	16/5	S	6-00							100	PR1 - #5@12" VERT
742	TR	BF		60	7			2	13/4	S	7-00							65	#4@12" HOR
743	TR	BF		60	4			1	16/5	S	6-00							25	PR1 - #5@12" VERT
744	TR	BF		60	7			1	13/4	S	3-00							14	#4@12" HOR
745	TR	BF		60	12			1	16/5	S	33-00							413	PR1 - #5@12" VERT
746	TR	BF		60	34			1	13/4	S	3-00							68	#4@12" HOR
747	TR	BF		60	2			5	16/5	S	27-00							282	2-#5 V @ EDGE
748	TR	BF		60	2			2	16/5	S	42-06							177	2-#5 V @ EDGE
749	TR	BF		60	2			4	16/5	H	53-00							442	2-#5 T&B
750	TR	BF		60	2			1	16/5	H	24-03							51	2-#5 T&B
751	TR	BF		60	4			12	16/5	S	4-00							200	DIAGNL - 2-#5 EF
752	TR	BF		60	2			1	16/5	L	6-00							13	2-#5 HAIRPINS - DETAIL 311
753	MT	P116																	
754	TR	BF		60	7			2	16/5	S	42-06							621	PR5 - #5@8 V EF
755	TR	BF		60	44			2	16/5	S	4-00							367	#4@12 H EF
756	TR	BF		60	6			2	16/5	S	42-06							532	PR5 - #5@8 V EF
757	TR	BF		60	44			2	16/5	S	3-00							275	#4@12 H EF
758	TR	BF		60	4			4	16/5	S	42-06							709	PR3 - #5@12 V EF
759	TR	BF		60	44			4	13/4	S	3-00							353	#4@12 H EF
760	TR	BF		60	8			2	16/5	S	42-06							709	PR2 - #5@14 V EF
761	TR	BF		60	44			1	13/4	S	7-04							216	#4@12 H
762	TR	BF		60	28			1	16/5	S	42-06							1,241	PR1 - #5@12" VERT
763	TR	BF		60	44			1	13/4	S	26-04							774	#4@12" HOR
764	TR	BF		60	10			-2	16/5	S	4-08							-97	DEDUCT
765	TR	BF		60	6			-2	13/4	S	8-08							-69	#4@12" HOR
766	TR	BF		60	2			7	16/5	S	42-06							621	2-#5 V @ EDGE
767	TR	BF		60	2			5	16/5	H	53-00							553	2-#5 T&B
768	TR	BF		60	4			8	16/5	S	4-00							133	DIAGNL - 2-#5 EF
769	MT	P117																	
770	TR	BF		60	7			2	16/5	S	42-06							621	PR5 - #5@8 V EF
771	TR	BF		60	44			2	16/5	S	4-00							367	#4@12 H EF
772	TR	BF		60	6			2	16/5	S	42-06							532	PR5 - #5@8 V EF
773	TR	BF		60	44			2	16/5	S	3-00							275	#4@12 H EF
774	TR	BF		60	4			4	16/5	S	42-06							709	PR3 - #5@12 V EF
775	TR	BF		60	44			4	13/4	S	3-00							353	#4@12 H EF
776	TR	BF		60	8			2	16/5	S	42-06							709	PR2 - #5@14 V EF
777	TR	BF		60	44			1	13/4	S	7-04							216	#4@12 H
778	TR	BF		60	30			1	16/5	S	42-06							1,330	PR1 - #5@12" VERT
779	TR	BF		60	44			1	13/4	S	28-04							833	#4@12" HOR
780	TR	BF		60	10			-2	16/5	S	4-08							-97	DEDUCT
781	TR	BF		60	6			-2	13/4	S	8-08							-69	#4@12" HOR
782	TR	BF		60	2			7	16/5	S	42-06							621	2-#5 V @ EDGE
783	TR	BF		60	2			5	16/5	H	55-00							574	2-#5 T&B
784	TR	BF		60	4			8	16/5	S	4-00							133	DIAGNL - 2-#5 EF
785	TR	BF		60	2			1	19/6	S	152-00							457	2-#6 - CHORD REINF.
786	TR	BF		60	2			1	16/5	S	50-00							104	1-#5 - CONT - DETAIL 323
787	TR	BF		60	2			4	10/3	L	9-00							27	2-#3 - DETAIL 313
788	TR	BF		60	2			9	13/4	H	3-03							39	2-#4 - DETAIL 318
789	TR	BF		60	2			9	13/4	S	4-00							48	1-#4 - CONT.
790	TR	BF		60	2			1	16/5	L	6-00							13	2-#5 HAIRPINS - DETAIL 311
791	TR	BF		60	2			4	19/6	H	6-04							76	2-#6 - DETAIL 209A
792	GI	Segment: SITE WORK	Sub-Segment: LIGHT POLE																
793	MT	OVERALL ELECTRICAL SITE PLAN - REF. E200																	

INT-052 - SOSSAMAN BUSINESS CAMPUS

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
794	MT	LIGHT POLE BASE (50 LOCS)																	
795	MT	REF:106/S9000																	
796	TR	BF		60	6			50	19/6	S	8-00							3,604	VERTS
797	TR	BF		60	3			50	10/3	L	7-031							410	TIES @TOP
798	TR	BF		60	9			50	10/3	L	7-031							1,230	TIES
799	GI	Segment: SITE WORK Sub-Segment: DUMPSTER ENCLOSURE																	
800	MT	ARCHITECTURAL SITE PLAN - REF. A002																	
801	MT	DUMPSTER ENCLOSURE (8 LOCS)																	
802	MT	WALL FOOTINGS (REF.6/A002)																	
803	TR	BF		60	2			8	13/4	S	45-01							482	2-#4 CONT.
804	TR	BF		60	69			8	16/5	H	4-02							2,399	#5 @8" CMU DWLS
805	MT	6" THK SLAB (REF.6/A002)																	
806	MT	510 SQ.FT																	
807	TR	BF		60	76			8	13/4	S	30-00							12,184	#4 @6" BOT EW
808	GI	Segment: SITE WORK Sub-Segment: STAIRCASE																	
809	MT	CIVIL SITE PLAN - REF. C4																	
810	MT	CONCRETE STAIR																	
811	MT	(REF.I/C19)																	
812	TR	BF		60	6			1	13/4	L	9-04							37	#4 @12" LW
813	TR	BF		60	7			1	13/4	S	5-00							23	#4 @12" SW
814	MT	CIVIL SITE PLAN - REF. C5																	
815	MT	CONCRETE STAIR																	
816	MT	(REF.I/C19)																	
817	TR	BF		60	6			1	13/4	L	10-05							42	#4 @12" LW
818	TR	BF		60	8			1	13/4	S	5-00							27	#4 @12" SW
819	MT	CIVIL SITE PLAN - REF. C9																	
820	MT	CONCRETE STAIR																	
821	MT	(REF.I/C19)																	
822	TR	BF		60	6			1	13/4	L	7-04							29	#4 @12" LW
823	TR	BF		60	5			1	13/4	S	5-00							17	#4 @12" SW
824	GI	Segment: SITE WORK Sub-Segment: SIDE WALK																	
825	MT	CIVIL SITE PLAN - REF. C3-C10																	
826	MT	MODIFIED CONCRETE SIDEWALK																	
827	MT	(REF.G/C19)																	
828	TR	BF		60	1			1	16/5	S	674-00							703	1-#5 CONT.
829	GI	Segment: BUILDING 2 Sub-Segment: TILT UP PANEL																	
830	MT	S2300																	
831	MT	NORTH ELEVATION																	
832	MT	P201																	
833	TR	BF		60	3			4	16/5	S	41-06							519	PR2 - #5@14 V EF
834	TR	BF		60	43			2	13/4	S	2-00							115	#4@12 H
835	TR	BF		60	38			1	16/5	S	41-06							1,645	PR1 - #5@12" VERT
836	TR	BF		60	43			1	13/4	S	36-06							1,048	#4@12" HOR
837	TR	BF		60	5			-1	16/5	S	7-09							-40	DEDUCT OPNG.
838	TR	BF		60	9			-1	13/4	S	3-04							-20	HOR
839	TR	BF		60	2			4	16/5	S	41-06							346	EDGE REINF.2-#5 VERT
840	TR	BF		60	2			2	16/5	H	43-06							181	EDGE REINF.T&B
841	TR	BF		60	2			2	16/5	S	7-04							31	OPNG. - 2-#5 T&B
842	TR	BF		60	4			4	16/5	S	4-00							67	DIAGNL - 2-#5 EF
843	MT	P202																	
844	TR	BF		60	19			1	16/5	S	41-06							822	PR1 - #5@12" VERT
845	TR	BF		60	43			1	13/4	S	17-06							503	#4@12" HOR
846	TR	BF		60	2			3	16/5	S	41-06							260	EDGE REINF.2-#5 VERT
847	TR	BF		60	2			2	16/5	S	20-06							86	2-#5 T&B
848	TR	BF		60	2			1	16/5	H	16-06							34	2-#5 T&B
849	MT	P203 & P204																	
850	TR	BF		60	3			8	16/5	S	41-06							1,039	PR2 - #5@14 V EF
851	TR	BF		60	43			4	13/4	S	2-00							230	#4@12 H
852	TR	BF		60	4			8	16/5	S	41-06							1,385	PR3 - #5@12 V EF
853	TR	BF		60	43			8	13/4	S	2-04							536	#4@12 H EF
854	TR	BF		60	4			4	16/5	S	39-06							659	PR3 - #5@12 V EF

INT-052 - SOSSAMAN BUSINESS CAMPUS

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
855	TR	BF		60	41			4	13/4	S	5-04							584	#4@12 H EF
856	TR	BF		60	45			2	16/5	S	41-06							3,896	PR1 - #5@12" VERT
857	TR	BF		60	43			2	13/4	S	44-00							2,528	#4@12" HOR
858	TR	BF		60	5			-4	16/5	S	7-07							-158	DEDUCT
859	TR	BF		60	9			-4	13/4	S	3-04							-80	#4@12" HOR
860	TR	BF		60	13			-4	16/5	S	14-06							-786	DEDUCT
861	TR	BF		60	16			-4	13/4	S	12-00							-513	#4@12" HOR
862	TR	BF		60	2			20	16/5	S	41-06							1,731	EDGE REINF.2-#5 VERT
863	TR	BF		60	2			8	16/5	H	61-00							1,018	2-#5 T&B
864	TR	BF		60	2			4	16/5	H	30-00							250	2-#5
865	TR	BF		60	2			4	16/5	S	18-00							150	2-#5
866	TR	BF		60	4			32	16/5	S	4-00							534	DIAGNL - 2-#5 EF
867	MT	P205																	
868	TR	BF		60	8			6	16/5	S	45-06							2,278	PR4 - #5@10 V EF
869	TR	BF		60	47			6	13/4	S	5-06							1,036	#4@12 H EF
870	TR	BF		60	7			2	16/5	S	45-06							664	PR4 - #5@10 V EF
871	TR	BF		60	47			2	13/4	S	4-02							262	#4@12 H EF
872	TR	BF		60	31			1	16/5	S	45-06							1,471	PR1 - #5@12" VERT
873	TR	BF		60	47			1	13/4	S	29-04							921	#4@12" HOR
874	TR	BF		60	10			-3	16/5	S	10-06							-329	DEDUCT
875	TR	BF		60	12			-3	13/4	S	9-00							-216	#4@12" HOR
876	TR	BF		60	4			12	16/5	S	4-00							200	DIAGNL - 2-#5 EF
877	TR	BF		60	2			8	16/5	S	45-06							759	EDGE REINF.2-#5 VERT
878	TR	BF		60	2			4	16/5	H	53-00							442	2-#5 T&B
879	TR	BF		60	2			1	16/5	H	47-00							98	2-#5
880	TR	BF		60	2			1	19/6	S	174-00							523	2-#6 CHORD
881	TR	BF		60	2			1	22/7	S	50-00							204	2-#7 CHORD
882	MT	EAST ELEVATION																	
883	MT	P206																	
884	TR	BF		60	7			2	16/5	S	41-06							606	PR5 - #5@8 V EF
885	TR	BF		60	43			2	13/4	S	4-00							230	#4@12 H EF
886	TR	BF		60	47			1	16/5	S	41-06							2,034	PR1 - #5@12" VERT
887	TR	BF		60	43			1	13/4	S	46-00							1,321	#4@12" HOR
888	TR	BF		60	2			5	16/5	S	41-06							433	EDGE REINF.2-#5 VERT
889	TR	BF		60	2			2	16/5	S	53-00							221	2-#5 H
890	TR	BF		60	2			2	16/5	S	23-00							96	2-#5 H
891	MT	P207 & P208																	
892	TR	BF		60	6			4	16/5	S	41-06							1,039	PR5 - #5@8 V EF
893	TR	BF		60	43			4	13/4	S	3-00							345	#4@12 H EF
894	TR	BF		60	48			2	16/5	S	41-06							4,155	#4@12 H EF
895	TR	BF		60	43			2	13/4	S	47-00							2,700	#4@12" HOR
896	TR	BF		60	2			10	16/5	S	41-06							866	EDGE REINF.2-#5 VERT
897	TR	BF		60	2			4	16/5	S	53-00							442	2-#5 H
898	TR	BF		60	2			4	16/5	S	23-00							192	2-#5 H
899	MT	P209																	
900	TR	BF		60	6			2	16/5	S	41-06							519	PR5 - #5@8 V EF
901	TR	BF		60	43			2	13/4	S	4-00							230	#4@12 H EF
902	TR	BF		60	44			1	16/5	S	41-06							1,904	PR1 - #5@12" VERT
903	TR	BF		60	43			1	13/4	S	43-00							1,235	#4@12" HOR
904	TR	BF		60	6			-1	16/5	S	7-03							-45	DEDUCT
905	TR	BF		60	9			-1	13/4	S	5-00							-30	#4@12" HOR
906	TR	BF		60	6			-1	16/5	S	4-08							-29	DEDUCT
907	TR	BF		60	6			-1	13/4	S	5-00							-20	#4@12" HOR
908	TR	BF		60	3			4	16/5	S	41-06							519	PR3 - #5@12 V EF
909	TR	BF		60	43			4	13/4	S	2-00							230	#4@12 H EF
910	TR	BF		60	2			5	16/5	S	41-06							433	EDGE REINF.2-#5 VERT
911	TR	BF		60	2			6	16/5	S	53-00							663	2-#5 H
912	TR	BF		60	2			2	16/5	S	48-00							200	2-#5 H
913	TR	BF		60	4			8	16/5	S	4-00							133	DIAGNL - 2-#5 EF
914	TR	BF		60	2			1	19/6	S	100-00							300	2-#6 CHORD
915	TR	BF		60	2			1	22/7	S	100-00							409	2-#7 CHORD

INT-052 - SOSSAMAN BUSINESS CAMPUS

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
916	TR	BF		60	1			1	16/5	S	50-00							52	1-#5 CONT.
917	TR	BF		60	2			4	19/6	H	6-04							76	2-#6 - DETAIL 209
918	MT	SOUTH ELEVATION																	
919	MT	P210																	
920	TR	BF		60	3			2	16/5	S	41-06							260	PR3 - #5@12 V EF
921	TR	BF		60	43			2	13/4	S	2-00							115	#4@12 H EF
922	TR	BF		60	4			2	16/5	S	41-06							346	PR4 - #5@10 V EF
923	TR	BF		60	43			2	13/4	S	2-00							115	#4@12 H EF
924	TR	BF		60	6			2	16/5	S	41-06							519	PR2 - #5@14 V EF
925	TR	BF		60	43			2	13/4	S	5-04							306	#4@12 H
926	TR	BF		60	31			1	16/5	S	41-06							1,342	PR1 - #5@12" VERT
927	TR	BF		60	43			1	13/4	S	29-08							852	#4@12" HOR
928	TR	BF		60	2			7	16/5	S	41-06							606	EDGE REINF.2-#5 VERT
929	TR	BF		60	2			6	16/5	S	42-00							526	2-#5 H
930	TR	BF		60	2			1	16/5	S	38-00							79	2-#5 H
931	TR	BF		60	4			8	16/5	S	4-00							133	DIAGNL - 2-#5 EF
932	MT	P211 & P213																	
933	TR	BF		60	10			4	16/5	S	41-06							1,731	PR6 - #5@6 V EF
934	TR	BF		60	43			4	13/4	S	4-02							479	#4@12 H EF
935	TR	BF		60	11			4	16/5	S	41-06							1,904	PR6 - #5@6 V EF
936	TR	BF		60	43			4	13/4	S	5-00							574	#4@12 H EF
937	TR	BF		60	3			4	16/5	S	20-00							250	PR3 - #5@12 V EF
938	TR	BF		60	21			4	13/4	S	2-00							112	#4@12 H EF
939	TR	BF		60	4			12	16/5	S	27-00							1,352	PR3 - #5@12 V EF
940	TR	BF		60	28			12	13/4	S	3-00							673	#4@12 H EF
941	TR	BF		60	51			4	13/4	S	5-00							681	PR8 - #4@12 V EF
942	TR	BF		60	8			4	19/6	S	50-00							2,403	#6@10 H EF
943	TR	BF		60	5			2	16/5	S	16-00							167	PR1 - #5@12" VERT
944	TR	BF		60	17			2	13/4	S	4-00							91	#4@12" HOR
945	TR	BF		60	8			6	16/5	S	11-00							551	PR1 - #5@12" VERT
946	TR	BF		60	12			6	13/4	S	7-00							337	#4@12" HOR
947	TR	BF		60	8			6	16/5	S	11-00							551	PR1 - #5@12" VERT
948	TR	BF		60	12			6	13/4	S	7-00							337	#4@12" HOR
949	TR	BF		60	11			2	16/5	S	41-06							952	PR1 - #5@12" VERT
950	TR	BF		60	43			2	13/4	S	9-08							555	#4@12" HOR
951	TR	BF		60	2			8	16/5	S	41-06							693	EDGE REINF.2-#5 VERT
952	TR	BF		60	2			10	16/5	S	27-00							563	EDGE REINF.2-#5 VERT
953	TR	BF		60	2			2	16/5	S	20-00							83	2-#5 V
954	TR	BF		60	2			12	16/5	S	53-00							1,327	2-#5 H
955	TR	BF		60	4			16	16/5	S	4-00							267	DIAGNL - 2-#5 EF
956	MT	P212																	
957	TR	BF		60	39			1	16/5	S	41-06							1,688	PR1 - #5@12" VERT
958	TR	BF		60	43			1	13/4	S	38-00							1,091	#4@12" HOR
959	TR	BF		60	2			2	16/5	S	20-00							83	2-#5 V
960	TR	BF		60	2			2	16/5	S	41-00							171	2-#5 H
961	MT	P214																	
962	TR	BF		60	6			2	16/5	S	41-06							519	PR2 - #5@14 V EF
963	TR	BF		60	43			1	13/4	S	5-00							144	#4@12 H
964	TR	BF		60	6			4	16/5	S	41-06							1,039	PR2 - #5@14 V EF
965	TR	BF		60	43			2	13/4	S	5-04							306	#4@12 H
966	TR	BF		60	5			2	16/5	S	41-06							433	PR2 - #5@14 V EF
967	TR	BF		60	43			1	13/4	S	4-00							115	#4@12 H
968	TR	BF		60	25			1	16/5	S	41-06							1,082	PR1 - #5@12" VERT
969	TR	BF		60	43			1	13/4	S	23-04							670	#4@12" HOR
970	TR	BF		60	9			-4	16/5	S	7-04							-275	DEDUCT
971	TR	BF		60	9			-2	13/4	S	8-00							-96	#4@12" HOR
972	TR	BF		60	9			-4	16/5	S	4-08							-175	DEDUCT
973	TR	BF		60	6			-2	13/4	S	8-00							-64	#4@12" HOR
974	TR	BF		60	6			-2	16/5	S	4-08							-58	DEDUCT
975	TR	BF		60	6			-1	13/4	S	5-00							-20	#4@12" HOR
976	TR	BF		60	6			-2	16/5	S	7-04							-92	DEDUCT

INT-052 - SOSSAMAN BUSINESS CAMPUS

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
977	TR	BF		60	9			-1	13/4	S	5-00							-30	#4@12" HOR
978	TR	BF		60	2			8	16/5	S	41-06							693	2-#5 V
979	TR	BF		60	2			6	16/5	S	46-00							576	2-#5 H
980	TR	BF		60	4			12	16/5	S	4-00							200	DIAGNL - 2-#5 EF
981	TR	BF		60	2			1	19/6	S	224-00							673	2-#6 CHORD
982	TR	BF		60	1			1	16/5	S	224-00							234	1-#5 CONT.
983	TR	BF		60	2			33	13/4	H	3-03							143	2-#4 - DETAIL 318
984	TR	BF		60	2			33	13/4	S	4-00							176	1-#4 - CONT.
985	MT	WEST ELEVATION																	
986	MT	P215,216,217 & 218																	
987	TR	BF		60	6			8	16/5	S	41-06							2,078	PR5 - #5@8 V EF
988	TR	BF		60	43			8	16/5	S	3-00							1,076	#4@12 H EF
989	TR	BF		60	48			4	16/5	S	41-06							8,310	PR1 - #5@12" VERT
990	TR	BF		60	43			4	13/4	S	47-00							5,400	#4@12" HOR
991	TR	BF		60	2			20	16/5	S	41-06							1,731	2-#5 V
992	TR	BF		60	8			2	16/5	H	53-00							884	2-#5 H
993	TR	BF		60	2			8	16/5	H	23-00							384	2-#5 H
994	TR	BF		60	2			1	19/6	S	200-00							601	2-#6 CHORD
995	TR	BF		60	1			1	16/5	S	50-00							52	1-#5 CONT.
996	TR	BF		60	2			6	19/6	H	6-04							114	2-#6 - DETAIL 209
997	TR	BF		60	1			36	13/4	L	5-00							120	1-#4 - DETAIL 101
998	TR	BF		60	1			36	13/4	L	3-08							88	1-#4 IN FTG.
999	TR	BF		60	26			1	16/5	L	4-02							113	DETAIL 104 - #5@24 TIES
1000	TR	BF		60	101			2	16/5	H	1-09							368	#5@6 D/V EF
1001	GI	Segment: BUILDING 3 Sub-Segment: TILT UP PANEL																	
1002	MT	S3300																	
1003	MT	NORTH ELEVATION																	
1004	MT	P301																	
1005	TR	BF		60	6			4	16/5	S	45-08							1,143	PR3 - #5@12 V EF
1006	TR	BF		60	47			4	13/4	S	5-00							628	#4@12 H EF
1007	TR	BF		60	4			4	16/5	S	41-06							693	PR5 - #5@8 V EF
1008	TR	BF		60	43			4	13/4	S	2-00							230	#4@12 H EF
1009	TR	BF		60	9			2	16/5	S	41-06							779	PR5 - #5@8 V EF
1010	TR	BF		60	43			2	13/4	S	5-04							306	#4@12 H EF
1011	TR	BF		60	10			1	16/5	S	45-08							476	PR1 - #5@12" VERT
1012	TR	BF		60	47			1	13/4	S	9-00							283	#4@12" HOR
1013	TR	BF		60	5			1	16/5	S	41-06							216	PR1 - #5@12" VERT
1014	TR	BF		60	43			1	13/4	S	3-02							91	#4@12" HOR
1015	TR	BF		60	13			2	16/5	S	41-06							1,125	PR1 - #5@12" VERT
1016	TR	BF		60	43			2	13/4	S	12-00							689	#4@12" HOR
1017	TR	BF		60	2			4	16/5	S	45-08							381	2-#5 V
1018	TR	BF		60	2			6	16/5	S	41-06							519	2-#5 V
1019	TR	BF		60	2			3	16/5	H	63-00							394	2-#5 H
1020	TR	BF		60	2			1	16/5	H	83-00							173	2-#5 H
1021	TR	BF		60	2			1	16/5	H	61-00							127	2-#5 H
1022	TR	BF		60	10			-1	16/5	S	10-06							-110	DEDUCT
1023	TR	BF		60	12			-1	13/4	S	9-00							-72	#4@12" HOR
1024	TR	BF		60	5			-1	16/5	S	7-04							-38	DEDUCT
1025	TR	BF		60	9			-1	13/4	S	3-04							-20	#4@12" HOR
1026	TR	BF		60	13			-1	16/5	S	14-00							-190	DEDUCT
1027	TR	BF		60	15			-1	13/4	S	12-00							-120	#4@12" HOR
1028	TR	BF		60	4			16	16/5	S	4-00							267	DIAGNL - 2 - #5
1029	MT	P302																	
1030	TR	BF		60	3			8	16/5	S	41-06							1,039	PR2 - #5@14 V EF
1031	TR	BF		60	43			4	13/4	S	2-00							230	H #4@12
1032	TR	BF		60	50			1	16/5	S	41-06							2,164	PR1 - #5@12" VERT
1033	TR	BF		60	43			1	13/4	S	49-00							1,407	#4@12" HOR
1034	TR	BF		60	5			-2	16/5	S	7-04							-76	DEDUCT
1035	TR	BF		60	9			-2	13/4	S	3-04							-40	#4@12" HOR
1036	TR	BF		60	2			8	16/5	S	41-06							693	2-#5 V
1037	TR	BF		60	2			4	16/5	H	60-00							501	2-#5 H

INT-052 - SOSSAMAN BUSINESS CAMPUS

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes	
1038	TR	BF		60	2			2	16/5	H	28-00							117	2-#5 H	
1039	TR	BF		60	4			8	16/5	S	4-00							133	DIAGNL - 2 - #5	
1040	MT	P303																		
1041	TR	BF		60	3			4	16/5	S	41-06							519	PR3 - #5@12 V EF	
1042	TR	BF		60	43			4	13/4	S	2-00							230	#4@12 H EF	
1043	TR	BF		60	45			1	16/5	S	41-06							1,948	PR1 - #5@12" VERT	
1044	TR	BF		60	43			1	13/4	S	44-00							1,264	#4@12" HOR	
1045	TR	BF		60	2			6	16/5	S	41-06							519	2-#5 V	
1046	TR	BF		60	2			4	16/5	H	51-00							426	2-#5 H	
1047	TR	BF		60	2			1	16/5	H	51-00							106	2-#5 H	
1048	TR	BF		60	2			1	19/6	S	104-00							312	2-#6 CHORD REINF.	
1049	TR	BF		60	2			1	22/7	S	60-00							245	2-#7 CHORD REINF.	
1050	MT	EAST ELEVATION																		
1051	MT	P304, 305, 306 & 307																		
1052	TR	BF		60	6			8	16/5	S	41-06							2,078	PR5 - #5@8 V EF	
1053	TR	BF		60	43			8	13/4	S	3-00							689	#4@12 H EF	
1054	TR	BF		60	48			4	16/5	S	41-06							8,310	PR1 - #5@12" VERT	
1055	TR	BF		60	43			4	13/4	S	47-00							5,400	#4@12" HOR	
1056	TR	BF		60	2			20	16/5	S	41-06							1,731	2-#5 V	
1057	TR	BF		60	2			8	16/5	H	53-00							884	2-#5 H	
1058	TR	BF		60	2			8	16/5	H	22-07							377	2-#5 H8	
1059	TR	BF		60	2			1	19/6	S	200-00							601	2-#6 CHORD REINF.	
1060	TR	BF		60	1			1	16/5	S	50-00							52	1-#5 - DETAIL 323	
1061	MT	SOUTH ELEVATION																		
1062	MT	P308																		
1063	TR	BF		60	31			1	16/5	S	41-06							1,342	PR1 - #5@12" VERT	
1064	TR	BF		60	43			1	13/4	S	30-00							862	#4@12" HOR	
1065	TR	BF		60	2			3	16/5	S	41-06							260	2-#5 V	
1066	TR	BF		60	2			2	16/5	H	33-00							138	2-#5 H	
1067	TR	BF		60	2			1	16/5	H	29-00							60	2-#5 H	
1068	MT	P309																		
1069	TR	BF		60	6			10	16/5	S	41-06							2,597	PR2 - #5@14 V EF	
1070	TR	BF		60	43			5	13/4	S	5-00							718	H #4@12	
1071	TR	BF		60	38			1	16/5	S	41-06							1,645	PR1 - #5@12" VERT	
1072	TR	BF		60	43			1	13/4	S	37-00							1,063	#4@12" HOR	
1073	TR	BF		60	8			-4	16/5	S	4-00							-133	DEDUCT	
1074	TR	BF		60	5			-4	13/4	S	7-00							-94	#4@12" HOR	
1075	TR	BF		60	9			-1	16/5	S	7-03							-68	DEDUCT	
1076	TR	BF		60	9			-1	13/4	S	7-09							-47	#4@12" HOR	
1077	TR	BF		60	4			10	16/5	S	4-00							167	DIAGNL - 2 - #5	
1078	MT	P310																		
1079	TR	BF		60	9			4	16/5	S	41-06							1,558	PR6 - #5@6 V EF	
1080	TR	BF		60	43			4	13/4	S	4-00							460	H EF #4@12	
1081	TR	BF		60	4			6	16/5	S	27-00							676	PR3 - #5@12 V EF	
1082	TR	BF		60	28			6	13/4	S	3-00							337	H EF #4@12	
1083	TR	BF		60	45			2	13/4	S	4-06							271	PR8 - #4@12 V EF	
1084	TR	BF		60	7			2	19/6	S	44-00							925	#6@10 H EF	
1085	TR	BF		60	8			2	16/5	S	11-06							192	PR1 - #5@12" VERT	
1086	TR	BF		60	13			2	13/4	S	6-04							110	#4@12" HOR	
1087	TR	BF		60	13			2	16/5	S	41-06							1,125	PR1 - #5@12" VERT	
1088	TR	BF		60	43			2	13/4	S	11-06							661	#4@12" HOR	
1089	TR	BF		60	2			4	16/5	S	41-06							346	2-#5 V	
1090	TR	BF		60	2			4	16/5	S	27-00							225	2-#5 V	
1091	TR	BF		60	2			5	16/5	S	44-00							459	2-#5 H	
1092	TR	BF		60	2			1	16/5	S	43-00							90	2-#5 H	
1093	TR	BF		60	4			12	16/5	S	4-00							200	DIAGNL - 2 - #5	
1094	MT	P311																		
1095	TR	BF		60	4			4	16/5	S	41-06							693	PR3 - #5@12 V EF	
1096	TR	BF		60	43			4	13/4	S	3-00							345	#4@12 H EF	
1097	TR	BF		60	23			1	16/5	S	41-06							996	PR1 - #5@12" VERT	
1098	TR	BF		60	43			1	13/4	S	22-00							632	#4@12" HOR	

INT-052 - SOSSAMAN BUSINESS CAMPUS

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
1099	TR	BF		60	9			-1	16/5	S	7-03							-68	DEDUCT
1100	TR	BF		60	9			-1	13/4	S	8-00							-48	#4@12" HOR
1101	TR	BF		60	9			-1	16/5	S	5-00							-47	DEDUCT
1102	TR	BF		60	6			-1	13/4	S	8-00							-32	#4@12" HOR
1103	TR	BF		60	4			8	16/5	S	4-00							133	DIAGNL - 2 - #5
1104	TR	BF		60	2			4	16/5	S	41-06							346	2-#5 V
1105	TR	BF		60	2			5	16/5	H	31-00							323	2-#5 H
1106	TR	BF		60	2			1	19/6	S	164-00							493	2-#6 CHORD REINF.
1107	TR	BF		60	1			1	16/5	S	164-00							171	1-#5 - DETAIL 323
1108	MT	WEST ELEVATION																	
1109	MT	P312																	
1110	TR	BF		60	3			4	16/5	S	41-06							519	PR3 - #5@12 V EF
1111	TR	BF		60	43			4	13/4	S	2-00							230	H EF #4@12
1112	TR	BF		60	6			2	16/5	S	41-06							519	PR5 - #5@8 V EF
1113	TR	BF		60	43			2	13/4	S	3-00							172	#4@12 H EF
1114	TR	BF		60	44			1	16/5	S	41-06							1,904	PR1 - #5@12" VERT
1115	TR	BF		60	43			1	13/4	S	43-00							1,235	#4@12" HOR
1116	TR	BF		60	6			-1	16/5	S	7-04							-46	DEDUCT
1117	TR	BF		60	9			-1	13/4	S	5-00							-30	#4@12" HOR
1118	TR	BF		60	6			-1	16/5	S	4-07							-29	DEDUCT
1119	TR	BF		60	6			-1	13/4	S	5-00							-20	#4@12" HOR
1120	TR	BF		60	2			5	16/5	S	41-06							433	2-#5 V
1121	TR	BF		60	2			6	16/5	H	53-00							663	2-#5 H
1122	TR	BF		60	2			1	16/5	H	48-00							100	2-#5 H
1123	TR	BF		60	4			8	16/5	S	4-00							133	DIAGNL - 2 - #5
1124	MT	P313, 314 & 315																	
1125	TR	BF		60	6			12	16/5	S	41-06							3,116	PR5 - #5@8 V EF
1126	TR	BF		60	43			12	13/4	S	3-00							1,034	#4@12 H EF
1127	TR	BF		60	45			3	16/5	S	41-06							5,843	PR1 - #5@12" VERT
1128	TR	BF		60	43			3	13/4	S	43-00							3,705	#4@12" HOR
1129	TR	BF		60	2			15	16/5	S	41-06							1,299	2-#5 V
1130	TR	BF		60	2			6	16/5	H	53-00							663	2-#5 H
1131	TR	BF		60	2			6	16/5	H	23-00							288	2-#5 H
1132	TR	BF		60	2			1	19/6	S	150-00							451	2-#6 CHORD REINF.
1133	TR	BF		60	2			1	22/7	S	50-00							204	2-#7 CHORD REINF.
1134	TR	BF		60	1			1	16/5	S	50-00							52	1-#5 - DETAIL 323
1135	TR	BF		60	2			11	19/6	H	6-04							209	2-#6 - DETAIL 209
1136	TR	BF		60	1			30	13/4	L	5-00							100	1-#4 - DETAIL 101
1137	TR	BF		60	1			30	13/4	L	3-08							74	1-#4 IN FTG.
1138	TR	BF		60	31			1	16/5	L	4-02							135	DETAIL 104 - #5@24 TIES
1139	TR	BF		60	121			2	16/5	H	1-09							441	#5@6 D/V EF
1140	GI	Segment: BUILDING 4 Sub-Segment: TILT UP PANEL																	
1141	MT	S4300																	
1142	MT	NORTH ELEVATION																	
1143	MT	P401 & P406																	
1144	TR	BF		60	3			8	16/5	S	41-06							1,039	PR2 - #5@14 V EF
1145	TR	BF		60	43			4	13/4	S	2-00							230	H #4@12
1146	TR	BF		60	4			4	16/5	S	41-06							693	PR3 - #5@12 V EF
1147	TR	BF		60	43			4	13/4	S	3-00							345	#4@12 H EF
1148	TR	BF		60	44			2	16/5	S	41-06							3,809	PR1 - #5@12" VERT
1149	TR	BF		60	43			2	13/4	S	43-00							2,470	#4@12" HOR
1150	TR	BF		60	5			-2	16/5	S	7-04							-76	DEDUCT
1151	TR	BF		60	9			-2	13/4	S	3-04							-40	#4@12" HOR
1152	TR	BF		60	2			14	16/5	S	41-06							1,212	2-#5 V
1153	TR	BF		60	2			4	16/5	S	53-00							442	2-#5 H
1154	TR	BF		60	2			4	16/5	S	7-04							61	2-#5
1155	TR	BF		60	4			8	16/5	S	4-00							133	DIAGNL - 2 - #5
1156	MT	P402 & P403																	
1157	TR	BF		60	15			8	16/5	S	41-06							5,194	PR5 - #5@8 V EF
1158	TR	BF		60	43			8	13/4	S	8-09							2,011	#4@12 H EF
1159	TR	BF		60	6			-8	16/5	S	7-04							-367	DEDUCT

INT-052 - SOSSAMAN BUSINESS CAMPUS

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes	
1160	TR	BF		60	9			-8	13/4	S	3-04							-160	#4@12 H EF	
1161	TR	BF		60	8			4	16/5	S	41-06							1,385	PR4 - #5@10 V EF	
1162	TR	BF		60	43			4	13/4	S	5-06							632	#4@12 H EF	
1163	TR	BF		60	28			2	16/5	S	41-06							2,424	PR1 - #5@12" VERT	
1164	TR	BF		60	43			2	13/4	S	27-00							1,551	#4@12" HOR	
1165	TR	BF		60	13			-4	16/5	S	14-06							-786	DEDUCT	
1166	TR	BF		60	16			-4	13/4	S	12-00							-513	#4@12" HOR	
1167	TR	BF		60	2			20	16/5	S	41-06							1,731	2-#5 V	
1168	TR	BF		60	2			8	16/5	S	53-00							884	2-#5 H	
1169	TR	BF		60	4			32	16/5	S	4-00							534	DIAGNL - 2 - #5	
1170	MT	P404 & P405																		
1171	TR	BF		60	7			4	16/5	S	41-06							1,212	PR5 - #5@8 V EF	
1172	TR	BF		60	43			4	13/4	S	4-00							460	#4@12 H EF	
1173	TR	BF		60	47			2	16/5	S	41-06							4,069	PR1 - #5@12" VERT	
1174	TR	BF		60	43			2	13/4	S	46-00							2,643	#4@12" HOR	
1175	TR	BF		60	2			10	16/5	S	41-06							866	2-#5 V	
1176	TR	BF		60	2			4	16/5	H	53-00							442	2-#5 H	
1177	TR	BF		60	2			4	16/5	H	23-00							192	2-#5 H	
1178	TR	BF		60	2			1	19/6	S	200-00							601	2-#6 CHORD REINF.	
1179	TR	BF		60	2			1	22/7	S	100-00							409	2-#7 CHORD REINF.	
1180	MT	EAST ELEVATION																		
1181	MT	P407																		
1182	TR	BF		60	5			4	16/5	S	45-06							949	PR2 - #5@14 V EF	
1183	TR	BF		60	47			2	13/4	S	4-06							283	H #4@12	
1184	TR	BF		60	7			6	16/5	S	45-06							1,993	PR5 - #5@8 V EF	
1185	TR	BF		60	47			6	13/4	S	3-06							659	#4@12 H EF	
1186	TR	BF		60	42			1	16/5	S	45-06							1,993	PR1 - #5@12" VERT	
1187	TR	BF		60	47			1	13/4	S	40-06							1,271	#4@12" HOR	
1188	TR	BF		60	10			-4	16/5	S	10-06							-438	PR1 - #5@12" VERT	
1189	TR	BF		60	12			-4	13/4	S	9-00							-289	#4@12" HOR	
1190	TR	BF		60	2			10	16/5	S	45-06							949	2-#5 V	
1191	TR	BF		60	2			4	16/5	S	63-00							526	2-#5 H	
1192	TR	BF		60	2			2	16/5	S	18-04							76	2-#5 H	
1193	TR	BF		60	2			2	16/5	S	12-06							52	2-#5 H	
1194	TR	BF		60	4			16	16/5	S	4-00							267	DIAGNL - 2 - #5	
1195	MT	P408, P409 & P410																		
1196	TR	BF		60	46			3	16/5	S	41-06							5,973	PR1 - #5@12" VERT	
1197	TR	BF		60	43			3	13/4	S	50-00							4,309	#4@12" HOR	
1198	TR	BF		60	2			15	16/5	S	41-06							1,299	2-#5 V	
1199	TR	BF		60	2			6	16/5	S	53-00							663	2-#5 H	
1200	TR	BF		60	2			6	16/5	S	25-00							313	2-#5 H	
1201	MT	P411																		
1202	TR	BF		60	4			4	16/5	S	41-06							693	PR3 - #5@12 V EF	
1203	TR	BF		60	43			4	13/4	S	3-00							345	#4@12 H EF	
1204	TR	BF		60	8			2	16/5	S	41-06							693	PR2 - #5@14 V EF	
1205	TR	BF		60	47			1	13/4	S	7-02							225	H #4@12	
1206	TR	BF		60	36			1	16/5	S	41-06							1,558	PR1 - #5@12" VERT	
1207	TR	BF		60	43			1	13/4	S	35-00							1,005	#4@12" HOR	
1208	TR	BF		60	9			-2	16/5	S	4-07							-86	PR1 - #5@12" VERT	
1209	TR	BF		60	6			-2	13/4	S	8-00							-64	#4@12" HOR	
1210	TR	BF		60	2			7	16/5	S	41-06							606	2-#5 V	
1211	TR	BF		60	2			4	16/5	H	51-00							426	2-#5 H	
1212	TR	BF		60	2			1	16/5	H	47-00							98	2-#5 H	
1213	TR	BF		60	4			8	16/5	S	4-00							133	DIAGNL - 2 - #5	
1214	TR	BF		60	2			1	19/6	S	100-00							300	2-#6 CHORD REINF.	
1215	TR	BF		60	2			1	22/7	S	150-00							613	2-#7 CHORD REINF.	
1216	TR	BF		60	1			1	16/5	S	50-00							52	1-#5 - DETAIL 313	
1217	MT	SOUTH ELEVATION																		
1218	MT	P412																		
1219	TR	BF		60	6			2	16/5	S	41-06							519	PR4 - #5@10 V EF	
1220	TR	BF		60	43			2	13/4	S	5-00							287	#4@12 H EF	

INT-052 - SOSSAMAN BUSINESS CAMPUS

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
1221	TR	BF		60	6			4	16/5	S	41-06							1,039	PR6 - #5@6 V EF
1222	TR	BF		60	43			4	13/4	S	5-00							574	#4@12 H EF
1223	TR	BF		60	59			2	13/4	S	6-06							512	PR9 - #4@12 V EF
1224	TR	BF		60	8			2	16/5	S	58-00							968	#5@12 H EF
1225	TR	BF		60	59			2	13/4	S	4-00							315	PR9 - #4@12 V EF
1226	TR	BF		60	5			2	16/5	S	58-00							605	#5@12 H EF
1227	TR	BF		60	7			1	16/5	S	58-00							423	PR1 - #5@12" VERT
1228	TR	BF		60	59			1	13/4	S	6-00							236	#4@12" HOR
1229	TR	BF		60	2			6	16/5	S	41-06							519	2-#5 V
1230	TR	BF		60	2			6	16/5	H	61-00							763	2-#5 H
1231	TR	BF		60	4			16	16/5	S	4-00							267	DIAGNL - 2 - #5
1232	MT	P413																	
1233	TR	BF		60	6			2	16/5	S	41-06							519	PR5 - #5@8 V EF
1234	TR	BF		60	43			2	13/4	S	3-00							172	#4@12 H EF
1235	TR	BF		60	5			2	16/5	S	41-06							433	PR6 - #5@6 V EF
1236	TR	BF		60	43			2	13/4	S	4-00							230	#4@12 H EF
1237	TR	BF		60	15			1	16/5	S	41-06							649	PR1 - #5@12" VERT
1238	TR	BF		60	43			1	13/4	S	14-00							402	#4@12" HOR
1239	TR	BF		60	21			2	13/4	S	7-00							196	PR9 - #4@12 V EF
1240	TR	BF		60	8			2	16/5	S	20-00							334	#5@12 H EF
1241	TR	BF		60	21			2	13/4	S	10-00							281	PR9 - #4@12 V EF
1242	TR	BF		60	11			2	16/5	S	20-00							459	#5@12 H EF
1243	TR	BF		60	2			4	16/5	S	41-06							346	2-#5 V
1244	TR	BF		60	2			1	16/5	S	39-06							82	2-#5 V
1245	TR	BF		60	2			1	16/5	H	15-00							31	2-#5
1246	TR	BF		60	2			1	16/5	H	25-00							52	2-#5
1247	TR	BF		60	2			1	16/5	H	29-00							60	2-#5
1248	TR	BF		60	2			3	16/5	H	23-06							147	2-#5
1249	TR	BF		60	4			16	16/5	S	4-00							267	DIAGNL - 2 - #5
1250	MT	P414 & P416																	
1251	TR	BF		60	7			4	16/5	S	41-06							1,212	PR5 - #5@8 V EF
1252	TR	BF		60	43			4	13/4	S	4-00							460	#4@12 H EF
1253	TR	BF		60	9			4	16/5	S	41-06							1,558	PR5 - #5@8 V EF
1254	TR	BF		60	43			4	13/4	S	5-04							613	#4@12 H EF
1255	TR	BF		60	6			12	16/5	S	41-06							3,116	PR2 - #5@14 V EF
1256	TR	BF		60	47			6	13/4	S	5-06							1,036	H #4@12
1257	TR	BF		60	27			2	16/5	S	41-06							2,337	PR1 - #5@12" VERT
1258	TR	BF		60	43			2	13/4	S	25-08							1,474	#4@12" HOR
1259	TR	BF		60	9			-4	16/5	S	7-00							-263	PR1 - #5@12" VERT
1260	TR	BF		60	8			-4	13/4	S	8-00							-171	#4@12" HOR
1261	TR	BF		60	9			-4	16/5	S	4-08							-175	PR1 - #5@12" VERT
1262	TR	BF		60	6			-4	13/4	S	8-00							-128	#4@12" HOR
1263	TR	BF		60	6			-2	16/5	S	7-00							-88	PR1 - #5@12" VERT
1264	TR	BF		60	8			-2	13/4	S	5-00							-53	#4@12" HOR
1265	TR	BF		60	6			-2	16/5	S	4-08							-58	PR1 - #5@12" VERT
1266	TR	BF		60	6			-2	13/4	S	5-00							-40	#4@12" HOR
1267	TR	BF		60	2			18	16/5	S	41-06							1,558	2-#5 V
1268	TR	BF		60	2			12	16/5	H	53-00							1,327	2-#5 H
1269	TR	BF		60	4			24	16/5	S	4-00							400	DIAGNL - 2 - #5
1270	MT	P415																	
1271	TR	BF		60	6			2	16/5	S	41-06							519	PR5 - #5@8 V EF
1272	TR	BF		60	43			2	13/4	S	3-00							172	#4@12 H EF
1273	TR	BF		60	9			2	16/5	S	41-06							779	PR6 - #5@6 V EF
1274	TR	BF		60	43			2	13/4	S	3-00							172	#4@12 H EF
1275	TR	BF		60	7			2	19/6	S	41-06							873	PR7 - #6@6 V EF
1276	TR	BF		60	43			2	13/4	S	3-00							172	#4@12 H EF
1277	TR	BF		60	3			4	16/5	S	27-00							338	PR3 - #5@12 V EF
1278	TR	BF		60	28			4	13/4	S	2-00							150	#4@12 H EF
1279	TR	BF		60	4			2	16/5	S	27-00							225	PR3 - #5@12 V EF
1280	TR	BF		60	28			1	13/4	S	3-00							56	#4@12 H EF
1281	TR	BF		60	55			2	13/4	S	4-06							331	PR8 - #4@12 V EF

INT-052 - SOSSAMAN BUSINESS CAMPUS

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
1282	TR	BF		60	7			2	19/6	S	54-00							1,135	#6@10 H EF
1283	TR	BF		60	12			1	16/5	S	41-06							519	PR1 - #5@12" VERT
1284	TR	BF		60	43			1	13/4	S	11-00							316	#4@12" HOR
1285	TR	BF		60	5			1	16/5	S	27-00							141	PR1 - #5@12" VERT
1286	TR	BF		60	28			1	13/4	S	4-00							75	#4@12" HOR
1287	TR	BF		60	8			2	16/5	S	11-06							192	PR1 - #5@12" VERT
1288	TR	BF		60	13			2	13/4	S	6-02							107	#4@12" HOR
1289	TR	BF		60	2			5	16/5	S	41-06							433	2-#5 V
1290	TR	BF		60	2			7	16/5	H	57-00							832	2-#5 H
1291	TR	BF		60	4			24	16/5	S	4-00							400	DIAGNL - 2 - #5
1292	MT	P417																	
1293	TR	BF		60	6			2	16/5	S	41-06							519	PR5 - #5@8 V EF
1294	TR	BF		60	43			2	13/4	S	3-00							172	#4@12 H EF
1295	TR	BF		60	4			4	16/5	S	27-00							451	PR3 - #5@12 V EF
1296	TR	BF		60	28			4	13/4	S	3-00							224	#4@12 H EF
1297	TR	BF		60	6			2	16/5	S	41-06							519	PR2 - #5@14 V EF
1298	TR	BF		60	47			1	13/4	S	5-02							162	H #4@12
1299	TR	BF		60	37			1	16/5	S	41-06							1,602	PR1 - #5@12" VERT
1300	TR	BF		60	43			1	13/4	S	35-10							1,029	#4@12" HOR
1301	TR	BF		60	9			-2	16/5	S	4-08							-88	PR1 - #5@12" VERT
1302	TR	BF		60	6			-2	13/4	S	8-00							-64	#4@12" HOR
1303	TR	BF		60	4			16	16/5	S	4-00							267	DIAGNL - 2 - #5
1304	TR	BF		60	2			7	16/5	S	41-06							606	2-#5 V
1305	TR	BF		60	2			5	16/5	H	53-00							553	2-#5 H
1306	TR	BF		60	2			1	19/6	S	100-00							300	2-#6 CHORD REINF.
1307	TR	BF		60	2			1	22/7	S	200-00							818	2-#7 CHORD REINF.
1308	TR	BF		60	1			1	16/5	S	300-00							313	1-#5 - DETAIL 313
1309	MT	WEST ELEVATION																	
1310	MT	P418																	
1311	TR	BF		60	15			2	16/5	S	41-06							1,299	PR6 - #5@6 V EF
1312	TR	BF		60	43			2	13/4	S	7-00							402	#4@12 H EF
1313	TR	BF		60	4			2	16/5	S	41-06							346	PR3 - #5@12 V EF
1314	TR	BF		60	43			2	13/4	S	3-00							172	#4@12 H EF
1315	TR	BF		60	51			2	13/4	S	7-00							477	PR9 - #4@12 V EF
1316	TR	BF		60	8			2	16/5	S	50-00							834	#5@12 H EF
1317	TR	BF		60	19			1	16/5	S	41-06							822	PR1 - #5@12" VERT
1318	TR	BF		60	43			1	13/4	S	17-02							493	#4@12" HOR
1319	TR	BF		60	24			1	16/5	S	10-00							250	PR1 - #5@12" VERT
1320	TR	BF		60	11			1	13/4	S	23-00							169	#4@12" HOR
1321	TR	BF		60	2			6	16/5	S	41-06							519	2-#5 V
1322	TR	BF		60	2			5	16/5	H	53-00							553	2-#5 H
1323	TR	BF		60	4			12	16/5	S	4-00							200	DIAGNL - 2 - #5
1324	MT	P419, P420, P421 & P422																	
1325	TR	BF		60	51			4	16/5	S	41-06							8,830	PR1 - #5@12" VERT
1326	TR	BF		60	43			4	13/4	S	50-00							5,745	#4@12" HOR
1327	TR	BF		60	2			20	16/5	S	41-06							1,731	2-#5 V
1328	TR	BF		60	8			2	16/5	H	23-00							384	2-#5 H
1329	TR	BF		60	2			1	19/6	S	200-00							601	2-#6 CHORD REINF.
1330	TR	BF		60	2			1	22/7	S	50-00							204	2-#7 CHORD REINF.
1331	TR	BF		60	1			1	16/5	S	100-00							104	1-#5 - DETAIL 313
1332	TR	BF		60	2			18	19/6	H	6-04							342	2-#6 - DETAIL 209
1333	TR	BF		60	1			44	13/4	L	5-00							147	1-#4 - DETAIL 101
1334	TR	BF		60	1			44	13/4	L	3-08							108	1-#4 IN FTG.
1335	TR	BF		60	31			1	16/5	L	4-02							135	DETAIL 104 - #5@24 TIES
1336	TR	BF		60	121			2	16/5	H	1-09							441	#5@6 D/V EF
1337	TR	BF		60	2			18	13/4	H	3-03							78	2-#4 - DETAIL 318
1338	TR	BF		60	2			18	13/4	S	4-00							96	1-#4 - CONT.
1339	GI	Segment: BUILDING 5 Sub-Segment: TILT UP PANEL																	
1340	MT	S4300																	
1341	MT	NORTH ELEVATION																	
1342	MT	P401 & P406																	

INT-052 - SOSSAMAN BUSINESS CAMPUS

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
1343	TR	BF		60	3			8	16/5	S	41-06							1,039	PR2 - #5@14 V EF
1344	TR	BF		60	43			4	13/4	S	2-00							230	H #4@12
1345	TR	BF		60	4			4	16/5	S	41-06							693	PR3 - #5@12 V EF
1346	TR	BF		60	43			4	13/4	S	3-00							345	#4@12 H EF
1347	TR	BF		60	44			2	16/5	S	41-06							3,809	PR1 - #5@12" VERT
1348	TR	BF		60	43			2	13/4	S	43-00							2,470	#4@12" HOR
1349	TR	BF		60	5			-2	16/5	S	7-04							-76	DEDUCT
1350	TR	BF		60	9			-2	13/4	S	3-04							-40	#4@12" HOR
1351	TR	BF		60	2			14	16/5	S	41-06							1,212	2-#5 V
1352	TR	BF		60	2			4	16/5	S	53-00							442	2-#5 H
1353	TR	BF		60	2			4	16/5	S	7-04							61	2-#5
1354	TR	BF		60	4			8	16/5	S	4-00							133	DIAGNL - 2 - #5
1355	MT	P402 & P403																	
1356	TR	BF		60	15			8	16/5	S	41-06							5,194	PR5 - #5@8 V EF
1357	TR	BF		60	43			8	13/4	S	8-09							2,011	#4@12 H EF
1358	TR	BF		60	6			-8	16/5	S	7-04							-367	DEDUCT
1359	TR	BF		60	9			-8	13/4	S	3-04							-160	#4@12 H EF
1360	TR	BF		60	8			4	16/5	S	41-06							1,385	PR4 - #5@10 V EF
1361	TR	BF		60	43			4	13/4	S	5-06							632	#4@12 H EF
1362	TR	BF		60	28			2	16/5	S	41-06							2,424	PR1 - #5@12" VERT
1363	TR	BF		60	43			2	13/4	S	27-00							1,551	#4@12" HOR
1364	TR	BF		60	13			-4	16/5	S	14-06							-786	DEDUCT
1365	TR	BF		60	16			-4	13/4	S	12-00							-513	#4@12" HOR
1366	TR	BF		60	2			20	16/5	S	41-06							1,731	2-#5 V
1367	TR	BF		60	2			8	16/5	S	53-00							884	2-#5 H
1368	TR	BF		60	4			32	16/5	S	4-00							534	DIAGNL - 2 - #5
1369	MT	P404 & P405																	
1370	TR	BF		60	7			4	16/5	S	41-06							1,212	PR5 - #5@8 V EF
1371	TR	BF		60	43			4	13/4	S	4-00							460	#4@12 H EF
1372	TR	BF		60	47			2	16/5	S	41-06							4,069	PR1 - #5@12" VERT
1373	TR	BF		60	43			2	13/4	S	46-00							2,643	#4@12" HOR
1374	TR	BF		60	2			10	16/5	S	41-06							866	2-#5 V
1375	TR	BF		60	2			4	16/5	H	53-00							442	2-#5 H
1376	TR	BF		60	2			4	16/5	H	23-00							192	2-#5 H
1377	TR	BF		60	2			1	19/6	S	200-00							601	2-#6 CHORD REINF.
1378	TR	BF		60	2			1	22/7	S	100-00							409	2-#7 CHORD REINF.
1379	MT	EAST ELEVATION																	
1380	MT	P407																	
1381	TR	BF		60	5			4	16/5	S	45-06							949	PR2 - #5@14 V EF
1382	TR	BF		60	47			2	13/4	S	4-06							283	H #4@12
1383	TR	BF		60	7			6	16/5	S	45-06							1,993	PR5 - #5@8 V EF
1384	TR	BF		60	47			6	13/4	S	3-06							659	#4@12 H EF
1385	TR	BF		60	42			1	16/5	S	45-06							1,993	PR1 - #5@12" VERT
1386	TR	BF		60	47			1	13/4	S	40-06							1,271	#4@12" HOR
1387	TR	BF		60	10			-4	16/5	S	10-06							-438	PR1 - #5@12" VERT
1388	TR	BF		60	12			-4	13/4	S	9-00							-289	#4@12" HOR
1389	TR	BF		60	2			10	16/5	S	45-06							949	2-#5 V
1390	TR	BF		60	2			4	16/5	S	63-00							526	2-#5 H
1391	TR	BF		60	2			2	16/5	S	18-04							76	2-#5 H
1392	TR	BF		60	2			2	16/5	S	12-06							52	2-#5 H
1393	TR	BF		60	4			16	16/5	S	4-00							267	DIAGNL - 2 - #5
1394	MT	P408, P409 & P410																	
1395	TR	BF		60	46			3	16/5	S	41-06							5,973	PR1 - #5@12" VERT
1396	TR	BF		60	43			3	13/4	S	50-00							4,309	#4@12" HOR
1397	TR	BF		60	2			15	16/5	S	41-06							1,299	2-#5 V
1398	TR	BF		60	2			6	16/5	S	53-00							663	2-#5 H
1399	TR	BF		60	2			6	16/5	S	25-00							313	2-#5 H
1400	MT	P411																	
1401	TR	BF		60	4			4	16/5	S	41-06							693	PR3 - #5@12 V EF
1402	TR	BF		60	43			4	13/4	S	3-00							345	#4@12 H EF
1403	TR	BF		60	8			2	16/5	S	41-06							693	PR2 - #5@14 V EF

INT-052 - SOSSAMAN BUSINESS CAMPUS

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
1404	TR	BF		60	47			1	13/4	S	7-02							225	H #4@12
1405	TR	BF		60	36			1	16/5	S	41-06							1,558	PR1 - #5@12" VERT
1406	TR	BF		60	43			1	13/4	S	35-00							1,005	#4@12" HOR
1407	TR	BF		60	9			-2	16/5	S	4-07							-86	PR1 - #5@12" VERT
1408	TR	BF		60	6			-2	13/4	S	8-00							-64	#4@12" HOR
1409	TR	BF		60	2			7	16/5	S	41-06							606	2-#5 V
1410	TR	BF		60	2			4	16/5	H	51-00							426	2-#5 H
1411	TR	BF		60	2			1	16/5	H	47-00							98	2-#5 H
1412	TR	BF		60	4			8	16/5	S	4-00							133	DIAGNL - 2 - #5
1413	TR	BF		60	2			1	19/6	S	100-00							300	2-#6 CHORD REINF.
1414	TR	BF		60	2			1	22/7	S	150-00							613	2-#7 CHORD REINF.
1415	TR	BF		60	1			1	16/5	S	50-00							52	1-#5 - DETAIL 313
1416	MT	SOUTH ELEVATION																	
1417	MT	P412																	
1418	TR	BF		60	6			2	16/5	S	41-06							519	PR4 - #5@10 V EF
1419	TR	BF		60	43			2	13/4	S	5-00							287	#4@12 H EF
1420	TR	BF		60	6			4	16/5	S	41-06							1,039	PR6 - #5@6 V EF
1421	TR	BF		60	43			4	13/4	S	5-00							574	#4@12 H EF
1422	TR	BF		60	59			2	13/4	S	6-06							512	PR9 - #4@12 V EF
1423	TR	BF		60	8			2	16/5	S	58-00							968	#5@12 H EF
1424	TR	BF		60	59			2	13/4	S	4-00							315	PR9 - #4@12 V EF
1425	TR	BF		60	5			2	16/5	S	58-00							605	#5@12 H EF
1426	TR	BF		60	7			1	16/5	S	58-00							423	PR1 - #5@12" VERT
1427	TR	BF		60	59			1	13/4	S	6-00							236	#4@12" HOR
1428	TR	BF		60	2			6	16/5	S	41-06							519	2-#5 V
1429	TR	BF		60	2			6	16/5	H	61-00							763	2-#5 H
1430	TR	BF		60	4			16	16/5	S	4-00							267	DIAGNL - 2 - #5
1431	MT	P413																	
1432	TR	BF		60	6			2	16/5	S	41-06							519	PR5 - #5@8 V EF
1433	TR	BF		60	43			2	13/4	S	3-00							172	#4@12 H EF
1434	TR	BF		60	5			2	16/5	S	41-06							433	PR6 - #5@6 V EF
1435	TR	BF		60	43			2	13/4	S	4-00							230	#4@12 H EF
1436	TR	BF		60	15			1	16/5	S	41-06							649	PR1 - #5@12" VERT
1437	TR	BF		60	43			1	13/4	S	14-00							402	#4@12" HOR
1438	TR	BF		60	21			2	13/4	S	7-00							196	PR9 - #4@12 V EF
1439	TR	BF		60	8			2	16/5	S	20-00							334	#5@12 H EF
1440	TR	BF		60	21			2	13/4	S	10-00							281	PR9 - #4@12 V EF
1441	TR	BF		60	11			2	16/5	S	20-00							459	#5@12 H EF
1442	TR	BF		60	2			4	16/5	S	41-06							346	2-#5 V
1443	TR	BF		60	2			1	16/5	S	39-06							82	2-#5 V
1444	TR	BF		60	2			1	16/5	H	15-00							31	2-#5
1445	TR	BF		60	2			1	16/5	H	25-00							52	2-#5
1446	TR	BF		60	2			1	16/5	H	29-00							60	2-#5
1447	TR	BF		60	2			3	16/5	H	23-06							147	2-#5
1448	TR	BF		60	4			16	16/5	S	4-00							267	DIAGNL - 2 - #5
1449	MT	P414 & P416																	
1450	TR	BF		60	7			4	16/5	S	41-06							1,212	PR5 - #5@8 V EF
1451	TR	BF		60	43			4	13/4	S	4-00							460	#4@12 H EF
1452	TR	BF		60	9			4	16/5	S	41-06							1,558	PR5 - #5@8 V EF
1453	TR	BF		60	43			4	13/4	S	5-04							613	#4@12 H EF
1454	TR	BF		60	6			12	16/5	S	41-06							3,116	PR2 - #5@14 V EF
1455	TR	BF		60	47			6	13/4	S	5-06							1,036	H #4@12
1456	TR	BF		60	27			2	16/5	S	41-06							2,337	PR1 - #5@12" VERT
1457	TR	BF		60	43			2	13/4	S	25-08							1,474	#4@12" HOR
1458	TR	BF		60	9			-4	16/5	S	7-00							-263	PR1 - #5@12" VERT
1459	TR	BF		60	8			-4	13/4	S	8-00							-171	#4@12" HOR
1460	TR	BF		60	9			-4	16/5	S	4-08							-175	PR1 - #5@12" VERT
1461	TR	BF		60	6			-4	13/4	S	8-00							-128	#4@12" HOR
1462	TR	BF		60	6			-2	16/5	S	7-00							-88	PR1 - #5@12" VERT
1463	TR	BF		60	8			-2	13/4	S	5-00							-53	#4@12" HOR
1464	TR	BF		60	6			-2	16/5	S	4-08							-58	PR1 - #5@12" VERT

INT-052 - SOSSAMAN BUSINESS CAMPUS

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes	
1465	TR	BF		60	6			-2	13/4	S	5-00							-40	#4@12" HOR	
1466	TR	BF		60	2			18	16/5	S	41-06							1,558	2-#5 V	
1467	TR	BF		60	2			12	16/5	H	53-00							1,327	2-#5 H	
1468	TR	BF		60	4			24	16/5	S	4-00							400	DIAGNL - 2 - #5	
1469	MT	P415																		
1470	TR	BF		60	6			2	16/5	S	41-06							519	PR5 - #5@8 V EF	
1471	TR	BF		60	43			2	13/4	S	3-00							172	#4@12 H EF	
1472	TR	BF		60	9			2	16/5	S	41-06							779	PR6 - #5@6 V EF	
1473	TR	BF		60	43			2	13/4	S	3-00							172	#4@12 H EF	
1474	TR	BF		60	7			2	19/6	S	41-06							873	PR7 - #6@6 V EF	
1475	TR	BF		60	43			2	13/4	S	3-00							172	#4@12 H EF	
1476	TR	BF		60	3			4	16/5	S	27-00							338	PR3 - #5@12 V EF	
1477	TR	BF		60	28			4	13/4	S	2-00							150	#4@12 H EF	
1478	TR	BF		60	4			2	16/5	S	27-00							225	PR3 - #5@12 V EF	
1479	TR	BF		60	28			1	13/4	S	3-00							56	#4@12 H EF	
1480	TR	BF		60	55			2	13/4	S	4-06							331	PR8 - #4@12 V EF	
1481	TR	BF		60	7			2	19/6	S	54-00							1,135	#6@10 H EF	
1482	TR	BF		60	12			1	16/5	S	41-06							519	PR1 - #5@12" VERT	
1483	TR	BF		60	43			1	13/4	S	11-00							316	#4@12" HOR	
1484	TR	BF		60	5			1	16/5	S	27-00							141	PR1 - #5@12" VERT	
1485	TR	BF		60	28			1	13/4	S	4-00							75	#4@12" HOR	
1486	TR	BF		60	8			2	16/5	S	11-06							192	PR1 - #5@12" VERT	
1487	TR	BF		60	13			2	13/4	S	6-02							107	#4@12" HOR	
1488	TR	BF		60	2			5	16/5	S	41-06							433	2-#5 V	
1489	TR	BF		60	2			7	16/5	H	57-00							832	2-#5 H	
1490	TR	BF		60	4			24	16/5	S	4-00							400	DIAGNL - 2 - #5	
1491	MT	P417																		
1492	TR	BF		60	6			2	16/5	S	41-06							519	PR5 - #5@8 V EF	
1493	TR	BF		60	43			2	13/4	S	3-00							172	#4@12 H EF	
1494	TR	BF		60	4			4	16/5	S	27-00							451	PR3 - #5@12 V EF	
1495	TR	BF		60	28			4	13/4	S	3-00							224	#4@12 H EF	
1496	TR	BF		60	6			2	16/5	S	41-06							519	PR2 - #5@14 V EF	
1497	TR	BF		60	47			1	13/4	S	5-02							162	H #4@12	
1498	TR	BF		60	37			1	16/5	S	41-06							1,602	PR1 - #5@12" VERT	
1499	TR	BF		60	43			1	13/4	S	35-10							1,029	#4@12" HOR	
1500	TR	BF		60	9			-2	16/5	S	4-08							-88	PR1 - #5@12" VERT	
1501	TR	BF		60	6			-2	13/4	S	8-00							-64	#4@12" HOR	
1502	TR	BF		60	4			16	16/5	S	4-00							267	DIAGNL - 2 - #5	
1503	TR	BF		60	2			7	16/5	S	41-06							606	2-#5 V	
1504	TR	BF		60	2			5	16/5	H	53-00							553	2-#5 H	
1505	TR	BF		60	2			1	19/6	S	100-00							300	2-#6 CHORD REINF.	
1506	TR	BF		60	2			1	22/7	S	200-00							818	2-#7 CHORD REINF.	
1507	TR	BF		60	1			1	16/5	S	300-00							313	1-#5 - DETAIL 313	
1508	MT	WEST ELEVATION																		
1509	MT	P418																		
1510	TR	BF		60	15			2	16/5	S	41-06							1,299	PR6 - #5@6 V EF	
1511	TR	BF		60	43			2	13/4	S	7-00							402	#4@12 H EF	
1512	TR	BF		60	4			2	16/5	S	41-06							346	PR3 - #5@12 V EF	
1513	TR	BF		60	43			2	13/4	S	3-00							172	#4@12 H EF	
1514	TR	BF		60	51			2	13/4	S	7-00							477	PR9 - #4@12 V EF	
1515	TR	BF		60	8			2	16/5	S	50-00							834	#5@12 H EF	
1516	TR	BF		60	19			1	16/5	S	41-06							822	PR1 - #5@12" VERT	
1517	TR	BF		60	43			1	13/4	S	17-02							493	#4@12" HOR	
1518	TR	BF		60	24			1	16/5	S	10-00							250	PR1 - #5@12" VERT	
1519	TR	BF		60	11			1	13/4	S	23-00							169	#4@12" HOR	
1520	TR	BF		60	2			6	16/5	S	41-06							519	2-#5 V	
1521	TR	BF		60	2			5	16/5	H	53-00							553	2-#5 H	
1522	TR	BF		60	4			12	16/5	S	4-00							200	DIAGNL - 2 - #5	
1523	MT	P419, P420, P421 & P422																		
1524	TR	BF		60	51			4	16/5	S	41-06							8,830	PR1 - #5@12" VERT	
1525	TR	BF		60	43			4	13/4	S	50-00							5,745	#4@12" HOR	

INT-052 - SOSSAMAN BUSINESS CAMPUS

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
1526	TR	BF		60	2			20	16/5	S	41-06							1,731	2-#5 V
1527	TR	BF		60	8			2	16/5	H	23-00							384	2-#5 H
1528	TR	BF		60	2			1	19/6	S	200-00							601	2-#6 CHORD REINF.
1529	TR	BF		60	2			1	22/7	S	50-00							204	2-#7 CHORD REINF.
1530	TR	BF		60	1			1	16/5	S	100-00							104	1-#5 - DETAIL 313
1531	TR	BF		60	2			18	19/6	H	6-04							342	2-#6 - DETAIL 209
1532	TR	BF		60	1			44	13/4	L	5-00							147	1-#4 - DETAIL 101
1533	TR	BF		60	1			44	13/4	L	3-08							108	1-#4 IN FTG.
1534	TR	BF		60	31			1	16/5	L	4-02							135	DETAIL 104 - #5@24 TIES
1535	TR	BF		60	121			2	16/5	H	1-09							441	#5@6 D/V EF
1536	TR	BF		60	2			18	13/4	H	3-03							78	2-#4 - DETAIL 318
1537	TR	BF		60	2			18	13/4	S	4-00							96	1-#4 - CONT.
1538	MT	NORTH ELEVATION																	
1539	TR	BF		60	17			-1	16/5	S	41-06							-736	PR1 - #5@12" VERT
1540	TR	BF		60	43			-1	13/4	S	16-00							-460	#4@12" HOR
1541	TR	BF		60	2			-1	19/6	S	16-00							-48	2-#6 CHORD
1542	MT	SOUTH ELEVATION																	
1543	TR	BF		60	17			-1	16/5	S	41-06							-736	PR1 - #5@12" VERT
1544	TR	BF		60	43			-1	13/4	S	16-00							-460	#4@12" HOR
1545	TR	BF		60	2			-1	19/6	S	16-00							-48	2-#6 CHORD
1546	GI	Segment: BUILDING 6 Sub-Segment: TILT UP PANEL																	
1547	MT	S3300																	
1548	MT	NORTH ELEVATION																	
1549	MT	P301																	
1550	TR	BF		60	6			4	16/5	S	45-08							1,143	PR3 - #5@12 V EF
1551	TR	BF		60	47			4	13/4	S	5-00							628	#4@12 H EF
1552	TR	BF		60	4			4	16/5	S	41-06							693	PR5 - #5@8 V EF
1553	TR	BF		60	43			4	13/4	S	2-00							230	#4@12 H EF
1554	TR	BF		60	9			2	16/5	S	41-06							779	PR5 - #5@8 V EF
1555	TR	BF		60	43			2	13/4	S	5-04							306	#4@12 H EF
1556	TR	BF		60	10			1	16/5	S	45-08							476	PR1 - #5@12" VERT
1557	TR	BF		60	47			1	13/4	S	9-00							283	#4@12" HOR
1558	TR	BF		60	5			1	16/5	S	41-06							216	PR1 - #5@12" VERT
1559	TR	BF		60	43			1	13/4	S	3-02							91	#4@12" HOR
1560	TR	BF		60	13			2	16/5	S	41-06							1,125	PR1 - #5@12" VERT
1561	TR	BF		60	43			2	13/4	S	12-00							689	#4@12" HOR
1562	TR	BF		60	2			4	16/5	S	45-08							381	2-#5 V
1563	TR	BF		60	2			6	16/5	S	41-06							519	2-#5 V
1564	TR	BF		60	2			3	16/5	H	63-00							394	2-#5 H
1565	TR	BF		60	2			1	16/5	H	83-00							173	2-#5 H
1566	TR	BF		60	2			1	16/5	H	61-00							127	2-#5 H
1567	TR	BF		60	10			-1	16/5	S	10-06							-110	DEDUCT
1568	TR	BF		60	12			-1	13/4	S	9-00							-72	#4@12" HOR
1569	TR	BF		60	5			-1	16/5	S	7-04							-38	DEDUCT
1570	TR	BF		60	9			-1	13/4	S	3-04							-20	#4@12" HOR
1571	TR	BF		60	13			-1	16/5	S	14-00							-190	DEDUCT
1572	TR	BF		60	15			-1	13/4	S	12-00							-120	#4@12" HOR
1573	TR	BF		60	4			16	16/5	S	4-00							267	DIAGNL - 2 - #5
1574	MT	P302																	
1575	TR	BF		60	3			8	16/5	S	41-06							1,039	PR2 - #5@14 V EF
1576	TR	BF		60	43			4	13/4	S	2-00							230	H #4@12
1577	TR	BF		60	50			1	16/5	S	41-06							2,164	PR1 - #5@12" VERT
1578	TR	BF		60	43			1	13/4	S	49-00							1,407	#4@12" HOR
1579	TR	BF		60	5			-2	16/5	S	7-04							-76	DEDUCT
1580	TR	BF		60	9			-2	13/4	S	3-04							-40	#4@12" HOR
1581	TR	BF		60	2			8	16/5	S	41-06							693	2-#5 V
1582	TR	BF		60	2			4	16/5	H	60-00							501	2-#5 H
1583	TR	BF		60	2			2	16/5	H	28-00							117	2-#5 H
1584	TR	BF		60	4			8	16/5	S	4-00							133	DIAGNL - 2 - #5
1585	MT	P303																	
1586	TR	BF		60	3			4	16/5	S	41-06							519	PR3 - #5@12 V EF

INT-052 - SOSSAMAN BUSINESS CAMPUS

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
1587	TR	BF		60	43			4	13/4	S	2-00							230	#4@12 H EF
1588	TR	BF		60	45			1	16/5	S	41-06							1,948	PR1 - #5@12" VERT
1589	TR	BF		60	43			1	13/4	S	44-00							1,264	#4@12" HOR
1590	TR	BF		60	2			6	16/5	S	41-06							519	2-#5 V
1591	TR	BF		60	2			4	16/5	H	51-00							426	2-#5 H
1592	TR	BF		60	2			1	16/5	H	51-00							106	2-#5 H
1593	TR	BF		60	2			1	19/6	S	104-00							312	2-#6 CHORD REINF.
1594	TR	BF		60	2			1	22/7	S	60-00							245	2-#7 CHORD REINF.
1595	MT	EAST ELEVATION																	
1596	MT	P304, 305, 306 & 307																	
1597	TR	BF		60	6			8	16/5	S	41-06							2,078	PR5 - #5@8 V EF
1598	TR	BF		60	43			8	13/4	S	3-00							689	#4@12 H EF
1599	TR	BF		60	48			4	16/5	S	41-06							8,310	PR1 - #5@12" VERT
1600	TR	BF		60	43			4	13/4	S	47-00							5,400	#4@12" HOR
1601	TR	BF		60	2			20	16/5	S	41-06							1,731	2-#5 V
1602	TR	BF		60	2			8	16/5	H	53-00							884	2-#5 H
1603	TR	BF		60	2			8	16/5	H	22-07							377	2-#5 H8
1604	TR	BF		60	2			1	19/6	S	200-00							601	2-#6 CHORD REINF.
1605	TR	BF		60	1			1	16/5	S	50-00							52	1-#5 - DETAIL 323
1606	MT	SOUTH ELEVATION																	
1607	MT	P308																	
1608	TR	BF		60	31			1	16/5	S	41-06							1,342	PR1 - #5@12" VERT
1609	TR	BF		60	43			1	13/4	S	30-00							862	#4@12" HOR
1610	TR	BF		60	2			3	16/5	S	41-06							260	2-#5 V
1611	TR	BF		60	2			2	16/5	H	33-00							138	2-#5 H
1612	TR	BF		60	2			1	16/5	H	29-00							60	2-#5 H
1613	MT	P309																	
1614	TR	BF		60	6			10	16/5	S	41-06							2,597	PR2 - #5@14 V EF
1615	TR	BF		60	43			5	13/4	S	5-00							718	H #4@12
1616	TR	BF		60	38			1	16/5	S	41-06							1,645	PR1 - #5@12" VERT
1617	TR	BF		60	43			1	13/4	S	37-00							1,063	#4@12" HOR
1618	TR	BF		60	8			-4	16/5	S	4-00							-133	DEDUCT
1619	TR	BF		60	5			-4	13/4	S	7-00							-94	#4@12" HOR
1620	TR	BF		60	9			-1	16/5	S	7-03							-68	DEDUCT
1621	TR	BF		60	9			-1	13/4	S	7-09							-47	#4@12" HOR
1622	TR	BF		60	4			10	16/5	S	4-00							167	DIAGNL - 2 - #5
1623	MT	P310																	
1624	TR	BF		60	9			4	16/5	S	41-06							1,558	PR6 - #5@6 V EF
1625	TR	BF		60	43			4	13/4	S	4-00							460	H EF #4@12
1626	TR	BF		60	4			6	16/5	S	27-00							676	PR3 - #5@12 V EF
1627	TR	BF		60	28			6	13/4	S	3-00							337	H EF #4@12
1628	TR	BF		60	45			2	13/4	S	4-06							271	PR8 - #4@12 V EF
1629	TR	BF		60	7			2	19/6	S	44-00							925	#6@10 H EF
1630	TR	BF		60	8			2	16/5	S	11-06							192	PR1 - #5@12" VERT
1631	TR	BF		60	13			2	13/4	S	6-04							110	#4@12" HOR
1632	TR	BF		60	13			2	16/5	S	41-06							1,125	PR1 - #5@12" VERT
1633	TR	BF		60	43			2	13/4	S	11-06							661	#4@12" HOR
1634	TR	BF		60	2			4	16/5	S	41-06							346	2-#5 V
1635	TR	BF		60	2			4	16/5	S	27-00							225	2-#5 V
1636	TR	BF		60	2			5	16/5	S	44-00							459	2-#5 H
1637	TR	BF		60	2			1	16/5	S	43-00							90	2-#5 H
1638	TR	BF		60	4			12	16/5	S	4-00							200	DIAGNL - 2 - #5
1639	MT	P311																	
1640	TR	BF		60	4			4	16/5	S	41-06							693	PR3 - #5@12 V EF
1641	TR	BF		60	43			4	13/4	S	3-00							345	#4@12 H EF
1642	TR	BF		60	23			1	16/5	S	41-06							996	PR1 - #5@12" VERT
1643	TR	BF		60	43			1	13/4	S	22-00							632	#4@12" HOR
1644	TR	BF		60	9			-1	16/5	S	7-03							-68	DEDUCT
1645	TR	BF		60	9			-1	13/4	S	8-00							-48	#4@12" HOR
1646	TR	BF		60	9			-1	16/5	S	5-00							-47	DEDUCT
1647	TR	BF		60	6			-1	13/4	S	8-00							-32	#4@12" HOR

INT-052 - SOSSAMAN BUSINESS CAMPUS

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
1648	TR	BF		60	4			8	16/5	S	4-00							133	DIAGNL - 2 - #5
1649	TR	BF		60	2			4	16/5	S	41-06							346	2-#5 V
1650	TR	BF		60	2			5	16/5	H	31-00							323	2-#5 H
1651	TR	BF		60	2			1	19/6	S	164-00							493	2-#6 CHORD REINF.
1652	TR	BF		60	1			1	16/5	S	164-00							171	1-#5 - DETAIL 323
1653	MT	WEST ELEVATION																	
1654	MT	P312																	
1655	TR	BF		60	3			4	16/5	S	41-06							519	PR3 - #5@12 V EF
1656	TR	BF		60	43			4	13/4	S	2-00							230	H EF #4@12
1657	TR	BF		60	6			2	16/5	S	41-06							519	PR5 - #5@8 V EF
1658	TR	BF		60	43			2	13/4	S	3-00							172	#4@12 H EF
1659	TR	BF		60	44			1	16/5	S	41-06							1,904	PR1 - #5@12" VERT
1660	TR	BF		60	43			1	13/4	S	43-00							1,235	#4@12" HOR
1661	TR	BF		60	6			-1	16/5	S	7-04							-46	DEDUCT
1662	TR	BF		60	9			-1	13/4	S	5-00							-30	#4@12" HOR
1663	TR	BF		60	6			-1	16/5	S	4-07							-29	DEDUCT
1664	TR	BF		60	6			-1	13/4	S	5-00							-20	#4@12" HOR
1665	TR	BF		60	2			5	16/5	S	41-06							433	2-#5 V
1666	TR	BF		60	2			6	16/5	H	53-00							663	2-#5 H
1667	TR	BF		60	2			1	16/5	H	48-00							100	2-#5 H
1668	TR	BF		60	4			8	16/5	S	4-00							133	DIAGNL - 2 - #5
1669	MT	P313, 314 & 315																	
1670	TR	BF		60	6			12	16/5	S	41-06							3,116	PR5 - #5@8 V EF
1671	TR	BF		60	43			12	13/4	S	3-00							1,034	#4@12 H EF
1672	TR	BF		60	45			3	16/5	S	41-06							5,843	PR1 - #5@12" VERT
1673	TR	BF		60	43			3	13/4	S	43-00							3,705	#4@12" HOR
1674	TR	BF		60	2			15	16/5	S	41-06							1,299	2-#5 V
1675	TR	BF		60	2			6	16/5	H	53-00							663	2-#5 H
1676	TR	BF		60	2			6	16/5	H	23-00							288	2-#5 H
1677	TR	BF		60	2			1	19/6	S	150-00							451	2-#6 CHORD REINF.
1678	TR	BF		60	2			1	22/7	S	50-00							204	2-#7 CHORD REINF.
1679	TR	BF		60	1			1	16/5	S	50-00							52	1-#5 - DETAIL 323
1680	TR	BF		60	2			11	19/6	H	6-04							209	2-#6 - DETAIL 209
1681	TR	BF		60	1			30	13/4	L	5-00							100	1-#4 - DETAIL 101
1682	TR	BF		60	1			30	13/4	L	3-08							74	1-#4 IN FTG.
1683	TR	BF		60	31			1	16/5	L	4-02							135	DETAIL 104 - #5@24 TIES
1684	TR	BF		60	121			2	16/5	H	1-09							441	#5@6 D/V EF
1685	MT	NORTH ELEVATION																	
1686	TR	BF		60	17			1	16/5	S	41-06							736	PR1 - #5@12" VERT
1687	TR	BF		60	43			1	13/4	S	16-00							460	#4@12" HOR
1688	TR	BF		60	2			1	19/6	S	16-00							48	2-#6 CHORD
1689	MT	SOUTH ELEVATION																	
1690	TR	BF		60	17			1	16/5	S	41-06							736	PR1 - #5@12" VERT
1691	TR	BF		60	43			1	13/4	S	16-00							460	#4@12" HOR
1692	TR	BF		60	2			1	19/6	S	16-00							48	2-#6 CHORD
1693	GI	Segment: BUILDING 7 Sub-Segment: TILT UP PANEL																	
1694	MT	S7300																	
1695	MT	NORTH ELEVATION																	
1696	MT	P701																	
1697	TR	BF		60	6			6	16/5	S	41-06							1,558	PR2 - #5@14 V EF
1698	TR	BF		60	47			3	13/4	S	5-06							518	H #4@12
1699	TR	BF		60	7			2	16/5	S	41-06							606	PR2 - #5@14 V EF
1700	TR	BF		60	47			1	13/4	S	6-08							209	H #4@12
1701	TR	BF		60	25			1	16/5	S	41-06							1,082	PR1 - #5@12" VERT
1702	TR	BF		60	43			1	13/4	S	24-00							689	#4@12" HOR
1703	TR	BF		60	9			-2	16/5	S	7-00							-131	PR1 - #5@12" VERT
1704	TR	BF		60	8			-2	13/4	S	8-00							-85	#4@12" HOR
1705	TR	BF		60	9			-2	16/5	S	4-07							-86	PR1 - #5@12" VERT
1706	TR	BF		60	6			-2	13/4	S	8-00							-64	#4@12" HOR
1707	TR	BF		60	6			-1	16/5	S	7-00							-44	PR1 - #5@12" VERT
1708	TR	BF		60	8			-2	13/4	S	5-00							-53	#4@12" HOR

INT-052 - SOSSAMAN BUSINESS CAMPUS

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
1709	TR	BF		60	6			-2	16/5	S	4-07							-57	PR1 - #5@12" VERT
1710	TR	BF		60	6			-2	13/4	S	5-00							-40	#4@12" HOR
1711	TR	BF		60	2			8	16/5	S	41-06							693	2-#5 V
1712	TR	BF		60	2			6	16/5	S	50-00							626	2-#5 H
1713	TR	BF		60	4			24	16/5	S	4-00							400	DIAGNL - 2 - #5
1714	MT	P702																	
1715	TR	BF		60	6			4	16/5	S	41-06							1,039	PR6 - #5@6 V EF
1716	TR	BF		60	43			4	13/4	S	5-00							574	#4@12 H EF
1717	TR	BF		60	4			6	16/5	S	27-00							676	PR3 - #5@12 V EF
1718	TR	BF		60	28			3	13/4	S	3-00							168	#4@12 H EF
1719	TR	BF		60	3			2	16/5	S	20-00							125	PR3 - #5@12 V EF
1720	TR	BF		60	21			2	13/4	S	3-00							84	#4@12 H EF
1721	TR	BF		60	55			2	13/4	S	4-06							331	PR8 - #4@12 V EF
1722	TR	BF		60	7			2	19/6	S	54-00							1,135	#6@10 H EF
1723	TR	BF		60	15			1	16/5	S	41-06							649	PR1 - #5@12" VERT1
1724	TR	BF		60	43			1	13/4	S	14-00							402	#4@12" HOR
1725	TR	BF		60	5			1	16/5	S	20-00							104	PR1 - #5@12" VERT
1726	TR	BF		60	21			1	13/4	S	4-00							56	#4@12" HOR
1727	TR	BF		60	8			1	16/5	S	11-00							92	PR1 - #5@12" VERT
1728	TR	BF		60	12			1	13/4	S	6-04							51	#4@12" HOR
1729	TR	BF		60	2			7	16/5	S	41-06							606	2-#5 V
1730	TR	BF		60	2			6	16/5	S	27-00							338	2-#5 V
1731	TR	BF		60	2			6	16/5	H	57-00							713	2-#5 H
1732	TR	BF		60	4			16	16/5	S	4-00							267	DIAGNL - 2 - #5
1733	MT	P703																	
1734	TR	BF		60	4			4	16/5	S	41-06							693	PR3 - #5@12 V EF
1735	TR	BF		60	43			4	13/4	S	3-00							345	#4@12 H EF
1736	TR	BF		60	28			1	16/5	S	41-06							1,212	PR1 - #5@12" VERT
1737	TR	BF		60	43			1	13/4	S	27-00							776	#4@12" HOR
1738	TR	BF		60	9			-1	16/5	S	7-04							-69	PR1 - #5@12" VERT
1739	TR	BF		60	9			-1	13/4	S	8-00							-48	#4@12" HOR
1740	TR	BF		60	9			-1	16/5	S	4-08							-44	PR1 - #5@12" VERT
1741	TR	BF		60	6			-1	13/4	S	8-00							-32	#4@12" HOR
1742	TR	BF		60	2			5	16/5	S	41-06							433	2-#5 V
1743	TR	BF		60	2			7	16/5	H	36-00							526	2-#5 H
1744	TR	BF		60	4			8	16/5	S	4-00							133	DIAGNL - 2 - #5
1745	TR	BF		60	2			1	19/6	S	134-00							403	2-#6 CHORD REINF.
1746	TR	BF		60	1			1	16/5	S	134-00							140	1-#5 - DETAIL 313
1747	MT	EAST ELEVATION																	
1748	MT	P704																	
1749	TR	BF		60	3			4	16/5	S	41-06							519	PR3 - #5@12 V EF
1750	TR	BF		60	43			4	13/4	S	2-00							230	#4@12 H EF
1751	TR	BF		60	6			2	16/5	S	41-06							519	PR5 - #5@8 V EF
1752	TR	BF		60	43			2	13/4	S	3-00							172	#4@12 H EF
1753	TR	BF		60	44			1	16/5	S	41-06							1,904	PR1 - #5@12" VERT
1754	TR	BF		60	43			1	13/4	S	43-00							1,235	#4@12" HOR
1755	TR	BF		60	6			-1	16/5	S	7-04							-46	PR1 - #5@12" VERT
1756	TR	BF		60	9			-1	13/4	S	5-00							-30	#4@12" HOR
1757	TR	BF		60	6			-1	16/5	S	4-07							-29	PR1 - #5@12" VERT
1758	TR	BF		60	6			-1	13/4	S	5-00							-20	#4@12" HOR
1759	TR	BF		60	2			5	16/5	S	41-06							433	2-#5 V
1760	TR	BF		60	2			7	16/5	H	50-00							730	2-#5 H
1761	TR	BF		60	4			8	16/5	S	4-00							133	DIAGNL - 2 - #5
1762	MT	P705, P706 & P707																	
1763	TR	BF		60	51			3	16/5	S	41-06							6,622	PR1 - #5@12" VERT
1764	TR	BF		60	43			3	13/4	S	50-00							4,309	#4@12" HOR
1765	TR	BF		60	2			15	16/5	S	41-06							1,299	2-#5 V
1766	TR	BF		60	2			6	16/5	H	53-00							663	2-#5 H
1767	TR	BF		60	2			6	16/5	H	23-00							288	2-#5 H
1768	TR	BF		60	4			24	16/5	S	4-00							400	DIAGNL - 2 - #5
1769	TR	BF		60	2			1	19/6	S	150-00							451	2-#6 CHORD REINF.

INT-052 - SOSSAMAN BUSINESS CAMPUS

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
1770	TR	BF		60	2			1	22/7	S	50-00							204	2-#7 CHORD REINF.
1771	TR	BF		60	1			1	16/5	S	50-00							52	1-#5 - DETAIL 313
1772	MT	SOUTH ELEVATION																	
1773	MT	P708																	
1774	TR	BF		60	6			4	16/5	S	45-06							1,139	PR3 - #5@12 V EF
1775	TR	BF		60	47			4	13/4	S	4-06							565	#4@12 H EF
1776	TR	BF		60	11			1	16/5	S	45-06							522	PR1 - #5@12" VERT
1777	TR	BF		60	47			1	13/4	S	9-06							298	#4@12" HOR
1778	TR	BF		60	11			-1	16/5	S	10-06							-120	PR1 - #5@12" VERT
1779	TR	BF		60	12			-1	13/4	S	9-06							-76	#4@12" HOR
1780	TR	BF		60	5			4	16/5	S	41-06							866	PR5 - #5@8 V EF
1781	TR	BF		60	43			4	13/4	S	2-06							287	#4@12 H EF
1782	TR	BF		60	8			2	16/5	S	41-06							693	PR4 - #5@10 V EF
1783	TR	BF		60	41			1	16/5	S	41-06							1,775	PR1 - #5@12" VERT
1784	TR	BF		60	43			1	13/4	S	40-00							1,149	#4@12" HOR
1785	TR	BF		60	5			-1	16/5	S	7-04							-38	PR1 - #5@12" VERT
1786	TR	BF		60	9			-1	13/4	S	3-04							-20	#4@12" HOR
1787	TR	BF		60	13			-2	16/5	S	14-06							-393	PR1 - #5@12" VERT
1788	TR	BF		60	16			-2	13/4	S	12-00							-257	#4@12" HOR
1789	TR	BF		60	2			4	16/5	S	45-06							380	2-#5 V
1790	TR	BF		60	2			5	16/5	S	41-06							433	2-#5 V
1791	TR	BF		60	2			1	16/5	H	60-00							125	2-#5 H
1792	TR	BF		60	2			4	16/5	H	63-00							526	2-#5 H
1793	TR	BF		60	4			16	16/5	S	4-00							267	DIAGNL - 2 - #5
1794	MT	P709																	
1795	TR	BF		60	55			1	16/5	S	41-06							2,381	PR1 - #5@12" VERT
1796	TR	BF		60	43			1	13/4	S	54-00							1,551	#4@12" HOR
1797	TR	BF		60	2			4	16/5	S	41-06							346	2-#5 V
1798	TR	BF		60	2			2	16/5	H	27-00							113	2-#5 H
1799	TR	BF		60	2			2	16/5	H	57-00							238	2-#5 H
1800	MT	P710																	
1801	TR	BF		60	3			4	16/5	S	41-06							519	PR2 - #5@14 V EF
1802	TR	BF		60	43			2	13/4	S	2-00							115	H #4@12
1803	TR	BF		60	21			1	16/5	S	41-06							909	PR1 - #5@12" VERT
1804	TR	BF		60	43			1	13/4	S	20-00							574	#4@12" HOR
1805	TR	BF		60	2			5	16/5	S	41-06							433	2-#5 V
1806	TR	BF		60	2			3	16/5	H	23-00							144	2-#5 H
1807	TR	BF		60	2			2	16/5	S	7-04							31	2-#5 H
1808	TR	BF		60	4			4	16/5	S	4-00							67	DIAGNL - 2 - #5
1809	TR	BF		60	2			1	19/6	S	74-00							222	2-#6 CHORD REINF.
1810	TR	BF		60	2			1	22/7	S	60-00							245	2-#7 CHORD REINF.
1811	MT	WEST ELEVATION																	
1812	MT	P711, P712, P713 & P714																	
1813	TR	BF		60	6			8	16/5	S	41-06							2,078	PR5 - #5@8 V EF
1814	TR	BF		60	43			8	13/4	S	3-00							689	#4@12 H EF
1815	TR	BF		60	48			4	16/5	S	41-06							8,310	PR1 - #5@12" VERT
1816	TR	BF		60	43			4	13/4	S	47-00							5,400	#4@12" HOR
1817	TR	BF		60	2			20	16/5	S	41-06							1,731	2-#5 V
1818	TR	BF		60	2			8	16/5	H	22-07							377	2-#5 H
1819	TR	BF		60	2			8	16/5	S	53-00							884	2-#5 H
1820	TR	BF		60	2			4	19/6	S	200-00							2,403	2-#6 CHORD REINF.
1821	TR	BF		60	1			1	16/5	S	50-00							52	1-#5 - DETAIL 313
1822	TR	BF		60	2			11	19/6	H	6-04							209	2-#6 - DETAIL 209
1823	TR	BF		60	1			28	13/4	L	5-00							94	1-#4 - DETAIL 101
1824	TR	BF		60	1			28	13/4	L	3-08							69	1-#4 IN FTG.
1825	TR	BF		60	31			1	16/5	L	4-02							135	DETAIL 104 - #5@24 TIES
1826	TR	BF		60	121			2	16/5	H	1-09							441	#5@6 D/V EF
1827	TR	BF		60	2			9	13/4	H	3-03							39	2-#4 - DETAIL 318
1828	TR	BF		60	2			9	13/4	S	4-00							48	1-#4 - CONT.
1829	GI	Segment: BUILDING 8 Sub-Segment: TILT UP PANEL																	
1830	MT	S8300																	

INT-052 - SOSSAMAN BUSINESS CAMPUS

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
1831	MT	NORTH ELEVATION																	
1832	MT	P801																	
1833	TR	BF		60	13			2	19/6	S	43-00							1,679	PR7 - #6@6 V EF
1834	TR	BF		60	44			2	16/5	S	6-00							551	H EF - #4@12
1835	TR	BF		60	26			2	13/4	S	6-06							226	PR8 - #4@12 V EF
1836	TR	BF		60	9			2	19/6	S	25-00							676	#6@10 H EF
1837	TR	BF		60	2			4	16/5	S	43-00							359	2-#5 V
1838	TR	BF		60	2			4	16/5	S	28-00							234	2-#5 H
1839	TR	BF		60	2			1	16/5	H	23-09							50	2-#5 H
1840	TR	BF		60	4			4	16/5	S	4-00							67	DIAGNL - 2 - #5
1841	MT	P802																	
1842	TR	BF		60	3			2	16/5	S	41-06							260	PR3 - #5@12 V EF
1843	TR	BF		60	43			2	13/4	S	2-00							115	#4@12 H EF
1844	TR	BF		60	6			8	16/5	S	41-06							2,078	PR2 - #5@14 V EF
1845	TR	BF		60	43			4	13/4	S	5-03							603	H #4@12
1846	TR	BF		60	65			1	16/5	S	41-06							2,813	PR1 - #5@12" VERT
1847	TR	BF		60	43			1	13/4	S	64-00							1,838	#4@12" HOR
1848	TR	BF		60	9			-3	16/5	S	4-07							-129	PR1 - #5@12" VERT
1849	TR	BF		60	6			-3	13/4	S	8-00							-96	#4@12" HOR
1850	TR	BF		60	9			-3	16/5	S	7-04							-206	PR1 - #5@12" VERT
1851	TR	BF		60	9			-3	13/4	S	8-00							-144	#4@12" HOR
1852	TR	BF		60	6			-2	16/5	S	7-04							-92	PR1 - #5@12" VERT
1853	TR	BF		60	9			-2	13/4	S	5-00							-60	#4@12" HOR
1854	TR	BF		60	6			-2	16/5	S	4-07							-57	PR1 - #5@12" VERT
1855	TR	BF		60	6			-2	13/4	S	5-00							-40	#4@12" HOR
1856	TR	BF		60	2			12	16/5	S	41-06							1,039	2-#5 V
1857	TR	BF		60	2			6	16/5	S	67-00							839	2-#5 H
1858	TR	BF		60	4			40	16/5	S	4-00							667	DIAGNL - 2 - #5
1859	MT	P803																	
1860	TR	BF		60	5			4	16/5	S	42-06							887	PR6 - #5@6 V EF
1861	TR	BF		60	44			4	13/4	S	4-00							470	#4@12 H EF
1862	TR	BF		60	5			6	16/5	S	42-06							1,330	PR3 - #5@12 V EF
1863	TR	BF		60	44			6	13/4	S	4-00							705	#4@12 H EF
1864	TR	BF		60	13			1	16/5	S	42-06							576	PR1 - #5@12" VERT
1865	TR	BF		60	44			1	13/4	S	11-07							340	#4@12" HOR
1866	TR	BF		60	8			1	16/5	S	11-06							96	PR1 - #5@12" VERT
1867	TR	BF		60	13			1	13/4	S	6-04							55	#4@12" HOR
1868	TR	BF		60	2			4	16/5	S	42-06							355	2-#5 V
1869	TR	BF		60	2			4	16/5	S	27-00							225	2-#5 V
1870	TR	BF		60	2			7	16/5	S	47-00							686	2-#5 H
1871	TR	BF		60	4			12	16/5	S	4-00							200	DIAGNL - 2 - #5
1872	MT	P804																	
1873	TR	BF		60	6			10	16/5	S	41-06							2,597	PR2 - #5@14 V EF
1874	TR	BF		60	43			5	13/4	S	5-03							754	H #4@12
1875	TR	BF		60	37			1	16/5	S	41-06							1,602	PR1 - #5@12" VERT
1876	TR	BF		60	43			1	13/4	S	35-09							1,027	#4@12" HOR
1877	TR	BF		60	9			-5	16/5	S	4-07							-215	PR1 - #5@12" VERT
1878	TR	BF		60	6			-5	13/4	S	8-00							-160	#4@12" HOR
1879	TR	BF		60	2			12	16/5	S	41-06							1,039	2-#5 V
1880	TR	BF		60	2			4	16/5	S	65-00							542	2-#5 H
1881	TR	BF		60	4			16	16/5	S	4-00							267	DIAGNL - 2 - #5
1882	MT	P805																	
1883	TR	BF		60	8			4	16/5	S	41-06							1,385	PR2 - #5@14 V EF
1884	TR	BF		60	43			2	13/4	S	7-04							421	H #4@12
1885	TR	BF		60	6			2	16/5	S	41-06							519	PR2 - #5@14 V EF
1886	TR	BF		60	43			1	13/4	S	5-00							144	H #4@12
1887	TR	BF		60	22			1	16/5	S	41-06							952	PR1 - #5@12" VERT
1888	TR	BF		60	43			1	13/4	S	20-04							584	#4@12" HOR
1889	TR	BF		60	9			-1	16/5	S	7-04							-69	PR1 - #5@12" VERT
1890	TR	BF		60	9			-1	13/4	S	8-00							-48	#4@12" HOR
1891	TR	BF		60	9			-1	16/5	S	4-07							-43	PR1 - #5@12" VERT

INT-052 - SOSSAMAN BUSINESS CAMPUS

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
1892	TR	BF		60	6			-1	13/4	S	8-00							-32	#4@12" HOR
1893	TR	BF		60	6			-1	16/5	S	7-04							-46	PR1 - #5@12" VERT
1894	TR	BF		60	9			-1	13/4	S	5-00							-30	#4@12" HOR
1895	TR	BF		60	6			-1	16/5	S	4-07							-29	PR1 - #5@12" VERT
1896	TR	BF		60	6			-1	13/4	S	5-00							-20	#4@12" HOR
1897	TR	BF		60	2			7	16/5	S	41-06							606	2-#5 V
1898	TR	BF		60	2			6	16/5	H	43-00							538	2-#5 H
1899	TR	BF		60	2			1	16/5	H	39-00							81	2-#5 H
1900	TR	BF		60	4			16	16/5	S	4-00							267	DIAGNL - 2 - #5
1901	MT	P806																	
1902	TR	BF		60	4			4	16/5	S	41-06							693	PR4 - #5@10 V EF
1903	TR	BF		60	43			4	13/4	S	2-00							230	#4@12 H EF
1904	TR	BF		60	6			4	16/5	S	41-06							1,039	PR2 - #5@14 V EF
1905	TR	BF		60	43			2	13/4	S	5-04							306	H #4@12
1906	TR	BF		60	37			1	16/5	S	41-06							1,602	PR1 - #5@12" VERT
1907	TR	BF		60	43			1	13/4	S	35-04							1,015	#4@12" HOR
1908	TR	BF		60	9			-2	16/5	S	7-04							-138	PR1 - #5@12" VERT
1909	TR	BF		60	9			-2	13/4	S	8-00							-96	#4@12" HOR
1910	TR	BF		60	9			-2	16/5	S	4-09							-89	PR1 - #5@12" VERT
1911	TR	BF		60	6			-2	13/4	S	8-00							-64	#4@12" HOR
1912	TR	BF		60	6			-1	16/5	S	7-04							-46	PR1 - #5@12" VERT
1913	TR	BF		60	9			-1	13/4	S	5-00							-30	#4@12" HOR
1914	TR	BF		60	6			-1	16/5	S	4-09							-30	PR1 - #5@12" VERT
1915	TR	BF		60	6			-1	13/4	S	5-00							-20	#4@12" HOR
1916	TR	BF		60	2			9	16/5	S	41-06							779	2-#5 V
1917	TR	BF		60	2			6	16/5	H	50-00							626	2-#5 H
1918	TR	BF		60	2			1	16/5	H	45-00							94	2-#5 H
1919	TR	BF		60	4			24	16/5	S	4-00							400	DIAGNL - 2 - #5
1920	MT	P807																	
1921	TR	BF		60	4			4	16/5	S	41-06							693	PR4 - #5@10 V EF
1922	TR	BF		60	43			4	13/4	S	2-00							230	#4@12 H EF
1923	TR	BF		60	44			1	16/5	S	41-06							1,904	PR1 - #5@12" VERT
1924	TR	BF		60	43			1	13/4	S	43-00							1,235	#4@12" HOR
1925	TR	BF		60	9			-1	16/5	S	11-00							-103	PR1 - #5@12" VERT
1926	TR	BF		60	12			-1	13/4	S	8-00							-64	#4@12" HOR
1927	TR	BF		60	9			-1	16/5	S	4-06							-42	PR1 - #5@12" VERT
1928	TR	BF		60	6			-1	13/4	S	8-00							-32	#4@12" HOR
1929	TR	BF		60	2			5	16/5	S	41-06							433	2-#5 V
1930	TR	BF		60	2			6	16/5	H	47-00							588	2-#5 H
1931	TR	BF		60	4			8	16/5	S	4-00							133	DIAGNL - 2 - #5
1932	TR	BF		60	2			1	19/6	S	326-00							979	2-#6 CHORD REINF.
1933	TR	BF		60	1			1	16/5	S	326-00							340	1-#5 - DETAIL 313
1934	MT	EAST ELEVATION																	
1935	MT	P808, P809 & P810																	
1936	TR	BF		60	53			3	16/5	S	41-06							6,882	PR1 - #5@12" VERT
1937	TR	BF		60	43			3	13/4	S	52-00							4,481	#4@12" HOR
1938	TR	BF		60	2			15	16/5	S	41-06							1,299	2-#5 V
1939	TR	BF		60	2			9	16/5	H	47-00							882	2-#5 H
1940	TR	BF		60	1			3	16/5	S	50-00							156	1-#5 - DETAIL 313
1941	TR	BF		60	2			3	19/6	S	152-00							1,370	2-#6 CHORD REINF.
1942	MT	SOUTH ELEVATION																	
1943	MT	P811 & P817																	
1944	TR	BF		60	3			8	16/5	S	41-06							1,039	PR2 - #5@14 V EF
1945	TR	BF		60	43			4	13/4	S	2-00							230	H #4@12
1946	TR	BF		60	35			2	16/5	S	41-06							3,030	PR1 - #5@12" VERT
1947	TR	BF		60	43			2	13/4	S	34-00							1,953	#4@12" HOR
1948	TR	BF		60	5			-2	16/5	S	7-04							-76	PR1 - #5@12" VERT
1949	TR	BF		60	9			-2	13/4	S	3-04							-40	#4@12" HOR
1950	TR	BF		60	4			8	16/5	S	4-00							133	DIAGNL - 2 - #5
1951	TR	BF		60	2			10	16/5	S	41-06							866	2-#5 V
1952	TR	BF		60	2			6	16/5	H	41-00							513	2-#5 H

INT-052 - SOSSAMAN BUSINESS CAMPUS

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
1953	TR	BF		60	2			4	16/5	S	7-04							61	2-#5 H
1954	MT	P812 & P816																	
1955	TR	BF		60	51			2	16/5	S	41-06							4,415	PR1 - #5@12" VERT
1956	TR	BF		60	43			2	13/4	S	50-00							2,872	#4@12" HOR
1957	TR	BF		60	2			10	16/5	S	41-06							866	2-#5 V
1958	TR	BF		60	2			6	16/5	H	47-00							588	2-#5 H
1959	MT	P813 & P815																	
1960	TR	BF		60	3			8	16/5	S	41-06							1,039	PR2 - #5@14 V EF
1961	TR	BF		60	43			4	13/4	S	2-00							230	H #4@12
1962	TR	BF		60	3			8	16/5	S	41-06							1,039	PR3 - #5@12 V EF
1963	TR	BF		60	43			8	13/4	S	2-00							460	#4@12 H EF
1964	TR	BF		60	7			4	16/5	S	41-06							1,212	PR3 - #5@12 V EF
1965	TR	BF		60	43			4	13/4	S	5-02							594	#4@12 H EF
1966	TR	BF		60	38			2	16/5	S	41-06							3,290	PR1 - #5@12" VERT
1967	TR	BF		60	43			2	13/4	S	37-00							2,126	#4@12" HOR
1968	TR	BF		60	5			-4	16/5	S	7-04							-153	PR1 - #5@12" VERT
1969	TR	BF		60	9			-4	13/4	S	3-04							-80	#4@12" HOR
1970	TR	BF		60	13			-4	16/5	S	14-06							-786	PR1 - #5@12" VERT
1971	TR	BF		60	16			-4	13/4	S	12-00							-513	#4@12" HOR
1972	TR	BF		60	2			20	16/5	S	41-06							1,731	2-#5 V
1973	TR	BF		60	2			10	16/5	H	53-00							1,106	2-#5 H
1974	TR	BF		60	4			32	16/5	S	4-00							534	DIAGNL - 2 - #5
1975	MT	P814																	
1976	TR	BF		60	7			8	16/5	S	45-06							2,657	PR3 - #5@12 V EF
1977	TR	BF		60	47			8	13/4	S	5-06							1,381	#4@12 H EF
1978	TR	BF		60	29			1	16/5	S	41-06							1,255	PR1 - #5@12" VERT
1979	TR	BF		60	43			1	13/4	S	28-00							804	#4@12" HOR
1980	TR	BF		60	10			-3	16/5	S	10-00							-313	PR1 - #5@12" VERT
1981	TR	BF		60	11			-3	13/4	S	9-00							-198	#4@12" HOR
1982	TR	BF		60	2			10	16/5	S	45-06							949	2-#5 V
1983	TR	BF		60	2			7	16/5	H	53-00							774	2-#5 H
1984	TR	BF		60	4			12	16/5	S	4-00							200	DIAGNL - 2 - #5
1985	TR	BF		60	11			-3	13/4	S	9-00							-198	#4@12" HOR
1986	TR	BF		60	2			1	19/6	S	326-00							979	2-#6 CHORD REINF.
1987	MT	WEST ELEVATION																	
1988	MT	P818 & P819																	
1989	TR	BF		60	4			8	16/5	S	41-06							1,385	PR3 - #5@12 V EF
1990	TR	BF		60	43			8	13/4	S	3-00							689	#4@12 H EF
1991	TR	BF		60	8			4	16/5	S	41-06							1,385	PR2 - #5@14 V EF
1992	TR	BF		60	43			2	13/4	S	7-04							421	H #4@12
1993	TR	BF		60	40			2	16/5	S	41-06							3,463	PR1 - #5@12" VERT
1994	TR	BF		60	43			2	13/4	S	38-08							2,221	#4@12" HOR
1995	TR	BF		60	9			-4	16/5	S	4-09							-178	PR1 - #5@12" VERT
1996	TR	BF		60	6			-4	13/4	L7	8-00							-128	#4@12" HOR
1997	TR	BF		60	2			16	16/5	S	41-06							1,385	2-#5 V
1998	TR	BF		60	2			10	16/5	H	55-00							1,147	2-#5 H
1999	TR	BF		60	4			32	16/5	S	4-00							534	DIAGNL - 2 - #5
2000	MT	P820																	
2001	TR	BF		60	7			6	16/5	S	27-00							1,183	PR3 - #5@12 V EF
2002	TR	BF		60	28			6	13/4	S	5-06							617	#4@12 H EF
2003	TR	BF		60	14			2	19/6	S	41-06							1,745	PR7 - #6@6 V EF
2004	TR	BF		60	43			2	16/5	S	6-06							583	H EF - #4@12
2005	TR	BF		60	51			4	13/4	S	5-00							681	PR8 - #4@12 V EF
2006	TR	BF		60	8			4	19/6	S	50-00							2,403	#6@10 H EF
2007	TR	BF		60	15			1	16/5	S	41-06							649	PR1 - #5@12" VERT
2008	TR	BF		60	43			1	13/4	S	14-00							402	#4@12" HOR
2009	TR	BF		60	8			2	16/5	S	11-00							184	PR1 - #5@12" VERT
2010	TR	BF		60	12			2	13/4	S	6-04							102	#4@12" HOR
2011	TR	BF		60	2			7	16/5	S	41-06							606	2-#5 V
2012	TR	BF		60	2			6	16/5	H	53-00							663	2-#5 H
2013	TR	BF		60	4			12	16/5	S	4-00							200	DIAGNL - 2 - #5

INT-052 - SOSSAMAN BUSINESS CAMPUS

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
2014	TR	BF		60	2			1	19/6	S	152-00							457	2-#6 CHORD REINF.
2015	TR	BF		60	1			1	16/5	S	50-00							52	1-#5 - DETAIL 313
2016	TR	BF		60	2			15	19/6	H	6-04							285	2-#6 - DETAIL 209
2017	TR	BF		60	1			40	13/4	L	5-00							134	1-#4 - DETAIL 101
2018	TR	BF		60	1			40	13/4	L	3-08							98	1-#4 IN FTG.
2019	TR	BF		60	31			1	16/5	L	4-02							135	DETAIL 104 - #5@24 TIES
2020	TR	BF		60	121			1	16/5	H	1-09							221	#5@6 D/V EF
2021	TR	BF		60	2			30	13/4	L	3-03							130	2-#4 - DETAIL 318
2022	TR	BF		60	2			30	13/4	S	4-00							160	1-#4 - CONT.

Rebar Sub-Segment Summary

Segment: BUILDING 1

Sub-Segment: SPREAD FOOTING

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt	RSTRCTIVE
------	-------	----------	-------	-------	-----------	-----------

** Grade 60, Black **

10/3	184	0	0	184	0	0
16/5	3,246	3,246	0	0	0	0
	<u>3,430</u>	<u>3,246</u>	<u>0</u>	<u>184</u>	<u>0</u>	<u>0</u>

Sub-Segment: WALL FOOTING

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt	RSTRCTIVE
------	-------	----------	-------	-------	-----------	-----------

** Grade 60, Black **

10/3	553	0	0	553	0	0
13/4	149	149	0	0	149	0
16/5	14,957	14,298	659	0	7,242	0
19/6	1,154	1,154	0	0	1,154	0
	<u>16,813</u>	<u>15,601</u>	<u>659</u>	<u>553</u>	<u>8,545</u>	<u>0</u>

Sub-Segment: CONCRETE WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt	RSTRCTIVE
------	-------	----------	-------	-------	-----------	-----------

** Grade 60, Black **

13/4	3,025	2,792	0	233	1,325	0
16/5	2,458	1,860	576	22	832	0
	<u>5,483</u>	<u>4,652</u>	<u>576</u>	<u>255</u>	<u>2,157</u>	<u>0</u>

Sub-Segment: TILT UP PANEL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt	RSTRCTIVE
------	-------	----------	-------	-------	-----------	-----------

** Grade 60, Black **

10/3	54	0	0	54	0	0
13/4	30,119	30,041	78	0	0	0
16/5	76,775	68,987	7,762	26	1,350	0
19/6	9,477	9,325	152	0	2,386	0
	<u>116,425</u>	<u>108,353</u>	<u>7,992</u>	<u>80</u>	<u>3,736</u>	<u>0</u>

Rebar Sub-Segment Summary

Segment: BUILDING 1

Total for Segment: BUILDING 1

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt	RSTRCTIVE
** Grade 60, Black **						
10/3	791	0	0	791	0	0
13/4	33,293	32,982	78	233	1,474	0
16/5	97,436	88,391	8,997	48	9,424	0
19/6	10,631	10,479	152	0	3,540	0
	<u>142,151</u>	<u>131,852</u>	<u>9,227</u>	<u>1,072</u>	<u>14,438</u>	<u>0</u>

Rebar Sub-Segment Summary

Segment: BUILDING 2

Sub-Segment: SPREAD FOOTING

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt	RSTRCTIVE
------	-------	----------	-------	-------	-----------	-----------

** Grade 60, Black **

10/3	164	0	0	164	0	0
16/5	3,037	3,037	0	0	0	0
	<u>3,201</u>	<u>3,037</u>	<u>0</u>	<u>164</u>	<u>0</u>	<u>0</u>

Sub-Segment: WALL FOOTING

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt	RSTRCTIVE
------	-------	----------	-------	-------	-----------	-----------

** Grade 60, Black **

10/3	737	0	0	737	0	0
16/5	15,114	14,858	256	0	8,093	0
19/6	3,930	3,930	0	0	3,930	0
	<u>19,781</u>	<u>18,788</u>	<u>256</u>	<u>737</u>	<u>12,023</u>	<u>0</u>

Sub-Segment: CONCRETE WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt	RSTRCTIVE
------	-------	----------	-------	-------	-----------	-----------

** Grade 60, Black **

13/4	2,417	2,172	0	245	1,040	0
16/5	2,541	1,926	576	39	775	0
	<u>4,958</u>	<u>4,098</u>	<u>576</u>	<u>284</u>	<u>1,815</u>	<u>0</u>

Sub-Segment: TILT UP PANEL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt	RSTRCTIVE
------	-------	----------	-------	-------	-----------	-----------

** Grade 60, Black **

13/4	26,445	26,094	143	208	0	0
16/5	69,000	65,228	3,659	113	1,251	0
19/6	4,690	4,500	190	0	2,097	0
22/7	612	612	0	0	408	0
	<u>100,747</u>	<u>96,434</u>	<u>3,992</u>	<u>321</u>	<u>3,756</u>	<u>0</u>

Rebar Sub-Segment Summary

Segment: BUILDING 2

Total for Segment: BUILDING 2

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt	RSTRCTIVE
** Grade 60, Black **						
10/3	901	0	0	901	0	0
13/4	28,862	28,266	143	453	1,040	0
16/5	89,692	85,049	4,491	152	10,119	0
19/6	8,620	8,430	190	0	6,027	0
22/7	612	612	0	0	408	0
	<u>128,687</u>	<u>122,357</u>	<u>4,824</u>	<u>1,506</u>	<u>17,594</u>	<u>0</u>

Rebar Sub-Segment Summary

Segment: BUILDING 3

Sub-Segment: SPREAD FOOTING

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt	RSTRCTIVE
------	-------	----------	-------	-------	-----------	-----------

** Grade 60, Black **

10/3	93	0	0	93	0	0
16/5	1,785	1,785	0	0	0	0
	<u>1,878</u>	<u>1,785</u>	<u>0</u>	<u>93</u>	<u>0</u>	<u>0</u>

Sub-Segment: WALL FOOTING

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt	RSTRCTIVE
------	-------	----------	-------	-------	-----------	-----------

** Grade 60, Black **

10/3	623	0	0	623	0	0
16/5	15,496	14,084	523	889	7,465	0
19/6	3,941	3,941	0	0	3,941	0
	<u>20,060</u>	<u>18,025</u>	<u>523</u>	<u>1,512</u>	<u>11,406</u>	<u>0</u>

Sub-Segment: CONCRETE WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt	RSTRCTIVE
------	-------	----------	-------	-------	-----------	-----------

** Grade 60, Black **

13/4	2,694	2,495	0	199	1,325	0
16/5	2,311	1,721	568	22	832	0
	<u>5,005</u>	<u>4,216</u>	<u>568</u>	<u>221</u>	<u>2,157</u>	<u>0</u>

Sub-Segment: TILT UP PANEL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt	RSTRCTIVE
------	-------	----------	-------	-------	-----------	-----------

** Grade 60, Black **

13/4	22,933	22,759	0	174	0	0
16/5	56,935	51,019	5,781	135	1,366	0
19/6	2,992	2,783	209	0	1,858	0
22/7	449	449	0	0	245	0
	<u>83,309</u>	<u>77,010</u>	<u>5,990</u>	<u>309</u>	<u>3,469</u>	<u>0</u>

Rebar Sub-Segment Summary

Segment: BUILDING 3

Total for Segment: BUILDING 3

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt	RSTRCTIVE
** Grade 60, Black **						
10/3	716	0	0	716	0	0
13/4	25,627	25,254	0	373	1,325	0
16/5	76,527	68,609	6,872	1,046	9,663	0
19/6	6,933	6,724	209	0	5,799	0
22/7	449	449	0	0	245	0
	<u>110,252</u>	<u>101,036</u>	<u>7,081</u>	<u>2,135</u>	<u>17,032</u>	<u>0</u>

Rebar Sub-Segment Summary

Segment: BUILDING 4

Sub-Segment: SPREAD FOOTING

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt	RSTRCTIVE
------	-------	----------	-------	-------	-----------	-----------

** Grade 60, Black **

10/3	200	0	0	200	0	0
16/5	4,388	4,388	0	0	0	0
	<u>4,588</u>	<u>4,388</u>	<u>0</u>	<u>200</u>	<u>0</u>	<u>0</u>

Sub-Segment: WALL FOOTING

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt	RSTRCTIVE
------	-------	----------	-------	-------	-----------	-----------

** Grade 60, Black **

10/3	812	78	0	734	0	0
16/5	20,655	20,385	270	0	10,270	0
19/6	2,541	2,541	0	0	2,541	0
	<u>24,008</u>	<u>23,004</u>	<u>270</u>	<u>734</u>	<u>12,811</u>	<u>0</u>

Sub-Segment: CONCRETE WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt	RSTRCTIVE
------	-------	----------	-------	-------	-----------	-----------

** Grade 60, Black **

13/4	2,550	2,248	0	302	968	0
16/5	2,623	2,055	568	0	760	0
	<u>5,173</u>	<u>4,303</u>	<u>568</u>	<u>302</u>	<u>1,728</u>	<u>0</u>

Sub-Segment: TILT UP PANEL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt	RSTRCTIVE
------	-------	----------	-------	-------	-----------	-----------

** Grade 60, Black **

13/4	34,732	34,399	78	255	0	0
16/5	88,856	82,420	6,301	135	1,707	0
19/6	4,153	3,811	342	0	1,802	0
22/7	2,043	2,043	0	0	1,839	0
	<u>129,784</u>	<u>122,673</u>	<u>6,721</u>	<u>390</u>	<u>5,348</u>	<u>0</u>

Rebar Sub-Segment Summary

Segment: BUILDING 4

Total for Segment: BUILDING 4

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt	RSTRCTIVE
** Grade 60, Black **						
10/3	1,012	78	0	934	0	0
13/4	37,282	36,647	78	557	968	0
16/5	116,522	109,248	7,139	135	12,737	0
19/6	6,694	6,352	342	0	4,343	0
22/7	2,043	2,043	0	0	1,839	0
	<u>163,553</u>	<u>154,368</u>	<u>7,559</u>	<u>1,626</u>	<u>19,887</u>	<u>0</u>

Rebar Sub-Segment Summary

Segment: BUILDING 5

Sub-Segment: SPREAD FOOTING

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt	RSTRCTIVE
------	-------	----------	-------	-------	-----------	-----------

** Grade 60, Black **

10/3	200	0	0	200	0	0
16/5	4,388	4,388	0	0	0	0
	<u>4,588</u>	<u>4,388</u>	<u>0</u>	<u>200</u>	<u>0</u>	<u>0</u>

Sub-Segment: WALL FOOTING

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt	RSTRCTIVE
------	-------	----------	-------	-------	-----------	-----------

** Grade 60, Black **

10/3	780	0	0	780	0	0
16/5	19,873	19,603	270	0	9,864	0
19/6	2,541	2,541	0	0	2,541	0
	<u>23,194</u>	<u>22,144</u>	<u>270</u>	<u>780</u>	<u>12,405</u>	<u>0</u>

Sub-Segment: CONCRETE WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt	RSTRCTIVE
------	-------	----------	-------	-------	-----------	-----------

** Grade 60, Black **

13/4	2,502	2,200	0	302	968	0
16/5	2,602	2,034	568	0	760	0
	<u>5,104</u>	<u>4,234</u>	<u>568</u>	<u>302</u>	<u>1,728</u>	<u>0</u>

Sub-Segment: TILT UP PANEL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt	RSTRCTIVE
------	-------	----------	-------	-------	-----------	-----------

** Grade 60, Black **

13/4	33,812	33,479	78	255	0	0
16/5	87,384	80,948	6,301	135	1,707	0
19/6	4,057	3,715	342	0	1,802	0
22/7	2,043	2,043	0	0	1,839	0
	<u>127,296</u>	<u>120,185</u>	<u>6,721</u>	<u>390</u>	<u>5,348</u>	<u>0</u>

Rebar Sub-Segment Summary

Segment: BUILDING 5

Total for Segment: BUILDING 5

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt	RSTRCTIVE
** Grade 60, Black **						
10/3	980	0	0	980	0	0
13/4	36,314	35,679	78	557	968	0
16/5	114,247	106,973	7,139	135	12,331	0
19/6	6,598	6,256	342	0	4,343	0
22/7	2,043	2,043	0	0	1,839	0
	<u>160,182</u>	<u>150,951</u>	<u>7,559</u>	<u>1,672</u>	<u>19,481</u>	<u>0</u>

Rebar Sub-Segment Summary

Segment: BUILDING 6

Sub-Segment: SPREAD FOOTING

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt	RSTRCTIVE
------	-------	----------	-------	-------	-----------	-----------

** Grade 60, Black **

10/3	93	0	0	93	0	0
16/5	1,785	1,785	0	0	0	0
	<u>1,878</u>	<u>1,785</u>	<u>0</u>	<u>93</u>	<u>0</u>	<u>0</u>

Sub-Segment: WALL FOOTING

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt	RSTRCTIVE
------	-------	----------	-------	-------	-----------	-----------

** Grade 60, Black **

10/3	680	0	0	680	0	0
16/5	16,902	16,379	523	0	7,718	0
19/6	4,290	4,290	0	0	4,290	0
	<u>21,872</u>	<u>20,669</u>	<u>523</u>	<u>680</u>	<u>12,008</u>	<u>0</u>

Sub-Segment: CONCRETE WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt	RSTRCTIVE
------	-------	----------	-------	-------	-----------	-----------

** Grade 60, Black **

13/4	2,706	2,495	0	211	1,325	0
16/5	2,344	1,754	568	22	832	0
	<u>5,050</u>	<u>4,249</u>	<u>568</u>	<u>233</u>	<u>2,157</u>	<u>0</u>

Sub-Segment: TILT UP PANEL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt	RSTRCTIVE
------	-------	----------	-------	-------	-----------	-----------

** Grade 60, Black **

13/4	23,853	23,679	0	174	0	0
16/5	58,407	52,491	5,781	135	1,366	0
19/6	3,088	2,879	209	0	1,858	0
22/7	449	449	0	0	245	0
	<u>85,797</u>	<u>79,498</u>	<u>5,990</u>	<u>309</u>	<u>3,469</u>	<u>0</u>

Rebar Sub-Segment Summary

Segment: BUILDING 6

Total for Segment: BUILDING 6

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt	RSTRCTIVE
** Grade 60, Black **						
10/3	773	0	0	773	0	0
13/4	26,559	26,174	0	385	1,325	0
16/5	79,438	72,409	6,872	157	9,916	0
19/6	7,378	7,169	209	0	6,148	0
22/7	449	449	0	0	245	0
	<u>114,597</u>	<u>106,201</u>	<u>7,081</u>	<u>1,315</u>	<u>17,634</u>	<u>0</u>

Rebar Sub-Segment Summary

Segment: BUILDING 7

Sub-Segment: SPREAD FOOTING

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt	RSTRCTIVE
------	-------	----------	-------	-------	-----------	-----------

** Grade 60, Black **

10/3	93	0	0	93	0	0
16/5	1,785	1,785	0	0	0	0
	<u>1,878</u>	<u>1,785</u>	<u>0</u>	<u>93</u>	<u>0</u>	<u>0</u>

Sub-Segment: WALL FOOTING

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt	RSTRCTIVE
------	-------	----------	-------	-------	-----------	-----------

** Grade 60, Black **

10/3	490	0	0	490	0	0
16/5	13,313	12,796	517	0	6,729	0
	<u>13,803</u>	<u>12,796</u>	<u>517</u>	<u>490</u>	<u>6,729</u>	<u>0</u>

Sub-Segment: CONCRETE WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt	RSTRCTIVE
------	-------	----------	-------	-------	-----------	-----------

** Grade 60, Black **

13/4	2,727	2,541	0	186	1,325	0
16/5	2,348	1,759	568	21	832	0
	<u>5,075</u>	<u>4,300</u>	<u>568</u>	<u>207</u>	<u>2,157</u>	<u>0</u>

Sub-Segment: TILT UP PANEL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt	RSTRCTIVE
------	-------	----------	-------	-------	-----------	-----------

** Grade 60, Black **

13/4	20,302	20,100	39	163	0	0
16/5	51,131	46,112	4,884	135	791	0
19/6	4,826	4,617	209	0	3,481	0
22/7	449	449	0	0	245	0
	<u>76,708</u>	<u>71,278</u>	<u>5,132</u>	<u>298</u>	<u>4,517</u>	<u>0</u>

Rebar Sub-Segment Summary

Segment: BUILDING 7

Total for Segment: BUILDING 7

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt	RSTRCTIVE
** Grade 60, Black **						
10/3	583	0	0	583	0	0
13/4	23,029	22,641	39	349	1,325	0
16/5	68,577	62,452	5,969	156	8,352	0
19/6	4,826	4,617	209	0	3,481	0
22/7	449	449	0	0	245	0
	<u>97,464</u>	<u>90,159</u>	<u>6,217</u>	<u>1,088</u>	<u>13,403</u>	<u>0</u>

Rebar Sub-Segment Summary

Segment: BUILDING 8

Sub-Segment: SPREAD FOOTING

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt	RSTRCTIVE
** Grade 60, Black **						
10/3	227	0	0	227	0	0
16/5	4,314	4,314	0	0	0	0
	<u>4,541</u>	<u>4,314</u>	<u>0</u>	<u>227</u>	<u>0</u>	<u>0</u>

Sub-Segment: WALL FOOTING

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt	RSTRCTIVE
** Grade 60, Black **						
10/3	668	0	0	668	0	0
13/4	151	151	0	0	151	0
16/5	17,630	16,977	653	0	8,351	0
19/6	1,381	1,381	0	0	0	0
	<u>19,830</u>	<u>18,509</u>	<u>653</u>	<u>668</u>	<u>8,502</u>	<u>0</u>

Sub-Segment: CONCRETE WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt	RSTRCTIVE
** Grade 60, Black **						
13/4	2,947	2,684	0	263	1,325	0
16/5	2,688	2,081	568	39	832	0
	<u>5,635</u>	<u>4,765</u>	<u>568</u>	<u>302</u>	<u>2,157</u>	<u>0</u>

Sub-Segment: TILT UP PANEL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt	RSTRCTIVE
** Grade 60, Black **						
13/4	28,992	28,758	0	234	1,838	-128
16/5	80,482	72,476	7,871	135	1,722	0
19/6	10,575	10,290	285	0	3,787	0
	<u>120,049</u>	<u>111,524</u>	<u>8,156</u>	<u>369</u>	<u>7,347</u>	<u>-128</u>

Rebar Sub-Segment Summary

Segment: BUILDING 8

Total for Segment: BUILDING 8

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt	RSTRCTIVE
** Grade 60, Black **						
10/3	895	0	0	895	0	0
13/4	32,090	31,593	0	497	3,314	-128
16/5	105,114	95,848	9,092	174	10,905	0
19/6	11,956	11,671	285	0	3,787	0
	<u>150,055</u>	<u>139,112</u>	<u>9,377</u>	<u>1,566</u>	<u>18,006</u>	<u>-128</u>

Rebar Sub-Segment Summary

Segment: SITE WORK

Sub-Segment: LIGHT POLE

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt	RSTRCTIVE
------	-------	----------	-------	-------	-----------	-----------

** Grade 60, Black **

10/3	1,640	0	0	1,640	0	0
19/6	3,604	3,604	0	0	0	0
	<u>5,244</u>	<u>3,604</u>	<u>0</u>	<u>1,640</u>	<u>0</u>	<u>0</u>

Sub-Segment: DUMPSTER ENCLOSURE

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt	RSTRCTIVE
------	-------	----------	-------	-------	-----------	-----------

** Grade 60, Black **

13/4	12,666	12,666	0	0	0	0
16/5	2,399	0	2,399	0	0	0
	<u>15,065</u>	<u>12,666</u>	<u>2,399</u>	<u>0</u>	<u>0</u>	<u>0</u>

Sub-Segment: STAIRCASE

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt	RSTRCTIVE
------	-------	----------	-------	-------	-----------	-----------

** Grade 60, Black **

13/4	175	67	0	108	0	0
	<u>175</u>	<u>67</u>	<u>0</u>	<u>108</u>	<u>0</u>	<u>0</u>

Sub-Segment: SIDE WALK

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt	RSTRCTIVE
------	-------	----------	-------	-------	-----------	-----------

** Grade 60, Black **

16/5	703	703	0	0	703	0
	<u>703</u>	<u>703</u>	<u>0</u>	<u>0</u>	<u>703</u>	<u>0</u>

Total for Segment: SITE WORK

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt	RSTRCTIVE
------	-------	----------	-------	-------	-----------	-----------

** Grade 60, Black **

10/3	1,640	0	0	1,640	0	0
13/4	12,841	12,733	0	108	0	0
16/5	3,102	703	2,399	0	703	0
19/6	3,604	3,604	0	0	0	0
	<u>21,187</u>	<u>17,040</u>	<u>2,399</u>	<u>1,748</u>	<u>703</u>	<u>0</u>

Estimate Totals

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt	RSTRCTIVE
** Grade 60, Black **						
10/3	8,291	78	0	8,213	0	0
13/4	255,897	251,969	416	3,512	11,739	-128
16/5	750,655	689,682	58,970	2,003	84,150	0
19/6	67,240	65,302	1,938	0	37,468	0
22/7	6,045	6,045	0	0	4,821	0
	<u>1,088,128</u>	<u>1,013,076</u>	<u>61,324</u>	<u>13,728</u>	<u>138,178</u>	<u>-128</u>