

INT-080 - REBUILD BY DESIGN HUDSON RIVER

Project Name: REBUILD BY DESIGN HUDSON RIVER
HUDSON COUNTY, NEW JERSEY



Architect: -
Engineer: MATTHEW J. JONES
Customer:

Job Type: Lump Sum

Estimator: admin
Creation Date: 9/13/2022
Last Modified: 12/12/2022
Status: Complete

Escalation: No

Segment Summary

Segment	Rebar Wgt	Plain Wgt	Misc. Wgt	Total (Lbs)	Costing
Included Segments:					
FOUNDATION NORTH	1,212,796	0	0	1,212,796	No
MAT SLAB	970,222	0	0	970,222	No
CONCRETE WALL	232,605	0	0	232,605	No
CONCRETE PILASTER	9,969	0	0	9,969	No
FOUNDATION SOUTH	1,614,956	0	0	1,614,956	No
MAT SLAB	1,192,231	0	0	1,192,231	No
CONCRETE WALL	404,434	0	0	404,434	No
CONCRETE PILASTER	18,291	0	0	18,291	No
SITE WORK	373,463	0	0	373,463	No
BRIDGE	18,570	0	0	18,570	No
PLAY GROUND	9,972	0	0	9,972	No
NORTH DECK	17,848	0	0	17,848	No
MEADOW ROOM DECK	1,459	0	0	1,459	No
MEADOW ROOM	4,282	0	0	4,282	No
PORTLAND LOO	541	0	0	541	No
SHADE CANOPY	4,382	0	0	4,382	No
TRELLIS CANOPY	1,370	0	0	1,370	No
RETAINING WALL	179,250	0	0	179,250	No
LIGHT POLE	3,458	0	0	3,458	No
AMPHITHEATER SEATING	66,303	0	0	66,303	No
SITE WORK	66,028	0	0	66,028	No

INT-080 - REBUILD BY DESIGN HUDSON RIVER**Estimate Defaults**

Size Unit: Imperial	Building Code: ACI 1983
Length Unit: Feet - Inches	Concrete Strength: 3000
Weight Unit: Pounds	Lap Table:
Soft Hooks: No	Estimating Lap: 48D
Seismic Hooks: No	Steel Manufactured In: ANY
	Tie Clearance: 0-012
	Spiral Clearance: 0-03
	Spacing Tolerance: 0-00
Rebar Coating: Black	Rebar Grade: 60
Plain Coating: Black	Plain Grade: 60
Number of lap lengths to extend a stock bar before lapping: 1	

INT-080 - REBUILD BY DESIGN HUDSON RIVER

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes	
1	GI	Segment: FOUNDATION NORTH Sub-Segment: MAT SLAB																		
2	MT	36" TK- MAT - REF - S504 - (2-EACH)																		
3	MT	NW-02 & NW-03 - REF- S420																		
4	TR	BF		60	75			2	29/9	S	4-00							2,040	#9 @12" TRANS.SW T&B	
5	TR	BF		60	5			2	29/9	S	71-00	9-00						2,720	#9 @12" CONT. LW T&B	
6	TR	BF		60	5			2	13/4	S	80-00							534	#4 @8" MID.CONT.ES	
7	TR	BF		60	75			2	22/7	H	3-00	1-02	1-02					1,636	#7 @12" DWL ES	
8	TR	BF		60	75			2	22/7	H	4-06	1-02	1-02					2,096	#7 @12" D/V.EF @ WALL	
9	TR	BF		60	18			1	13/4	L	9-05							113	#4 @48" STANDEE	
10	MT	48" TK- MAT - REF - S504																		
11	MT	NW-04,05,06 &07 - REF- S420 - 1055 SQ FT																		
12	TR	RA		60		1-00	1-00	2	29/9	S	32-043	32-043				48D	30-00	14,980	#9 @12" EW.T&B	
13	TR	LS		60		4-00	0-08	2	13/4	S	148-00				1	48D	30-00	1,478	#4 @8" MID.CONT.ES	
14	TR	BF		60	160			2	22/7	H	4-00	1-02	1-02					4,144	#7 @12" DWL ES	
15	TR	BF		60	160			2	22/7	H	8-00	1-02	1-02					6,760	#7 @12" D/V.EF @ WALL	
16	TR	BF		60	68			1	13/4	L	9-10							447	#4 @48" STANDEE	
17	MT	36" TK- MAT - REF - S504																		
18	MT	NW-10,11,12 &13 - REF- S420 - 1250 SQ FT																		
19	TR	RA		60		1-00	1-00	2	29/9	S	35-041	35-041				48D	30-00	20,096	#9 @12" EW.T&B	
20	TR	LS		60		3-00	0-08	2	13/4	S	149-03				1	48D	30-00	1,277	#4 @8" MID.CONT.ES	
21	TR	BF		60	160			2	22/7	H	3-00	1-02	1-02					3,489	#7 @12" DWL ES	
22	TR	BF		60	160			2	22/7	H	4-06	1-02	1-02					4,472	#7 @12" DWL.EF @ WALL	
23	TR	BF		60	80			1	13/4	L	9-05							503	#4 @48" STANDEE	
24	MT	42" TK- MAT - REF - S504																		
25	MT	NW-17,18 &19 - REF- S420 - 1345 SQ FT																		
26	TR	BF		60	210			2	29/9	S	3-06							4,999	#9 @6" TRANS SW.T&B	
27	TR	LS		60	30			2	25/8	S	99-06				1	48D	30-00	17,862	#8 @6" CONT.LW.T&B	
28	TR	LS		60		3-06	0-08	2	13/4	S	99-06				1	48D	30-00	987	#4 @8" MID.CONT.ES	
29	TR	BF		60	105			2	22/7	H	3-06	1-02	1-02					2,505	#7 @12" DWL ES	
30	TR	BF		60	105			2	22/7	H	7-00	1-02	1-02					4,008	#7 @12" DWL.EF @ WALL	
31	TR	BF		60	85			1	13/4	L	9-05							535	#4 @48" STANDEE	
32	MT	42" TK- MAT - REF - S504																		
33	MT	NW-87 - REF- S424B - 57'-1" LFT																		
34	TR	BF		60	60			2	29/9	S	9-06							3,877	#9 @12" SW .T&B	
35	TR	BF		60	11			2	29/9	S	57-01	9-00						4,943	#9 @12" LW.T&B	
36	TR	LS		60		3-06	0-08	2	13/4	S	57-01				1	48D	30-00	553	#4 @8" MID.CONT.ES	
37	TR	BF		60	60			2	22/7	H	3-06	1-02	1-02					1,432	#7 @12" DWL ES	
38	TR	BF		60	60			2	22/7	H	7-00	1-02	1-02					2,290	#7 @12" DWL.EF @ WALL	
39	TR	BF		60	35			1	13/4	L	9-05							220	#4 @48" STANDEE	
40	MT	36" TK- MAT - REF - S504																		
41	MT	NW-88 - REF- S424B - 40'-0" LFT																		
42	TR	BF		60	45			2	29/9	S	8-00							2,448	#9 @12" SW .T&B	
43	TR	BF		60	10			2	29/9	S	40-00	4-06						3,026	#9 @12" LW.T&B	
44	TR	LS		60		3-00	0-08	2	13/4	S	40-00				1	48D	30-00	337	#4 @8" MID.CONT.ES	
45	TR	BF		60	45			2	22/7	H	3-00	1-02	1-02					981	#7 @12" DWL ES	
46	TR	BF		60	45			2	22/7	H	7-00	1-02	1-02					1,718	#7 @12" DWL.EF @ WALL	
47	TR	BF		60	28			1	13/4	L	9-05							176	#4 @48" STANDEE	
48	MT	24" TK- MAT - REF - S504																		
49	MT	NW-89 THRU NW-94 - REF- S424B - 40'-0" LFT - (6-EACH)																		
50	TR	BF		60	45			2	29/9	S	5-00							9,180	#9 @12" SW .T&B	
51	TR	BF		60	7			2	29/9	S	40-00	4-06						12,710	#9 @12" LW.T&B	
52	TR	LS		60		2-00	0-08	2	13/4	S	40-00				1	48D	30-00	1,347	#4 @8" MID.CONT.ES	
53	TR	BF		60	45			2	22/7	H	2-00	1-02	1-02					4,787	#7 @12" DWL ES	
54	TR	BF		60	45			2	22/7	H	5-06	1-02	1-02					8,648	#7 @12" DWL.EF @ WALL	
55	TR	BF		60	13			6	13/4	L	7-10							408	#4 @48" STANDEE	
56	MT	36" TK- MAT - REF - S503																		
57	MT	NW-20 ,NW-38,NW-84 &NW-86 - REF- S421 - 172 LFT																		
58	TR	BF		60	35			2	22/7	H	13-07	1-02	1-02					2,278	#7 @6" SW.T&B	
59	TR	BF		60	330			2	22/7	H	10-00	1-02	1-02					16,642	#7 @6" SW T&B	
60	TR	BF		60	22			2	19/6	S	190-00	0-00						12,557	#6 @6" LW T&B	
61	TR	BF		60	180			1	13/4	S	10-00							1,202	#4 @12" SW	

INT-080 - REBUILD BY DESIGN HUDSON RIVER

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes	
62	TR	BF		60	11			1	13/4	S	190-00	0-00						1,396	#4 @12" LW	
63	TR	BF		60	4			2	13/4	S	190-00	0-00						1,015	#4 @8" MID EF	
64	TR	BF		60	235			2	19/6	H	6-00	1-00	1-00					5,649	#6 @9" DWL EF @ WALL	
65	TR	BF		60	110			6	13/4	L	7-10							3,454	#4 @48" STANDEE	
66	MT	36" TK- MAT - REF - S503																		
67	MT	NW-51 - REF- S422 - 420 SQ FT																		
68	TR	RA		60		0-06	0-06	2	22/7	H	20-06	20-06	1-02	1-02			48D	30-00	7,441	#7 @6" EW T&B
69	TR	RA		60		1-00	1-00	1	13/4	S	20-06	20-06					48D	30-00	602	#4 @12" EW
70	TR	BF		60	4			2	13/4	S	50-00	0-00							267	#4 @8" MID EF
71	TR	BF		60	70			2	19/6	H	6-00	1-00	1-00						1,683	#6 @9" DWL EF @ WALL
72	TR	BF		60	28			6	13/4	L	7-10								879	#4 @48" STANDEE
73	MT	36" TK- MAT - REF - S502																		
74	MT	NW-16 & NW-73 - REF- S422 - 1930 SQ FT																		
75	TR	RA		60		0-06	0-06	2	22/7	H	43-11	43-11	1-02	1-02			48D	30-00	35,353	#7 @6" EW T&B
76	TR	RA		60		1-00	1-00	1	13/4	S	43-11	43-11					48D	30-00	2,760	#4 @12" EW
77	TR	BF		60	4			2	13/4	S	197-00	0-00							1,053	#4 @8" MID EF
78	TR	BF		60	250			2	19/6	H	6-00	1-00	1-00						6,009	#6 @9" DWL EF @ WALL
79	TR	BF		60	125			6	13/4	L	7-10								3,925	#4 @48" STANDEE
80	MT	36" TK- MAT - REF - S505A																		
81	MT	NW-25-(GATE-NG-06)- S426 - 250 SQ FT																		
82	TR	RA		60		1-00	1-00	2	25/8	H	15-093	15-093	1-04	1-04			48D	30-00	3,113	#8 @12" EW T&B
83	TR	RA		60		1-00	1-00	1	13/4	S	15-093	15-093					48D	30-00	360	#4 @12" EW
84	TR	BF		60	4			2	13/4	S	36-00	0-00							192	#4 @8" MID EF
85	TR	BF		60	55			2	19/6	H	6-00	1-00	1-00						1,322	#6 @9" DWL EF @ WALL
86	TR	BF		60	16			6	13/4	L	7-10								502	#4 @48" STANDEE
87	MT	NORTH T- WALL - TABLE - REF- S502																		
88	MT	MAT FOOTING- (1865 LFT)																		
89	TR	LS		60		1865-00	0-06	2	22/7	H	10-00	1-02	1-02			1	48D	30-00	188,102	#7 @6" SW.T&B
90	TR	LS		60		10-00	0-06	2	19/6	S	1865-00					1	48D	30-00	130,521	#6 @6" LW.T&B
91	TR	RA		60		1-00	1-00	1	13/4	S	136-063	136-063					48D	30-00	26,652	#4 @12" EW
92	TR	LS		60		3-00	0-08	2	13/4	S	1865-00					1	48D	30-00	16,008	#4 @8" MID ES
93	TR	BF		60		1865-00	0-09	2	19/6	H	6-00	1-00	1-00						59,806	#6 @9" DWL EF @ WALL
94	TR	BF		60	1170			6	13/4	L	7-10								36,739	#4 @48" STANDEE
95	MT	STEP FOOTING - RWEF- 1&2/S608																		
96	TR	BF		60	15			1	19/6	H	6-08	1-06	2-06	3-00	0-08				323	#6 @6" DWL
97	TR	BF		60	2			1	22/7	H	7-07	1-02	1-02						41	2-#7 CONT @ B
98	TR	BF		60	15			1	19/6	H	3-00	1-00	1-00						113	#6 @6 " U-BAR
99	MT	STEP FOOTING - RWEF- 1&2/S608																		
100	TR	BF		60	15			1	19/6	H	6-08	1-06	2-06	3-00	0-08				323	#6 @6" DWL
101	TR	BF		60	2			1	22/7	H	7-07	1-02	1-02						41	2-#7 CONT @ B
102	TR	BF		60	15			1	19/6	H	4-00	1-00	1-00						135	#6 @6 " U-BAR
103	MT	STEP FOOTING - RWEF- 1&2/S608																		
104	TR	BF		60	22			1	19/6	H	9-02	1-06	2-06	3-00	0-08				556	#6 @6" DWL
105	TR	BF		60	2			1	22/7	H	10-00	1-02	1-02						50	2-#7 CONT @ B
106	TR	BF		60	22			1	19/6	H	3-00	1-00	1-00						165	#6 @6 " U-BAR
107	MT	STEP FOOTING - RWEF- 1&2/S608																		
108	TR	BF		60	25			1	19/6	H	4-02	1-06	2-06	3-00	0-08				444	#6 @6" DWL
109	TR	BF		60	2			1	22/7	H	11-03	1-02	1-02						56	2-#7 CONT @ B
110	TR	BF		60	25			1	19/6	H	3-00	1-00	1-00						188	#6 @6 " U-BAR
111	MT	STEP FOOTING - RWEF- 1&2/S608 - 2 EACH																		
112	TR	BF		60	25			2	19/6	H	7-06	1-06	2-06	3-00	0-08				1,139	#6 @6" DWL
113	TR	BF		60	2			2	22/7	H	12-05	1-02	1-02						121	2-#7 CONT @ B
114	TR	BF		60	25			2	19/6	H	3-00	1-00	1-00						376	#6 @6 " U-BAR
115	MT	STEP FOOTING - RWEF- 1&2/S608																		
116	TR	BF		60	36			1	19/6	H	7-01	1-06	2-06	3-00	0-08				797	#6 @6" DWL
117	TR	BF		60	2			1	22/7	H	17-08	1-02	1-02						82	2-#7 CONT @ B
118	TR	BF		60	36			1	19/6	H	3-00	1-00	1-00						270	#6 @6 " U-BAR
119	MT	STEP FOOTING - RWEF- 1&2/S608																		
120	TR	BF		60	25			1	19/6	H	5-01	1-06	2-06	3-00	0-08				479	#6 @6" DWL
121	TR	BF		60	2			1	22/7	H	11-06	1-02	1-02						57	2-#7 CONT @ B
122	TR	BF		60	25			1	19/6	H	3-00	1-00	1-00						188	#6 @6 " U-BAR

INT-080 - REBUILD BY DESIGN HUDSON RIVER

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
123	MT	STEP FOOTING - RWEF- 2/S608																	
124	TR	BF		60	12			2	19/6	H	12-00	1-00	1-00					505	#6 @12" V.EF
125	TR	BF		60	5			2	19/6	H	10-00	1-00	1-00					180	#6 @12" H.EF
126	TR	BF		60	2			1	22/7	H	11-06	1-02	1-02					57	2-#7 CONT @ B
127	TR	BF		60	18			1	19/6	H	3-00	1-00	1-00					135	#6 @6" U-BAR
128	TR	BF		60	12			1	13/4	L	2-00	0-08	0-08					27	#4 @12" U- BAR
129	MT	NORTH GATE																	
130	MT	NW - 08 -(NG-02) - 36" TK MAT - REF-S425																	
131	TR	LS		60		8-00	1-00	2	29/9	S	68-00				1	48D	30-00	4,723	#9 @12" LW.T&B.
132	TR	BF		60		68-00	1-00	2	29/9	S	8-00							3,753	#9 @12" SW.T&B
133	TR	LS		60		8-00	1-00	1	13/4	S	68-00				0	48D	30-00	433	#4 @12" LW
134	TR	BF		60		68-00	1-00	1	13/4	S	8-00							369	#4 @12" SW
135	TR	LS		60		3-00	0-08	2	13/4	S	68-00				0	48D	30-00	577	#4 @8" ES
136	TR	BF		60		8-041	1-00	2	22/7	H	3-00	1-02	1-02					218	#7 @12" ES.HOOK
137	TR	BF		60		18-00	1-00	2	19/6	H	3-00	3-06	1-00					428	#6 @12" EF.WALL DWLS
138	MT	NW-08 - (NG-02) - 72" TK MAT - REF-S425																	
139	TR	BF		60		8-00	1-00	2	29/9	S	16-00							979	#9 @12" LW.T&B.
140	TR	BF		60		16-00	1-00	2	29/9	S	8-00							925	#9 @12" SW.T&B.
141	TR	BF		60		8-00	1-00	1	13/4	S	16-00							96	#4 @12" LW.
142	TR	BF		60		16-00	1-00	1	13/4	S	8-00							91	#4 @12" SW.
143	TR	BF		60	1			1	29/9	S	16-00							54	1-#9 CONT.
144	TR	BF		60		16-00	1-00	2	22/7	H	6-00	1-02	1-02					579	#7 @12" ES.HOOK
145	TR	BF		60	15			1	19/6	H	6-00	0-10						154	#6 @18" DWLS
146	MT	NG-03 - 36" TK MAT - REF-S425 - REF- B&C/S519																	
147	TR	BF		60		8-00	0-06	2	22/7	S	23-00							1,598	#7 @6" LW.T&B
148	TR	BF		60		23-00	0-06	2	22/7	H	8-00	6-00						2,690	#7 @6" SW.T&B
149	TR	BF		60		8-00	1-00	1	13/4	S	23-00							138	#4 @12" LW.
150	TR	BF		60		23-00	1-00	1	13/4	S	8-00							128	#4 @12" SW.
151	TR	BF		60		3-00	0-08	2	13/4	S	23-00							184	#4 @8" ES.CONT
152	TR	BF		60		6-00	1-00	1	13/4	L	2-00	3-00	3-00	0-08	0-08			44	#4 @12" DWLS
153	MT	NW-25 (22.42 LFT) - REF-S-426																	
154	TR	BF		60		22-05	0-09	2	19/6	S	6-06							605	#6 @9" EF.VERT
155	TR	BF		60		6-06	1-00	2	19/6	S	22-05							539	#6 @12" EF.HORIZ
156	TR	BF		60		22-05	1-00	1	13/4	L	1-06	1-06	1-06					72	#4 @12" U BAR
157	TR	BF		60	8			1	19/6	S	6-06							78	8-#6 VERT
158	TR	BF		60		6-06	0-06	1	13/4	L	3-00	3-00	0-08					62	#4 @6" TIES
159	MT	NW-25 - (NG-07) REF- A&B/S511A																	
160	TR	BF		60		24-00	0-09	2	19/6	S	6-09							669	#6 @9" V.EF
161	TR	BF		60		6-09	1-00	2	19/6	S	24-00							577	#6 @12" H.EF
162	TR	BF		60	25			1	13/4	L	1-06	1-06	1-06					75	#4 @12" U-BAR @ T
163	MT	NG-07 - 36" TK MAT - REF-S-427																	
164	TR	BF		60		15-00	1-00	1	29/9	S	124-06							6,773	#9 @12" LW.TOP
165	TR	BF		60		15-00	1-00	1	32/10	S	126-00							8,675	#10 @12" LW.BOT
166	TR	BF		60		15-00	1-00	1	13/4	S	117-00							1,251	#4 @12" LW.
167	TR	BF		60		3-00	0-08	2	13/4	S	117-00							938	#4 @8" ES.
168	TR	BF		60		111-00	1-00	2	29/9	S	15-00							11,424	#9 @12" SW.T&B
169	TR	BF		60		111-00	1-00	1	13/4	S	15-00							1,122	#4 @12" SW.
170	TR	BF		60		4-00	1-00	2	19/6	S	120-00							1,802	#6 @12" EF.CONT
171	TR	BF		60		111-00	1-00	2	19/6	H	7-00	1-00						2,692	#6 @12" DWLS EF.
172	TR	BF		60		111-00	1-00	2	22/7	H	3-00	2-00						2,289	#7 @12" ES.HOOK BAR
173	TR	BF		60	12			1	22/7	H	3-06	3-00	1-02					188	12-#7 DWLS
174	MT	72" TK MAT - REF-S-511B																	
175	TR	BF		60		29-00	1-00	1	29/9	S	41-00	4-06						4,641	#9 @12" LW.TOP
176	TR	BF		60		41-00	1-00	1	29/9	S	29-00							4,141	#9 @12" SW.TOP
177	TR	BF		60		29-00	1-00	2	32/10	S	41-00	5-00						11,876	#10 @12" LW.BOT
178	TR	BF		60		41-00	1-00	1	29/9	S	29-00							4,141	#9 @12" SW.BOT
179	TR	BF		60		29-00	1-00	1	13/4	S	41-00	2-00						862	#4 @12" LW.
180	TR	BF		60		41-00	1-00	1	13/4	S	29-00							814	#4 @12" SW
181	TR	BF		60		6-00	0-08	2	13/4	S	41-00	2-00						575	#4 @8" ES.
182	TR	BF		60		41-00	1-00	2	22/7	H	6-00	2-00						1,374	#7 @12" ES.HOOK BAR
183	TR	BF		60	513			1	19/6	H	6-00	1-00						5,395	#6 @18" DWLS

INT-080 - REBUILD BY DESIGN HUDSON RIVER

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes	
184	MT	72" TK MAT - REF-S-511C																		
185	TR	BF		60		10-00	1-00	1	29/9	S	20-06							767	#9 @12" LW.TOP	
186	TR	BF		60		20-06	1-00	1	29/9	S	10-00							748	#9 @12" SW.TOP	
187	TR	BF		60		10-00	1-00	1	29/9	S	20-06							767	#9 @12" LW.BOT	
188	TR	BF		60		20-06	1-00	1	32/10	S	10-00							947	#10 @12" SW.BOT	
189	TR	BF		60		10-00	1-00	1	13/4	S	20-06							151	#4 @12" LW.	
190	TR	BF		60		20-06	1-00	1	13/4	S	10-00							147	#4 @12" SW	
191	TR	BF		60		10-00	1-00	1	22/7	H	6-00	2-00						180	#7 @12" ES.HOOK BAR	
192	TR	BF		60	4			1	19/6	S	10-00							60	4-#6 CONT	
193	TR	BF		60		10-00	1-00	2	19/6	H	3-00	1-00						132	#6 @12" EF.DWLS	
194	TR	BF		60		3-09	1-00	1	22/7	S	10-00							102	#7 @12" CONT	
195	TR	BF		60		10-00	1-00	1	22/7	H	12-00	3-09	3-09					438	#7 @12" HOOK BAR	
196	TR	BF		60		12-06	1-00	1	13/4	S	10-00							94	#4 @12" CONT	
197	TR	BF		60		10-00	1-00	1	13/4	L	6-00	0-08						49	#4 @12" DWLS	
198	TR	BF		60		10-00	1-00	1	13/4	L	2-06	0-08						23	#4 @12" DWLS	
199	TR	BF		60	3			2	13/4	S	10-00							40	3-#4 ES.CONT	
200	TR	BF		60	4			1	19/6	H	2-00	0-08						16	4-#6 DWLS	
201	TR	BF		60		2-00	0-06	1	13/4	L	2-06	2-04	0-08					18	#4 @6" TIES	
202	TR	BF		60	4			1	19/6	H	3-05	1-00						27	4-#6 DWLS	
203	TR	BF		60		3-05	0-06	1	13/4	L	4-00	2-04	0-08					37	#4 @6" TIES	
204	MT	NW - 15 -(NG-05) - 36" TK MAT - REF-S426 - 910 SQ FT																		
205	TR	RA		60		1-00	1-00	2	29/9	S	30-02	30-02				48D	30-00	13,128	#9 @12" EW.T&B	
206	TR	BF		60	18			1	29/9	H	8-00	3-00	3-00	2-00				979	#9 @12" SW	
207	TR	BF		60	9			1	29/9	S	15-00							459	#9 @12" LW	
208	TR	BF		60	18			2	19/6	H	4-00	1-00						270	#6 @12" ES	
209	TR	BF		60	6			1	13/4	S	15-00							60	#4 @12" CONT	
210	TR	BF		60	15			2	13/4	S	3-00	1-00						80	#4 @12" H.ES	
211	TR	BF		60	35			2	19/6	H	3-06	3-00	1-00					789	#6 @12" D/VEF	
212	MT	NW - 35 -(NG-08) - 36" TK MAT - REF-S427 - 935 SQ FT																		
213	TR	RA		60		1-00	1-00	2	29/9	S	30-063	30-063				48D	30-00	13,300	#9 @12" EW.T&B	
214	TR	BF		60	110			2	19/6	H	3-00	3-00	1-00					2,312	#6 @9" DWL.EF @ WALL	
215	MT	NW - 52 -(NG-09) - 36" TK MAT - REF-S428 - 1490 SQ FT																		
216	TR	BF		60		105-11	1-00	2	19/6	S	15-00							4,821	#9 @12" SW.T&B	
217	TR	LS		60		15-00	1-00	2	32/10	S	105-11				1	48D	30-00	16,684	#10 @12" LW T&B	
218	TR	BF		60	90			2	19/6	H	3-00	3-00	1-00					1,892	#6 @9" DWL.EF @WALL	
219	TR	RA		60		1-00	1-00	1	13/4	S	38-071	38-071				48D	30-00	2,170	#4 @12" EW	
220	TR	LS		60		3-00	0-08	2	13/4	S	105-11				1	48D	30-00	897	#4 @8" ES	
221	MT	NW - 68 -(NG-010) - 36" TK MAT - REF-S429 - 1395 SQ FT																		
222	TR	RA		60		1-00	1-00	2	29/9	S	37-04	37-04				48D	30-00	22,232	#9 @12" EW.T&B	
223	TR	RA		60		1-00	1-00	1	13/4	S	37-04	37-04				48D	30-00	2,050	#4 @12" EW	
224	TR	BF		60	90			2	19/6	H	3-00	3-00	1-00					1,892	#6 @9" DWL.EF @WALL	
225	MT	4'6" TK - MAT- REF- B/S513B - 240 SQ FT																		
226	TR	RA		60		1-00	1-00	1	29/9	H	15-06	15-06	4-06	4-06		48D	30-00	2,312	#9 @12" EW	
227	TR	RA		60		1-00	1-00	2	29/9	S	37-04	37-04				48D	30-00	22,232	#9 @12" EW.T&B	
228	TR	RA		60		1-00	1-00	1	13/4	S	37-04	37-04				48D	30-00	2,050	#4 @12" EW	
229	TR	BF		60	90			2	19/6	H	3-00	3-00	1-00					1,892	#6 @9" DWL.EF @WALL	
230	MT	NW - 72 -(NG-011) - 36" TK MAT - REF-S430 - 1390 SQ FT																		
231	TR	RA		60		1-00	1-00	2	29/9	S	37-031	37-031				48D	30-00	22,200	#9 @12" EW.T&B	
232	TR	RA		60		1-00	1-00	1	13/4	S	37-031	37-031				48D	30-00	2,046	#4 @12" EW	
233	TR	BF		60	13			2	19/6	H	3-00	3-00	1-00					273	#6 @9" DWL.EF @WALL	
234	TR	RA		60		1-00	1-00	1	29/9	H	22-012	22-012	4-06	4-06		48D	30-00	4,345	#9 @12" EW	
235	TR	BF		60	6			2	13/4	S	20-00							160	#4 @12" CONT	
236	TR	BF		60	20			2	13/4	S	3-00	1-00						107	#4 @12" H.ES	
237	TR	BF		60	45			2	19/6	H	6-00	1-00						946	#6 @12" ES	
238	GI	Segment: FOUNDATION NORTH Sub-Segment: CONCRETE WALL																		
239	MT	NORTH T- WALL - TABLE - REF- S502																		
240	MT	1'-6" TK-CONC.WALL - REF - A/S409																		
241	MT	NW-02 (31 LFT) - REF-S420																		
242	TR	BF		60		1-06	1-00	2	22/7	S	31-00							380	#7 @12" EF.HORIZ	
243	TR	BF		60		31-00	1-00	1	13/4	L	1-06	1-06	1-06					96	#4 @12" U BAR	
244	MT	NW-03 (40 LFT) - REF-S420																		

INT-080 - REBUILD BY DESIGN HUDSON RIVER

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
245	TR	BF		60		2-03	1-00	2	22/7	S	40-00	3-06						711	#7 @12" EF.HORIZ
246	TR	BF		60		40-00	1-00	1	13/4	L	1-06	1-06	1-06					123	#4 @12" U BAR
247	MT	NW-04 (40 LFT) - REF-S420																	
248	TR	BF		60		3-00	1-00	2	22/7	S	40-00	3-06						711	#7 @12" EF.HORIZ
249	TR	BF		60		40-00	1-00	1	13/4	L	1-06	1-06	1-06					123	#4 @12" U BAR
250	MT	NW-05&NW-06 (40 LFT) - REF-S-420																	
251	TR	BF		60		40-00	1-00	2*2	22/7	S	4-00							1,341	#7 @12" EF.VERT
252	TR	BF		60		4-00	1-00	2*2	22/7	S	40-00	3-06						1,778	#7 @12" EF.HORIZ
253	TR	BF		60		40-00	1-00	2	13/4	L	1-06	1-06	1-06					246	#4 @12" U BAR
254	MT	NW-07 (30 LFT) - REF-S-426																	
255	TR	BF		60		30-00	1-00	2	22/7	S	3-06							444	#7 @12" EF.VERT
256	TR	BF		60		3-06	1-00	2	22/7	S	30-00							613	#7 @12" EF.HORIZ
257	TR	BF		60		30-00	1-00	1	13/4	L	1-06	1-06	1-06					93	#4 @12" U BAR
258	MT	NW-10,NW-11&NW-12 (40 LFT) - REF- S-420																	
259	TR	BF		60		40-00	1-00	2*3	22/7	S	5-03							2,639	#7 @12" EF.VERT
260	TR	BF		60		5-03	1-00	2*3	22/7	S	40-00	3-06						3,734	#7 @12" EF.HORIZ
261	TR	BF		60		40-00	1-00	3	13/4	L	1-06	1-06	1-06					370	#4 @12" U BAR
262	MT	NW-13 (29.25 LFT) - REF-S-420																	
263	TR	BF		60		29-03	1-00	2	22/7	S	5-03							665	#7 @12" EF.VERT
264	TR	BF		60		5-03	1-00	2	22/7	S	29-03							837	#7 @12" EF.HORIZ
265	TR	BF		60		29-03	1-00	1	13/4	L	1-06	1-06	1-06					93	#4 @12" U BAR
266	MT	NW-17,NW-18&NW-19 (59.5 LFT) - REF-S-420																	
267	TR	BF		60		59-06	1-00	2*3	22/7	S	5-02							3,866	#7 @12" EF.VERT
268	TR	BF		60		5-02	1-00	2*3	22/7	S	59-06	3-06	3-06					5,709	#7 @12" EF.HORIZ
269	TR	BF		60		59-06	1-00	3	13/4	L	1-06	1-06	1-06					550	#4 @12" U BAR
270	MT	NW-87 (49.83 LFT) - REF-S-424B																	
271	TR	BF		60		49-10	1-00	2	22/7	S	5-06							1,146	#7 @12" EF.VERT
272	TR	BF		60		5-06	1-00	2	22/7	S	49-10	3-06						1,526	#7 @12" EF.HORIZ
273	TR	BF		60		49-10	1-00	1	13/4	L	1-06	1-06	1-06					153	#4 @12" U BAR
274	MT	NW-87 (40 LFT) - REF-S-424B																	
275	TR	BF		60		40-00	1-00	2	22/7	S	4-01							685	#7 @12" EF.VERT
276	TR	BF		60		4-01	1-00	2	22/7	S	40-00	3-06						1,067	#7 @12" EF.HORIZ
277	TR	BF		60		40-00	1-00	1	13/4	L	1-06	1-06	1-06					123	#4 @12" U BAR
278	MT	NW-89 (40 LFT) - REF-S-424B																	
279	TR	BF		60		2-06	1-00	2	22/7	S	40-00	3-06						711	#7 @12" EF.HORIZ
280	TR	BF		60		40-00	1-00	1	13/4	L	1-06	1-06	1-06					123	#4 @12" U BAR
281	MT	NW-90,NW-91,NW-92,NW-93,NW-94 (40 LFT) - REF-S-424B																	
282	TR	BF		60		3-00	1-00	2*4	22/7	S	40-00	3-06						2,845	#7 @12" EF.HORIZ
283	TR	BF		60		40-00	1-00	4	13/4	L	1-06	1-06	1-06					493	#4 @12" U BAR
284	MT	NW-20 (40 LFT) - REF-S-421																	
285	TR	BF		60		40-00	0-09	2	19/6	S	5-06							908	#6 @9" EF.VERT
286	TR	BF		60		5-06	0-09	2	19/6	S	40-00	3-00						1,163	#6 @9" EF.HORIZ
287	TR	BF		60		40-00	1-00	1	13/4	L	1-06	1-06	1-06					123	#4 @12" U BAR
288	MT	NW-30 (31.58) - REF-S-422																	
289	TR	BF		60		31-07	0-09	2	19/6	S	9-00							1,189	#6 @9" EF.VERT
290	TR	BF		60		9-00	0-09	2	19/6	S	31-07	3-00						1,351	#6 @9" EF.HORIZ
291	TR	BF		60		31-07	1-00	1	13/4	L	1-06	1-06	1-06					99	#4 @12" U BAR
292	MT	NW-51 (40 LFT) - REF-S-423																	
293	TR	BF		60		40-00	0-09	2	19/6	S	9-00							1,487	#6 @9" EF.VERT
294	TR	BF		60		9-00	0-09	2	19/6	S	40-00	3-00						1,679	#6 @9" EF.HORIZ
295	TR	BF		60		40-00	1-00	1	13/4	L	1-06	1-06	1-06					123	#4 @12" U BAR
296	MT	NW-84 (33.58 LFT) - REF-S-424A																	
297	TR	BF		60		33-07	0-09	2	19/6	S	5-06							760	#6 @9" EF.VERT
298	TR	BF		60		5-06	0-09	2	19/6	S	33-07	3-00						989	#6 @9" EF.HORIZ
299	TR	BF		60		33-07	1-00	1	13/4	L	1-06	1-06	1-06					105	#4 @12" U BAR
300	MT	NW-86 (34.33 LFT) - REF-S-242B																	
301	TR	BF		60		34-04	0-09	2	19/6	S	5-06							776	#6 @9" EF.VERT
302	TR	BF		60		5-06	0-09	2	19/6	S	34-04	3-00						1,009	#6 @9" EF.HORIZ
303	TR	BF		60		34-04	1-00	1	13/4	L	1-06	1-06	1-06					108	#4 @12" U BAR
304	MT	NW-16(STORAGE) - 81'-5" LFT																	
305	TR	BF		60		81-06	0-09	2	19/6	S	3-06							1,157	#6 @9" V.EF

INT-080 - REBUILD BY DESIGN HUDSON RIVER

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes	
306	TR	LS		60		3-06	0-09	2	19/6	S	81-06				1	48D	30-00	1,577	#6 @9" H.EF	
307	TR	BF		60	90			1	13/4	L	1-06	1-06	1-06					270	#4 @12" U-BAR @TOP	
308	MT	NW-21 TO NW-24 - 160' LFT																		
309	TR	BF		60		160-00	0-09	2	19/6	S	7-09							5,005	#6 @9" V.EF	
310	TR	LS		60		7-09	0-09	2	19/6	S	160-00				1	48D	30-00	6,308	#6 @9" H.EF	
311	TR	BF		60	165			1	13/4	L	1-06	1-06	1-06					496	#4 @12" U-BAR @TOP	
312	MT	NW-30 TO NW-32 - 120' LFT																		
313	TR	BF		60		120-00	0-09	2	19/6	S	8-00							3,869	#6 @9" V.EF	
314	TR	LS		60		8-00	0-09	2	19/6	S	120-00				1	48D	30-00	4,758	#6 @9" H.EF	
315	TR	BF		60	125			1	13/4	L	1-06	1-06	1-06					376	#4 @12" U-BAR @TOP	
316	MT	NW-33 & NW-39 - 80' LFT																		
317	TR	BF		60		80-00	0-09	2	19/6	S	9-00							2,920	#6 @9" V.EF	
318	TR	LS		60		9-00	0-09	2	19/6	S	80-00				1	48D	30-00	3,358	#6 @9" H.EF	
319	TR	BF		60	80			1	13/4	L	1-06	1-06	1-06					240	#4 @12" U-BAR @TOP	
320	MT	NW-41 TO NW-48 - 320' LFT																		
321	TR	BF		60		320-00	0-09	2	19/6	S	9-06							12,216	#6 @9" V.EF	
322	TR	LS		60		9-06	0-09	2	19/6	S	320-00				1	48D	30-00	14,846	#6 @9" H.EF	
323	TR	BF		60	325			1	13/4	L	1-06	1-06	1-06					977	#4 @12" U-BAR @TOP	
324	MT	NW-49 TO NW-50 - 80' LFT																		
325	TR	BF		60		80-00	0-09	2	19/6	S	8-06							2,758	#6 @9" V.EF	
326	TR	LS		60		8-06	0-09	2	19/6	S	80-00				1	48D	30-00	3,358	#6 @9" H.EF	
327	TR	BF		60	80			1	13/4	L	1-06	1-06	1-06					240	#4 @12" U-BAR @TOP	
328	MT	NW-55 TO NW-63 -342'-5" LFT																		
329	TR	BF		60		342-06	0-09	2	19/6	S	9-06							13,072	#6 @9" V.EF	
330	TR	LS		60		9-06	0-09	2	19/6	S	342-06				1	48D	30-00	15,918	#6 @9" H.EF	
331	TR	BF		60	350			1	13/4	L	1-06	1-06	1-06					1,052	#4 @12" U-BAR @TOP	
332	MT	NW-64 TO NW-67 -156'-4" LFT																		
333	TR	BF		60		156-04	0-09	2	19/6	S	10-06							6,623	#6 @9" V.EF	
334	TR	LS		60		10-06	0-09	2	19/6	S	156-04				1	48D	30-00	7,720	#6 @9" H.EF	
335	TR	BF		60	160			1	13/4	L	1-06	1-06	1-06					481	#4 @12" U-BAR @TOP	
336	MT	NW-69 .NW-70,NW-71,NW71A &NW71B -185'-0" LFT																		
337	TR	BF		60		185-00	0-09	2	19/6	S	11-00							8,195	#6 @9" V.EF	
338	TR	LS		60		11-00	0-09	2	19/6	S	185-00				1	48D	30-00	9,757	#6 @9" H.EF	
339	TR	BF		60	185			1	13/4	L	1-06	1-06	1-06					556	#4 @12" U-BAR @TOP	
340	MT	NW-73(STORAGE) - 101'-10" LFT																		
341	TR	BF		60		101-10	0-09	2	19/6	S	6-02							2,538	#6 @9" V.EF	
342	TR	LS		60		6-02	0-09	2	19/6	S	110-10				1	48D	30-00	3,600	#6 @9" H.EF	
343	TR	BF		60	110			1	13/4	L	1-06	1-06	1-06					331	#4 @12" U-BAR @TOP	
344	MT	NW-76 TO NW-83 -320'-0" LFT																		
345	TR	BF		60		320-00	0-09	2	19/6	S	9-06							12,216	#6 @9" V.EF	
346	TR	LS		60		9-06	0-09	2	19/6	S	320-00				1	48D	30-00	14,846	#6 @9" H.EF	
347	TR	BF		60	325			1	13/4	L	1-06	1-06	1-06					977	#4 @12" U-BAR @TOP	
348	MT	NW-85 - 40' LFT																		
349	TR	BF		60		40-00	0-09	2	19/6	S	5-06							908	#6 @9" V.EF	
350	TR	LS		60		5-06	0-09	2	19/6	S	40-00				1	48D	30-00	1,163	#6 @9" H.EF	
351	TR	BF		60	40			1	13/4	L	1-06	1-06	1-06					120	#4 @12" U-BAR @TOP	
352	MT	NORTH GATE																		
353	MT	1'-6" TK- WALL - (NW-08)- 18 LFT - REF- C&B/S509A																		
354	TR	LS		60		3-06	0-09	2	19/6	S	18-00				1	48D	30-00	324	#6 @9" EF.H	
355	TR	BF		60	25			1	13/4	L	1-06	1-06	1-06					75	#4 @12" U-DWL @ T	
356	MT	1'-6" TK- WALL - (NW-09A)- 18 LFT - REF- C&B/S519																		
357	TR	LS		60	2			1	22/7	S	18-00				1	48D	30-00	74	2-#7 CONT	
358	TR	BF		60	25			1	13/4	L	1-06	1-06	1-06					75	#4 @12" U-DWL @ T	
359	MT	1'-6" TK- WALL - (NW-15)- 106 LFT - REF- C&B/S5010A																		
360	TR	LS		60		3-06	0-09	2	19/6	S	106-00				1	48D	30-00	2,073	#6 @9" EF.H	
361	TR	BF		60	110			1	13/4	L	1-06	1-06	1-06					331	#4 @12" U-DWL @ T	
362	MT	1'-6" TK- WALL - (NW-26)- REF- C&B/S5011A																		
363	TR	BF		60	12			2	19/6	S	6-09							243	#6 @9" V.EF	
364	TR	BF		60	8			2	19/6	S	7-00							168	#6 @12" H.EF	
365	TR	BF		60	10			1	13/4	L	1-06	1-06	1-06					30	#4 @12" U-DWL @ T	
366	MT	PILES - (NW-26) - REF- S511A/ B&C																		

INT-080 - REBUILD BY DESIGN HUDSON RIVER

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes	
367	TR	BF		60	8			1	19/6	H	7-00	3-00	1-00					132	#6 @12" V	
368	TR	BF		60	5			1	19/6	S	7-00							53	5-#6 EF H	
369	MT	"1'-6" TK- WALL - (NW-35)- 65 LFT REF- C&B/S501A																		
370	TR	BF		60	90			2	19/6	S	9-00							2,433	#6 @9" V.EF	
371	TR	BF		60	13			2	19/6	S	65-00	6-00						2,773	#6 @9" H.EF	
372	TR	BF		60	70			1	13/4	L	1-06	1-06	1-06					210	#4 @12" U-DWL @ T	
373	MT	"1'-6" TK- WALL - (NW-52)- 65 LFT REF- C&B/S512																		
374	TR	BF		60	90			2	19/6	S	9-00							2,433	#6 @9" V.EF	
375	TR	BF		60	10			2	19/6	S	65-00	6-00						2,133	#6 @12" H.EF	
376	TR	BF		60	70			1	13/4	L	1-06	1-06	1-06					210	#4 @12" U-DWL @ T	
377	MT	"1'-6" TK- WALL - (NW-68)- 65 LFT REF- C&B/S513A																		
378	TR	BF		60	90			2	19/6	S	10-06							2,838	#6 @9" V.EF	
379	TR	BF		60	13			2	19/6	S	65-00	6-00						2,773	#6 @12" H.EF	
380	TR	BF		60	70			1	13/4	L	1-06	1-06	1-06					210	#4 @12" U-DWL @ T	
381	MT	"1'-6" TK- WALL - (NW-72)- 14 LFT REF- C&B/S514A																		
382	TR	BF		60	20			2	19/6	S	6-02							371	#6 @9" V.EF	
383	TR	BF		60	15			2	19/6	S	14-00							631	#6 @12" H.EF	
384	TR	BF		60	15			1	13/4	L	1-06	1-06	1-06					45	#4 @12" U-DWL @ T	
385	TR	BF		60	20			1	19/6	S	30-00							901	#6 ADD'L	
386	TR	BF		60	20			1	13/4	S	30-00							401	#4 ADD'L	
387	GI	Segment: FOUNDATION NORTH Sub-Segment: CONCRETE PILASTER																		
388	MT	(NW-08) -2'-0" TK- PLASTER - REF- C/S509A - 2-EACH																		
389	TR	BF		60	12			2	19/6	H	3-06	3-00	1-00					270	12-#6 D/V	
390	TR	BF		60	3			2	13/4	L	2-00	0-04	0-04					11	#4 @12" U-DWL @ T	
391	TR	BF		60	9			2	13/4	L	2-00	2-00	2-00	2-00	0-08			104	#4 @6" TIES	
392	MT	(NW-09A) -2'-0" TK- PLASTER - REF- B/S519																		
393	TR	BF		60	8			1	19/6	H	3-06	3-00	1-00					90	8-#6 D/V	
394	TR	BF		60	3			1	13/4	L	2-00	0-04	0-04					5	#4 @12" U-DWL @ T	
395	TR	BF		60	9			1	13/4	L	2-00	2-00	2-00	2-00	0-08			52	#4 @6" TIES	
396	MT	(NW-15) -2'-0" TK- PLASTER - REF- B/S510B - 2EACH																		
397	TR	BF		60	8			2	19/6	H	3-06	3-00	1-00					180	8-#6 D/V	
398	TR	BF		60	3			2	13/4	L	2-00	0-04	0-04					11	#4 @12" U-DWL @ T	
399	TR	BF		60	9			2	13/4	L	2-00	2-00	2-00	2-00	0-08			104	#4 @6" TIES	
400	MT	(NW-26) -2'-0" TK- PLASTER - REF- C/S511A- 2-EACH																		
401	TR	BF		60	12			2	19/6	H	6-09	0-00	0-00					243	12-#6 V	
402	TR	BF		60	12			2	19/6	H	3-00	3-00	1-00					252	12-#6 DWL	
403	TR	BF		60	3			2	13/4	L	2-00	0-04	0-04					11	#4 @12" U-DWL @ T	
404	TR	BF		60	15			2	13/4	L	2-00	2-00	2-00	2-00	0-08			174	#4 @6" TIES	
405	MT	PILES - (NW-26) - REF- S511A/ B&C																		
406	TR	BF		60	8			1	19/6	H	7-00	3-00	1-00					132	#6 @12" V	
407	TR	BF		60	5			1	19/6	S	7-00							53	5-#6 EF H	
408	MT	(NW-35) -3'-0" TK- PLASTER - REF- C/S515B- 2-EACH																		
409	TR	BF		60	16			2	29/9	H	9-00							979	16-#9 V	
410	TR	BF		60	16			2	29/9	H	3-00	3-00	1-06					816	16-#9 DWL	
411	TR	BF		60	4			2	13/4	L	3-00	0-08	0-08					23	#4 @12" U-DWL @ T	
412	TR	BF		60	20			2	13/4	L	3-00	3-00	3-00	3-00	0-08			338	#4 @6" TIES	
413	MT	(NW-52) -3'-6" TK- PLASTER - REF- C/S512B- 2-EACH																		
414	TR	BF		60	16			2	29/9	H	9-00							979	16-#9 V	
415	TR	BF		60	16			2	29/9	H	3-00	3-00	1-06					816	16-#9 DWL	
416	TR	BF		60	4			2	13/4	L	3-06	0-08	0-08					26	#4 @12" U-DWL @ T	
417	TR	BF		60	20			2	13/4	L	3-06	3-06	3-06	3-06	0-09			394	#4 @6" TIES	
418	MT	(NW-68) -2'-0" TK- PLASTER - REF- C/S513C- 2-EACH																		
419	TR	BF		60	16			2	29/9	H	10-06							1,142	16-#9 V	
420	TR	BF		60	16			2	29/9	H	3-00	3-00	1-06					816	16-#9 DWL	
421	TR	BF		60	4			2	13/4	L	3-06	0-08	0-08					26	#4 @12" U-DWL @ T	
422	TR	BF		60	20			2	13/4	L	2-00	2-00	2-00	2-00	0-08			232	#4 @6" TIES	
423	TR	BF		60	4			2	16/5	H	3-03	3-00	0-10					59	4-#5 D/V	
424	TR	BF		60	5			2	16/5	H	2-00	2-00	2-00	2-00	0-08			90	#5 @12" TIES	
425	MT	(NW-72) -3'-0" TK- PLASTER - REF- C/S514B- 2-EACH																		
426	TR	BF		60	16			2	25/8	H	6-02							527	16-#8 V	
427	TR	BF		60	16			2	25/8	H	3-00	3-00	1-06					641	16-#8 DWL	

INT-080 - REBUILD BY DESIGN HUDSON RIVER

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes	
428	TR	BF		G60	4			2	13/4	L	3-00	1-06	1-06					32	#4 @12" U-DWL @ T	
429	TR	BF		G60	20			2	13/4	L	3-00	3-00	3-00	3-00	0-09			341	#4 @6" TIES	
430	GI	Segment: FOUNDATION SOUTH Sub-Segment: MAT SLAB																		
431	MT	SW-01 (20'-0"X10'-0"X0'-36") -REF-S501																		
432	TR	BF		G60	22			2	19/6	S	20-00							1,322	#6 @6" T&B.CONT.	
433	TR	BF		G60	42			2	22/7	H	14-00							2,404	#7 @6" T&B.TRANS.	
434	TR	BF		G60	3			2	13/4	S	20-00							80	#4 @8" BOTH SIDE.	
435	TR	BF		G60	22			1	13/4	S	10-00							147	#4 @12" TRANS.	
436	TR	BF		G60	11			1	13/4	S	20-00							147	#4 @12" CONT..	
437	TR	BF		G60	28			2	19/6	H	6-00							505	#6 @9" DWLS.EF&IS.	
438	TR	BF		G60	10			1	13/4	H	6-09							45	#4 STANDEE.	
439	TR	BF		G60	22			1	19/6	H	13-031							439	#6 @6" LAP.	
440	MT	SW-02(20'-0"X10'-0"X0'-36") -REF-S501																		
441	TR	BF		G60	22			2	19/6	S	20-00							1,322	#6 @6" T&B.CONT.	
442	TR	BF		G60	42			2	22/7	H	14-00							2,404	#7 @6" T&B.TRANS.	
443	TR	BF		G60	3			2	13/4	S	20-00							80	#4 @8" BOTH SIDE.	
444	TR	BF		G60	22			1	13/4	S	10-00							147	#4 @12" TRANS.	
445	TR	BF		G60	11			1	13/4	S	20-00							147	#4 @12" CONT.	
446	TR	BF		G60	28			2	19/6	H	6-00							505	#6 @9" DWLS.EF&IS.	
447	TR	BF		G60	10			1	13/4	H	6-09							45	#4 STANDEE.	
448	TR	BF		G60	22			1	19/6	H	3-08							121	#6 @6" U BAR.	
449	TR	BF		G60	22			1	19/6	H	13-031							439	#6 @6" LAP.	
450	MT	SW-03(51'-2"X10'-0"X0'-36") -REF-S503																		
451	TR	BF		G60	22			2	22/7	S	51-02							4,602	#7 @6" T&B.CONT.	
452	TR	BF		G60	103			2	22/7	H	14-00							5,895	#7 @6" T&B.TRANS.	
453	TR	BF		G60	3			2	13/4	S	51-02							205	#4 @8" BOTH SIDE.	
454	TR	BF		G60	53			1	13/4	S	10-00							354	#4 @12" TRANS.	
455	TR	BF		G60	11			1	13/4	S	51-02							376	#4 @12" CONT.	
456	TR	BF		G60	70			4	29/9	H	6-00							5,713	#6 @9" DWLS.EF&IS.	
457	TR	BF		G60	26			1	13/4	H	6-09							117	#4 STANDEE.	
458	TR	BF		G60	13			1	19/6	S	15-01							294	#6 @6" LAP.	
459	TR	BF		G60	16			1	13/4	H	4-06							48	#4 @12" U BAR.	
460	MT	SW-04 (40'-0"X10'-0"X0'-36") -REF-S501																		
461	TR	BF		G60	22			2	19/6	S	43-00							2,842	#6 @6" T&B.CONT.	
462	TR	BF		G60	81			2	22/7	H	14-00							4,636	#7 @6" T&B.TRANS.	
463	TR	BF		G60	3			2	13/4	S	43-00							172	#4 @8" BOTH SIDE.	
464	TR	BF		G60	40			1	13/4	S	10-00							267	#4 @12" TRANS.	
465	TR	BF		G60	11			1	13/4	S	43-00							316	#4 @12" CONT.	
466	TR	BF		G60	54			2	19/6	H	6-00							973	#6 @9" DWLS.EF&IS.	
467	TR	BF		G60	20			1	13/4	H	6-09							90	#4 STANDEE.	
468	TR	BF		G60	22			1	19/6	H	13-031							439	#6 @6" LAP.	
469	TR	BF		G60	22			1	19/6	H	3-08							121	#6 @6" U BAR.	
470	MT	SW-05 (40'-0"X10'-0"X0'-36") -REF-S501																		
471	TR	BF		G60	22			2	19/6	S	43-00							2,842	#6 @6" T&B.CONT.	
472	TR	BF		G60	81			2	22/7	H	14-00							4,636	#7 @6" T&B.TRANS.	
473	TR	BF		G60	3			2	13/4	S	43-00							172	#4 @8" BOTH SIDE.	
474	TR	BF		G60	40			1	13/4	S	10-00							267	#4 @12" TRANS.	
475	TR	BF		G60	11			1	13/4	S	43-00							316	#4 @12" CONT.	
476	TR	BF		G60	54			2	19/6	H	6-00							973	#6 @9" DWLS.EF&IS.	
477	TR	BF		G60	20			1	13/4	H	6-09							90	#4 STANDEE.	
478	TR	BF		G60	22			1	19/6	H	13-031							439	#6 @6" LAP.	
479	TR	BF		G60	22			1	19/6	H	3-08							121	#6 @6" U BAR.	
480	MT	SW-06 (40'-0"X10'-0"X0'-36") -REF-S503																		
481	TR	BF		G60	22			2	19/6	S	43-00							2,842	#6 @6" T&B.CONT.	
482	TR	BF		G60	81			2	22/7	H	14-00							4,636	#7 @6" T&B.TRANS.	
483	TR	BF		G60	3			2	13/4	S	43-00							172	#4 @8" BOTH SIDE.	
484	TR	BF		G60	40			1	13/4	S	10-00							267	#4 @12" TRANS.	
485	TR	BF		G60	11			1	13/4	S	43-00							316	#4 @12" CONT.	
486	TR	BF		G60	54			2	19/6	H	6-00							973	#6 @9" DWLS.EF&IS.	
487	TR	BF		G60	20			1	13/4	H	6-09							90	#4 STANDEE.	
488	MT	SW-07 (40'-0"X10'-0"X0'-36") -REF-S505A																		

INT-080 - REBUILD BY DESIGN HUDSON RIVER

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
489	TR	BF		G60	11			2	29/9	S	43-00							3,216	#9 @12" T&B.CONT.
490	TR	BF		G60	41			2	29/9	S	10-00							2,788	#9 @12" T&B.TRANS.
491	TR	BF		G60	3			2	13/4	S	43-00							172	#4 @8" BOTH SIDE.
492	TR	BF		G60	41			1	13/4	S	10-00							274	#4 @12" TRANS.
493	TR	BF		G60	11			1	13/4	S	43-00							316	#4 @12" CONT.
494	TR	BF		G60	41			2	22/7	H	6-00							1,006	#7 @12" U BAR.
495	TR	BF		G60	22			2	19/6	H	6-00							397	#6 @9" DWLS.EF&IS.
496	TR	BF		G60	12			2	25/8	H	8-08							555	12-#8 DWLS.
497	TR	BF		G60	20			1	13/4	H	6-09							90	#4 STANDEE.
498	MT	SW-08 (21'-0"X10'-0"X0'-36") -REF-S501																	
499	TR	BF		G60	22			2	19/6	S	21-00							1,388	#6 @6" T&B.CONT.
500	TR	BF		G60	43			2	22/7	H	14-00							2,461	#7 @6" T&B.TRANS.
501	TR	BF		G60	3			2	13/4	S	21-00							84	#4 @8" BOTH SIDE.
502	TR	BF		G60	22			1	13/4	S	10-00							147	#4 @12" TRANS.
503	TR	BF		G60	11			1	13/4	S	21-00							154	#4 @12" CONT.
504	TR	BF		G60	29			2	19/6	H	6-00							523	#6 @9" DWLS.EF&IS.
505	TR	BF		G60	12			1	13/4	H	6-09							54	#4 STANDEE.1
506	MT	SW-09 (93'-6"X10'-0"X0'-36") -REF-S501																	
507	TR	BF		G60	22			2	22/7	S	104-00							9,353	#7 @6" T&B.CONT.
508	TR	BF		G60	189			2	22/7	H	10-00							7,726	#7 @6" T&B.TRANS.
509	TR	BF		G60	3			2	13/4	S	104-00							417	#4 @8" BOTH SIDE.
510	TR	BF		G60	95			1	13/4	S	10-00							635	#4 @12" TRANS.
511	TR	BF		G60	11			1	13/4	S	104-00							764	#4 @12" CONT.
512	TR	BF		G60	126			2	19/6	H	6-00							2,271	#6 @9" DWLS.EF&IS.
513	TR	BF		G60	48			1	13/4	H	6-09							216	#4 STANDEE.
514	MT	CONT. FTG (1718'-7"X10'-0"X0'-36") -REF-S501																	
515	TR	BF		G60	22			2	19/6	S	1892-07							125,077	#6 @6" T&B.CONT.
516	TR	BF		G60	3439			2	22/7	H	14-00							196,812	#7 @6" T&B.TRANS.
517	TR	BF		G60	3			2	13/4	S	1892-07							7,585	#4 @8" BOTH SIDE.
518	TR	BF		G60	1720			1	13/4	S	10-00							11,490	#4 @12" TRANS.
519	TR	BF		G60	11			1	13/4	S	1892-07							13,907	#4 @12" CONT.
520	TR	BF		G60	2165			2	13/4	H	6-00							17,357	#6 @9" DWLS.EF&IS.
521	TR	BF		G60	860			1	13/4	H	6-09							3,877	#4 STANDEE.
522	TR	BF		G60	13			1	19/6	S	15-01							294	#6 @6" LAP.
523	TR	BF		G60	16			1	13/4	H	4-06							48	#4 @12" U BAR.
524	MT	SW-20 -REF.S501																	
525	MT	CONT. FTG (77'-0"X10'-0"X0'-36") -REF-S501																	
526	TR	BF		G60	22			2	22/7	S	87-06							7,869	#7 @6" T&B.CONT.
527	TR	BF		G60	155			2	22/7	H	14-00							8,871	#7 @6" T&B.TRANS.
528	TR	BF		G60	3			2	13/4	S	87-06							351	#4 @8" BOTH SIDE.
529	TR	BF		G60	79			1	13/4	S	10-00							528	#4 @12" TRANS.
530	TR	BF		G60	11			1	13/4	S	87-06							643	#4 @12" CONT.
531	TR	BF		G60	103			2	19/6	H	6-00							1,857	#6 @9" DWLS.EF&IS.
532	TR	BF		G60	38			1	13/4	H	6-09							171	#4 STANDEE.
533	MT	SW-(11,17,21) -REF.S503																	
534	MT	CONT.FTG(133'-6"X10'-0"X0'-36") -REF-S503																	
535	TR	BF		G60	22			2	22/7	S	151-00							13,580	#7 @6" T&B.CONT.
536	TR	BF		G60	268			2	22/7	H	14-00							15,337	#7 @6" T&B.TRANS.
537	TR	BF		G60	3			2	13/4	S	151-00							605	#4 @8" BOTH SIDE.
538	TR	BF		G60	135			1	13/4	S	10-00							902	#4 @12" TRANS.
539	TR	BF		G60	11			1	13/4	S	151-00							1,110	#4 @12" CONT.
540	TR	BF		G60	180			2	29/9	H	6-00							7,345	#6 @9" DWLS.EF&IS.
541	TR	BF		G60	68			1	13/4	H	6-09							307	#4 STANDEE.
542	MT	SW-(35,83A) -REF.S503																	
543	MT	CONT.FTG(85'-7"X10'-0"X0'-36") -REF-S503																	
544	TR	BF		G60	22			2	22/7	S	94-07							8,506	#6 @6" T&B.CONT.
545	TR	BF		G60	86			2	22/7	H	14-00							4,922	#7 @6" T&B.TRANS.
546	TR	BF		G60	3			2	13/4	S	94-07							379	#4 @8" BOTH SIDE.
547	TR	BF		G60	86			1	13/4	S	10-00							574	#4 @12" TRANS.
548	TR	BF		G60	11			1	13/4	S	94-07							695	#4 @12" CONT.
549	TR	BF		G60	86			2	29/9	H	6-00							3,509	#6 @9" DWLS.EF&IS.

INT-080 - REBUILD BY DESIGN HUDSON RIVER

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
550	TR	BF		G60	42			1	13/4	H	6-09							189	#4 STANDEE.
551	MT	SW-111 -REF.S503																	
552	MT	CONT.FTG(37'-8"X11'-0"X0'-36") -REF-S503																	
553	TR	BF		G60	24			2	19/6	S	34-08							2,499	#6 @6" T&B.CONT.
554	TR	BF		G60	77			2	22/7	H	15-00							4,722	#7 @6" T&B.TRANS.
555	TR	BF		G60	3			2	13/4	S	34-08							139	#4 @8" BOTH SIDE.
556	TR	BF		G60	77			1	13/4	S	11-00							566	#4 #12" TRANS.
557	TR	BF		G60	12			1	13/4	S	34-08							278	#4 @12"CONT.
558	TR	BF		G60	51			2	13/4	H	6-00							409	#6 @9" DWLS.EF&IS.
559	TR	BF		G60	20			1	13/4	L	6-09							90	#4 STANDEE.
560	MT	SW-(66,67,78) -REF.S503																	
561	MT	CONT.FTG(163'-10"X10'-0"X0'-36") -REF-S503																	
562	TR	BF		G60	22			2	22/7	S	184-10							16,623	#7 @6" T&B.CONT.
563	TR	BF		G60	327			2	22/7	S	14-00							18,714	#7 @6" T&B.TRANS.
564	TR	BF		G60	3			2	13/4	S	184-10							741	#4 @8" BOTH SIDE.
565	TR	BF		G60	165			1	13/4	S	10-00							1,102	#4 @12" TRANS.
566	TR	BF		G60	11			1	13/4	S	184-10							1,358	#4 @12" CONT.
567	TR	BF		G60	218			2	19/6	H	6-00							3,930	#6 @9" DWLS.EF&IS.
568	TR	BF		G60	82			1	13/4	L	6-09							370	#4 STANDEE.
569	MT	SW-92 -REF.S504																	
570	MT	CONT.FTG(40'-0"X8'-0"X4'-0") -REF-S503																	
571	TR	BF		G60	9			2	29/9	S	44-06							2,723	#9 @12" T&B.CONT.
572	TR	BF		G60	41			2	29/9	S	8-00							2,230	#9 @12" T&B.TRANS.
573	TR	BF		G60	6			2	13/4	S	44-06							357	#4 @8" BOTH SIDE.
574	TR	BF		G60	41			2	22/7	H	6-00							1,006	#7 @12" BOTH SIDE.
575	TR	BF		G60	20			1	13/4	L	6-09							90	#4 STANDEE.
576	MT	SW-(93,94,95) -REF.S504																	
577	MT	CONT.FTG(120'-0"X8'-0"X4'-0") -REF-S503																	
578	TR	BF		G60	9			2	29/9	S	138-00							8,446	#9 @12" T&B.CONT.
579	TR	BF		G60	122			2	29/9	S	8-00							6,636	#9 @12" T&B.TRANS.
580	TR	BF		G60	6			2	13/4	S	138-00							1,106	#4 @8" BOTH SIDE.
581	TR	BF		G60	122			1	22/7	H	6-00							1,496	#7 @12" BOTH SIDE.
582	TR	BF		G60	60			1	13/4	L	6-09							270	#4 STANDEE.
583	MT	SW-(96,97) -REF.S504																	
584	MT	CONT.FTG(86'-8"X5'-0"X2'-0") -REF-S503																	
585	TR	BF		G60	6			2	29/9	S	100-02							4,087	#9 @12" T&B.CONT.
586	TR	BF		G60	88			2	29/9	S	5-00							2,992	#9 @12" T&B.TRANS.
587	TR	BF		G60	3			2	13/4	S	100-02							401	#4 @8" BOTH SIDE.
588	TR	BF		G60	88			1	22/7	H	4-00							719	#7 @12" BOTH SIDE.
589	TR	BF		G60	44			1	13/4	L	6-09							198	#4 STANDEE.
590	MT	SW-(71,72,75,76,79,80,81,82,83,83B,84) -REF.S502																	
591	MT	CONT.FTG(438'-10"X10'-0"X3'-0") -REF-S502																	
592	TR	BF		G60	22			2	19/6	S	483-10							31,975	#6 @6" T&B.CONT.
593	TR	BF		G60	880			2	22/7	H	14-00							50,362	#7 @6" T&B.TRANS.
594	TR	BF		G60	3			2	13/4	S	483-10							1,939	#4 @8" BOTH SIDE.
595	TR	BF		G60	440			1	13/4	S	10-00							2,939	#4 @12"TRANS.
596	TR	BF		G60	12			1	13/4	S	483-10							3,878	#4 @12" CONT.
597	TR	BF		G60	591			2	19/6	H	6-00							10,653	#6 @9" DWLS.EF&IS.
598	TR	BF		G60	220			1	13/4	L	6-09							992	#4 STANDEE.
599	TR	BF		G60	13			1	19/6	S	15-01							294	#6 @6" LAP.
600	TR	BF		G60	16			1	13/4	H	4-06							48	#4 @12" U BAR.
601	MT	SW-(104,105,106,107,110) -REF.S502																	
602	MT	CONT.FTG(200'-0"X11'-0"X3'-0") -REF-S502																	
603	TR	BF		G60	24			2	19/6	S	221-00							15,933	#6 @12" T&B.CONT.
604	TR	BF		G60	402			2	22/7	H	15-00							24,651	#7 @6" T&B.TRANS.
605	TR	BF		G60	3			2	13/4	S	221-00							886	#4 @8" BOTH SIDE.
606	TR	BF		G60	202			1	13/4	S	11-00							1,484	#4 @12"TRANS.
607	TR	BF		G60	12			1	13/4	S	221-00							1,772	#4 @12" CONT.
608	TR	BF		G60	275			2	13/4	H	6-00							2,205	#6 @9" DWLS.EF&IS.
609	TR	BF		G60	100			1	13/4	S	6-09							451	#4 STANDEE.
610	MT	SW-(18,47,62,85) -REF.S505A																	

INT-080 - REBUILD BY DESIGN HUDSON RIVER

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
611	MT	CONT.FTG(214'-7"X10'-0"X3'-0") -REF-S505A																	
612	TR	BF		G60	11			2	29/9	S	246-01							18,407	#9 @12" T&B.CONT.
613	TR	BF		G60	216			2	29/9	S	10-00							14,688	#9 @12" T&B.TRANS.
614	TR	BF		G60	216			2	22/7	H	6-00							5,299	#7 @12" BOTH SIDE.
615	TR	BF		G60	3			2	13/4	S	246-01							986	#4 @8" BOTH SIDE.
616	TR	BF		G60	216			1	13/4	S	10-00							1,443	#4 @12" TRANS.
617	TR	BF		G60	11			1	13/4	S	246-01							1,808	#4 @12" CONT.
618	TR	BF		G60	83			2	19/6	H	7-00							1,746	#6 @9" DWLS.EF&IS.
619	TR	BF		G60	12			8	25/8	H	7-00							1,795	12-#8 DWLS.
620	TR	BF		G60	108			1	13/4	L	6-09							487	#4 STANDEE.
621	MT	SW-(69,74,98) -REF.S505A																	
622	MT	CONT.FTG(147'-8"X10'-0"X3'-0") -REF-S505A																	
623	TR	BF		G60	11			2	29/9	S	170-02							12,729	#9 @12" T&B.CONT.
624	TR	BF		G60	149			2	29/9	S	10-00							10,132	#9 @12" T&B.TRANS.
625	TR	BF		G60	149			2	22/7	H	6-00							3,655	#7 @12" BOTH SIDE.
626	TR	BF		G60	3			2	13/4	S	170-02							682	#4 @8" BOTH SIDE.
627	TR	BF		G60	149			1	13/4	S	10-00							995	#4 @12" TRANS.
628	TR	BF		G60	11			1	13/4	S	170-02							1,250	#4 @12" CONT.
629	TR	BF		G60	82			2	13/4	H	6-00							657	#6 @9" DWLS.EF&IS.
630	TR	BF		G60	12			6	25/8	H	7-06							1,442	12-#8 DWLS.
631	TR	BF		G60	74			1	13/4	L	6-09							334	#4 STANDEE.1
632	MT	SW-(109,102) -REF.S505A																	
633	MT	CONT.FTG(111'-6"X11'-0"X3'-0") -REF-S505A																	
634	TR	BF		G60	12			2	29/9	S	129-06							10,567	#9 @12" T&B.CONT.
635	TR	BF		G60	113			2	29/9	S	10-00							7,684	#9 @12" T&B.TRANS.
636	TR	BF		G60	113			2	22/7	H	6-00							2,772	#7 @12" BOTH SIDE.
637	TR	BF		G60	3			2	13/4	S	129-06							519	#4 @8" BOTH SIDE.
638	TR	BF		G60	113			1	13/4	S	10-00							755	#4 @12" TRANS.
639	TR	BF		G60	12			1	13/4	S	129-06							1,038	#4 @12" CONT.
640	TR	BF		G60	53			2	19/6	H	6-00							955	#6 @9" DWLS.EF&IS.
641	TR	BF		G60	12			4	25/8	H	7-06							961	12-#8 DWLS.
642	TR	BF		G60	56			1	13/4	L	6-09							252	#4 STANDEE.
643	MT	SW-(70,73) -REF.S525																	
644	MT	CONT.FTG(80'-0"X10'-0"X0'-36") -REF-S525																	
645	TR	BF		G60	22			2	19/6	S	89-00							5,882	#6 @6" T&B.CONT.
646	TR	BF		G60	161			2	22/7	H	14-00							9,214	#7 @6" T&B.TRANS.
647	TR	BF		G60	3			2	13/4	S	89-00							357	#4 @8" BOTH SIDE.
648	TR	BF		G60	161			1	13/4	S	10-00							1,075	#4 #12" TRANS.
649	TR	BF		G60	11			1	13/4	S	89-00							654	#4 @12"CONT.
650	TR	BF		G60	5			2	13/4	S	89-00							595	#4 @12" T&B.CONT
651	TR	BF		G60	81			2	13/4	S	4-03							460	#4 @12" T&B.TRANS.
652	TR	BF		G60	5			2	13/4	S	2-06							17	#4 @12" VERT.EF.
653	TR	BF		G60	110			2	19/6	H	6-00							1,983	#6 @9" DWLS.EF&IS.
654	TR	BF		G60	40			1	13/4	L	6-09							180	#4 STANDEE.
655	MT	SW-100 -REF.S525																	
656	MT	CONT.FTG(50'-0"X10'-0"X0'-36") -REF-S525																	
657	TR	BF		G60	22			2	22/7	S	56-00							5,036	#7 @6" T&B.CONT.
658	TR	BF		G60	101			2	22/7	H	14-00							5,780	#7 @6" T&B.TRANS.
659	TR	BF		G60	3			2	13/4	S	56-00							224	#4 @8" BOTH SIDE.
660	TR	BF		G60	101			1	13/4	S	10-00							675	#4 #12" TRANS.
661	TR	BF		G60	11			1	13/4	S	56-00							411	#4 @12"CONT.
662	TR	BF		G60	5			2	13/4	S	56-00							374	#4 @12" T&B.CONT
663	TR	BF		G60	51			2	13/4	S	4-03							289	#4 @12" T&B.TRANS.
664	TR	BF		G60	5			2	13/4	S	2-06							17	#4 @12" VERT.EF.
665	TR	BF		G60	68			2	19/6	H	6-00							1,226	#6 @9" DWLS.EF&IS.
666	TR	BF		G60	26			1	13/4	L	6-09							117	#4 STANDEE.
667	TR	BF		G60	13			1	19/6	S	15-01							294	#6 @6" LAP.
668	TR	BF		G60	16			1	13/4	H	4-06							48	#4 @12" U BAR.
669	MT	SW-(103,108) -REF.S525																	
670	MT	CONT.FTG(70'-5"X11'-0"X0'-36") -REF-S525																	
671	TR	BF		G60	24			2	19/6	S	79-06							5,732	#6 @6" T&B.CONT.

INT-080 - REBUILD BY DESIGN HUDSON RIVER

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
672	TR	BF		G60	142			2	22/7	H	15-00							8,707	#7 @6" T&B.TRANS.
673	TR	BF		G60	3			2	13/4	S	79-06							319	#4 @8" BOTH SIDE.
674	TR	BF		G60	142			1	13/4	S	11-00							1,043	#4 #12" TRANS.
675	TR	BF		G60	12			1	13/4	S	79-06							637	#4 @12"CONT.
676	TR	BF		G60	72			2	13/4	S	4-03							409	#4 @12" T&B.TRANS.
677	TR	BF		G60	5			2	13/4	S	2-06							17	#4 @12" VERT.EF.
678	TR	BF		G60	110			2	19/6	H	6-00							1,983	#6 @9" DWLS.EF&IS.
679	TR	BF		G60	55			2	19/6	H	6-00							991	#6 @9" DWLS.EF&IS.
680	TR	BF		G60	36			1	13/4	L	6-09							162	#4 STANDEE.
681	MT	SW-86 -REF.S525																	
682	MT	CONT.FTG(56'-2"X10'-0"X0'-36") -REF-S525																	
683	TR	BF		G60	22			2	19/6	S	59-08							3,943	#7 @6" T&B.CONT.
684	TR	BF		G60	113			1	22/7	H	14-00							3,233	#7 @6" T&B.TRANS.
685	TR	BF		G60	6			2	13/4	S	59-08							478	#4 @12" T&B CONT.
686	TR	BF		G60	4			2	13/4	S	5-00							27	#4 @12" T&B TRANS.
687	TR	BF		G60	3			2	13/4	S	59-08							239	#4 @8" BOTH SIDE.
688	TR	BF		G60	113			1	13/4	S	10-00							755	#4 #12" TRANS.
689	TR	BF		G60	11			1	13/4	S	59-08							438	#4 @12"CONT.
690	TR	BF		G60	5			2	13/4	S	6-00							40	#4 @12"VERT.
691	TR	BF		G60	28			1	13/4	L	6-09							126	#4 STANDEE.
692	MT	SW-101 -REF.S529																	
693	MT	CONT.FTG(45'-0"X10'-0"X0'-36") -REF-S529																	
694	TR	BF		G60	11			1	29/9	S	54-00							2,020	#9 @12" CONT.
695	TR	BF		G60	11			1	29/9	S	67-00							2,506	#9 @12" CONT.
696	TR	BF		G60	46			2	29/9	S	10-00							3,128	#9 @12"T&B TRANS.
697	TR	BF		G60	3			2	13/4	S	53-00							212	#4 @8" BOTH SIDE.
698	TR	BF		G60	11			1	13/4	S	53-00							389	#4 @12"CONT.
699	TR	BF		G60	47			1	13/4	S	10-00							314	#4 @12" TRANS.
700	TR	BF		G60	46			2	22/7	H	4-00							752	#7 @12" BOTH SIDE.
701	TR	BF		G60	5			1	13/4	S	4-03							14	#4 @12" CONT.
702	TR	BF		G60	35			2	19/6	H	6-00							631	#6 @6" DWLS.EF.
703	TR	BF		G60	16			2	25/8	H	6-00							513	16-#8 DWLS.
704	TR	BF		G60	22			1	13/4	L	6-09							99	#4 STANDEE.
705	MT	SW-34 -REF.S508A																	
706	MT	CONT.FTG(82'-10"X12'-0"X0'-36") -REF-S508A																	
707	TR	BF		G60	13			1	29/9	S	96-04							4,258	#9 @12"T&B.CONT.
708	TR	BF		G60	84			1	29/9	S	12-00							3,428	#9 @12" TRANS.
709	TR	BF		G60	84			1	32/10	S	12-00							4,338	#10 @12" TRANS.
710	TR	BF		G60	13			1	29/9	H	9-03							409	#9 @12"ADD"L
711	TR	BF		G60	5			2	25/8	S	96-04							2,572	#4 @8" BOTH SIDE.
712	TR	BF		G60	84			2	22/7	H	7-00							2,404	#7 @12" U BAR.
713	TR	BF		G60	46			2	19/6	H	7-00							967	#6 @9" DWLS.EF.
714	TR	BF		G60	22			2	25/8	H	7-00							823	22-#8 DWLS.
715	TR	BF		G60	63			1	13/4	L	8-093							371	#4 STANDEE.
716	MT	SW-33 -REF.S527																	
717	MT	CONT.FTG(75'-2"X12'-9"X0'-36") -REF-S527																	
718	TR	BF		G60	26			2	22/7	S	81-02							8,627	#7 @6" T&B.CONT.
719	TR	BF		G60	151			2	22/7	H	18-09							11,574	#7 @6" T&B TRANS.
720	TR	BF		G60	73			1	13/4	S	4-03							207	#4 @12" CONT.
721	TR	BF		G60	4			1	13/4	S	81-02							217	#4 @12" TRANS.
722	TR	BF		G60	5			2	13/4	S	81-02							542	#4 @8" BOTH SIDE.
723	TR	BF		G60	146			2	19/6	H	7-00							3,071	#6 @9" DWLS.
724	TR	BF		G60	146			2	19/6	H	6-00							2,632	#6 @9" DWLS.
725	TR	BF		G60	36			1	13/4	L	6-09							162	#4 STANDEE.
726	MT	SW-32 -REF.S524																	
727	MT	CONT.FTG(73'-3"X13'-0"X0'-36") -REF-S524																	
728	TR	BF		G60	27			2	22/7	S	82-03							9,078	#7 @6" T&B.CONT.
729	TR	BF		G60	148			2	22/7	H	19-00							11,495	#7 @6" T&B TRANS.
730	TR	BF		G60	8			1	13/4	S	82-03							440	#4 @12" CONT.
731	TR	BF		G60	74			1	13/4	S	7-03							358	#4 @12" TRANS.
732	TR	BF		G60	5			2	13/4	S	82-03							549	#4 @8" BOTH SIDE.

INT-080 - REBUILD BY DESIGN HUDSON RIVER

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
733	TR	BF		G60	186			2	19/6	H	7-00							3,912	#6 @9" DWLS.
734	TR	BF		G60	54			1	13/4	L	8-093							318	#4 STANDEE.
735	MT	SW-31 -REF.S507A																	
736	MT	CONT.FTG(90'-6"X10'-0"X0'-36") -REF-S507A																	
737	TR	BF		G60	11			2	32/10	S	105-06							9,987	#10 @12" T&B.CONT.
738	TR	BF		G60	92			2	32/10	S	10-00							7,918	#10 @12" T&B TRANS.
739	TR	BF		G60	11			1	32/10	S	13-03							627	#10@12" ADD"L
740	TR	BF		G60	5			2	13/4	S	105-06							705	#4 @8" BOTH SIDE.
741	TR	BF		G60	92			2	22/7	H	7-00							2,633	#7 #12" U BAR.
742	TR	BF		G60	33			2	19/6	H	7-00							694	#6 @9" DWLS.
743	TR	BF		G60	28			2	25/8	H	7-00							1,047	28-#8 DWLS.
744	TR	BF		G60	46			1	13/4	L	8-093							271	#4 STANDEE.
745	MT	SW-19 -REF.S506A																	
746	MT	CONT.FTG(70'-0"X13'-0"X0'-36") -REF-S506A																	
747	TR	BF		G60	15			2	29/9	S	79-00							8,058	#9 @12" TOP.CONT.
748	TR	BF		G60	72			1	29/9	S	13-00							3,182	#10 @12" BOT. TRANS.
749	TR	BF		G60	72			2	29/9	S	13-00							6,364	#9 @12" T&B. TRANS.
750	TR	BF		G60	5			2	13/4	S	79-00							528	#4 @8" BOTH SIDE.
751	TR	BF		G60	54			1	13/4	L	8-093							318	#4 STANDEE.
752	MT	CONT.FTG(37'-0"X13'-0"X0'-36") -REF-S506A																	
753	TR	BF		G60	14			2	29/9	S	37-00							3,523	#9 @12" T&B CONT.
754	TR	BF		G60	38			1	29/9	S	13-00							1,679	#9 @12" TOP.TRANS.
755	TR	BF		G60	11			2	13/4	S	37-00							544	#4 @8" BOTH SIDE.
756	TR	BF		G60	14			2	29/9	S	9-103							942	#9 @12" ADD"L
757	TR	BF		G60	11			2	29/9	S	37-00							2,768	#9 @12" ADD"L
758	TR	BF		G60	39			1	19/6	H	6-04							371	#6 @12" ADD"L
759	TR	BF		G60	14			4	13/4	H	8-00							299	#4 @12" ADD'L
760	TR	BF		G60	38			2	19/6	H	10-00							1,142	#7 @12" U BAR.
761	MT	SW-87 -REF.S517A																	
762	MT	CONT.FTG(42'-0"X19'-0"X5'-0") -REF-S517A																	
763	TR	BF		G60	37			2	36/11	S	54-00							21,230	#11 @6" T&B.CONT.
764	TR	BF		G60	43			2	29/9	S	19-00							5,555	#9 @12" T&B TRANS.
765	TR	BF		G60	6			2	13/4	S	54-00							433	#4 @8" BOTH SIDE.
766	TR	BF		G60	43			2	22/7	H	8-00							1,406	#7 @12" U BAR.
767	TR	BF		G60	20			1	13/4	S	54-00							721	#4 @12" CONT.
768	TR	BF		G60	43			1	13/4	S	19-00							546	#4 @12"TRANS.
769	TR	BF		G60	40			1	13/4	L	10-041							277	#4 STANDEE.
770	MT	CONT.FTG(64'-3"X10'-0"X5'-0") -REF-S517A																	
771	TR	BF		G60	22			1	36/11	S	76-03							8,913	#11 @6".CONT.
772	TR	BF		G60	130			1	32/10	H	10-00							5,594	#10 @6" TRANS.
773	TR	BF		G60	22			1	22/7	S	76-03							3,429	#7 @12" CONT.
774	TR	BF		G60	4			3	32/10	S	10-00							516	#10 @6" TRANS.
775	TR	BF		G60	3			4	22/7	S	76-03							1,870	#7 @12" BOTH SIDE.
776	TR	BF		G60	11			2	19/6	H	12-00							397	#7 @12" TIES.
777	TR	BF		G60	7			2	22/7	H	7-00							200	#7 @12" TIES.
778	TR	BF		G60	84			1	13/4	L	10-041							581	#4 STANDEE.
779	MT	CONT.FTG(8'-0"X8'-0"X5'-0") -REF-S517A																	
780	TR	BF		G60	9			1	13/4	S	8-00							48	#4 @12" CONT.
781	TR	BF		G60	9			1	13/4	S	8-00							48	#4 @12" TRANS.
782	TR	BF		G60	9			1	29/9	S	8-00							245	#9 @12" CONT.
783	TR	BF		G60	9			2	22/7	H	13-00							478	#7 @12" TRANS.
784	TR	BF		G60	9			2	22/7	H	8-00							294	#7 @12" TRANS.
785	TR	BF		G60	3			2	13/4	S	8-00							32	3-#4 BOTH SIDE.
786	TR	BF		G60	9			1	13/4	S	2-022							13	#4 @12" ADD"L
787	TR	BF		G60	3			1	13/4	H	8-00							16	#4 @12" ADD"L
788	TR	BF		G60	9			1	29/9	S	8-00							245	#9 @12" ADD"L
789	TR	BF		G60	9			1	29/9	S	8-00							245	#9 @12" ADD"L
790	MT	SW-77 -REF.S415																	
791	MT	CONT.FTG(76'-9"X10'-0"X0'-36") -REF-S415																	
792	TR	BF		G60	11			1	36/11	S	87-08							5,124	#11 @12" LW.TOP.
793	TR	BF		G60	78			2	29/9	S	10-00							5,304	#9 @12" SW.T&B.

INT-080 - REBUILD BY DESIGN HUDSON RIVER

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
794	TR	BF		G60	11			2	36/11	S	87-08							10,247	#11 @12" LW.BOT. (2
795	TR	BF		G60	5			2	13/4	S	80-09							539	#4 @8" ES.
796	TR	BF		G60	78			2	22/7	H	5-00							1,594	#7 @12" ES.HOOK
797	TR	BF		G60	142			2	16/5	H	13-06							3,999	#5 @12" EF.D/V.
798	TR	BF		G60	6			2	16/5	S	152-06							1,909	#5 @12" EF.HORIZ.
799	TR	BF		G60	11			2	16/5	S	74-00							1,698	#5 @12" EF.LW.
800	TR	BF		G60	70			2	16/5	S	10-00							1,460	#5 @12" EF.SW.
801	TR	BF		G60	177			2	19/6	H	7-00							3,723	#6 @9" EF.DWLS
802	TR	BF		G60	38			1	13/4	L	4-082							120	#4 STANDEE.
803	MT	CONT.FTG(39'-3"X19'-0"X0'-60") -REF-S415																	
804	TR	BF		G60	20			1	36/11	S	50-03							5,339	#11 @12" LW.TOP.
805	TR	BF		G60	41			2	29/9	S	19-00							5,297	#9 @12" SW.T&B.
806	TR	BF		G60	20			1	29/9	S	48-03							3,281	#9 @12" LW.BOT.
807	TR	BF		G60	20			1	13/4	S	43-03							578	#4 @12" LW.
808	TR	BF		G60	41			1	13/4	S	19-00							520	#4 @12" SW.
809	TR	BF		G60	8			2	13/4	S	43-03							462	#4 @8" ES.CONT.
810	TR	BF		G60	41			2	22/7	H	7-00							1,173	#7 @12" ES.HOOK
811	GI	Segment: FOUNDATION SOUTH Sub-Segment: CONCRETE WALL																	
812	MT	SW-01 (20'-0"X1'-6"X9'-0") -REF-S501																	
813	TR	BF		G60	28			2	19/6	S	9-00							757	#6 @9" VERT.EF&IS.
814	TR	BF		G60	13			2	19/6	S	20-00							781	#6 @9" HORIZ.T&S.
815	TR	BF		G60	21			1	13/4	L	4-06							63	#4 @12" U BAR.
816	MT	SW-02 (20'-0"X1'-6"X11'-6") -REF-S501																	
817	TR	BF		G60	28			2	19/6	S	11-06							967	#6 @9" VERT.EF&IS.
818	TR	BF		G60	16			2	19/6	S	20-00							961	#6 @9" HORIZ.T&S.
819	TR	BF		G60	21			1	13/4	L	4-06							63	#4 @12" U BAR.
820	MT	SW-03 (51'-2"X1'-6"X12'-6") -REF-S503																	
821	TR	BF		G60	70			2	19/6	S	12-06							2,629	#6 @9" VERT.EF&IS.
822	TR	BF		G60	18			2	19/6	S	57-02							3,091	#6 @9" HORIZ.T&S.
823	TR	BF		G60	53			1	13/4	L	4-092							170	#4 @12" U BAR.
824	MT	SW-04 (40'-0"X1'-6"X13'-3") -REF-S503																	
825	TR	BF		G60	54			2	19/6	S	13-03							2,150	#6 @9" VERT.EF&IS.
826	TR	BF		G60	15			2	19/6	S	43-00							1,938	#6 @9" HORIZ.T&S.
827	TR	BF		G60	41			1	13/4	H	4-092							131	#4 @12" U BAR.
828	MT	SW-05 (40'-0"X1'-6"X13'-3") -REF-S503																	
829	TR	BF		G60	54			2	19/6	S	11-06							1,865	#6 @9" VERT.EF&IS.
830	TR	BF		G60	13			2	19/6	S	43-00							1,679	#6 @9" HORIZ.T&S.
831	TR	BF		G60	41			1	13/4	H	4-06							123	#4 @12" U BAR.
832	MT	SW-06 (40'-0"X1'-6"X11'-6") -REF-S503																	
833	TR	BF		G60	54			2	19/6	S	11-06							1,865	#6 @9" VERT.EF&IS.
834	TR	BF		G60	13			2	19/6	S	43-00							1,679	#6 @9" HORIZ.T&S.
835	TR	BF		G60	41			2	13/4	L	4-06							247	#4 @12" U BAR.
836	MT	SW-07 (15'-1"X1'-6"X11'-0") -REF-S503																	
837	TR	BF		G60	21			2	19/6	S	11-00							694	#6 @9" VERT.EF&IS.
838	TR	BF		G60	12			2	19/6	S	15-01							544	#6 @12".T&S
839	TR	BF		G60	16			1	13/4	H	4-06							48	#4 @12" U BAR.
840	MT	SW-07 (2'-6"X2'-6"X11'-6") -REF-S503																	
841	TR	BF		G60	12			2	25/8	S	11-06							737	12-#8 VERT.
842	TR	BF		G60	13			2	13/4	H	10-053							182	#4 @6" HORIZ.
843	TR	BF		G60	3			2	13/4	H	5-06							22	#4 @12" U BAR.
844	MT	SW-08 (21'-0"X1'-6"X11'-0") -REF-S501																	
845	TR	BF		G60	29			2	19/6	S	11-00							958	#6 @9" VERT.EF&IS.
846	TR	BF		G60	16			2	19/6	S	21-00							1,009	#6 @9" HORIZ.T&S.
847	TR	BF		G60	22			1	13/4	L	4-06							66	#4 @12" U BAR.
848	MT	SW-09(93'-6"X1'-6"X10'-6") -REF-S501																	
849	TR	BF		G60	126			2	19/6	S	10-06							3,974	#6 @9" VERT.EF&IS.
850	TR	BF		G60	13			2	19/6	S	93-06							3,651	#6 @9" HORIZ.T&S.
851	TR	BF		G60	95			1	13/4	L	4-06							286	#4 @12" U BAR.
852	MT	SW-43-REF.S501																	
853	MT	1'6"THK 6'-9"HEIGHT WALL -REF-S501-(40'-0"LFT)																	
854	TR	BF		G60	55			2	19/6	S	6-09							1,115	#6 @9" VERT.EF&IS.

INT-080 - REBUILD BY DESIGN HUDSON RIVER

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
855	TR	BF		G60	10			2	19/6	S	43-00							1,292	#6 @9" HORIZ.T&S.
856	TR	BF		G60	42			1	13/4	L	4-06							126	#4 @12" U BAR.
857	MT	SW-42 -REF.S501																	
858	MT	1'6"THK 7'-0"HEIGHT WALL -REF-S501-(40'-0"LFT)																	
859	TR	BF		G60	55			2	19/6	S	7-00							1,157	#6 @9" VERT.EF&IS.
860	TR	BF		G60	11			2	19/6	S	43-00							1,421	#6 @9" HORIZ.T&S.
861	TR	BF		G60	42			1	13/4	L	4-06							126	#4 @12" U BAR.
862	MT	SW-44 -REF.S501																	
863	MT	1'6"THK 7'-3"HEIGHT WALL -REF-S501-(40'-0"LFT)																	
864	TR	BF		G60	55			2	19/6	S	7-03							1,198	#6 @9" VERT.EF&IS.
865	TR	BF		G60	12			2	19/6	S	43-00							1,550	#6 @9" HORIZ.T&S.
866	TR	BF		G60	42			1	13/4	L	4-06							126	#4 @12" U BAR.
867	MT	SW-(41,46) -REF.S501																	
868	MT	1'6"THK 7'-6"HEIGHT WALL -REF-S501-(80'-0"LFT)																	
869	TR	BF		G60	108			2	19/6	S	7-06							2,433	#6 @9" VERT.EF&IS.2
870	TR	BF		G60	12			2	19/6	S	89-00							3,208	#6 @9" HORIZ.T&S.
871	TR	BF		G60	82			1	13/4	L	4-06							247	#4 @12" U BAR.
872	MT	SW-(40,45) -REF.S501																	
873	MT	1'6"THK 8'HEIGHT WALL -REF-S501-(80'-0"LFT)																	
874	TR	BF		G60	108			2	19/6	S	8-00							2,595	#6 @9" VERT.EF&IS.
875	TR	BF		G60	12			2	19/6	S	89-00							3,208	#6 @9" HORIZ.T&S.
876	TR	BF		G60	82			1	13/4	L	4-06							247	#4 @12" U BAR.
877	MT	SW-39 -REF.S501																	
878	MT	1'6"THK 8'-3"HEIGHT WALL -REF-S501-(40'-0"LFT)																	
879	TR	BF		G60	55			2	19/6	S	8-03							1,363	#6 @9" VERT.EF&IS.
880	TR	BF		G60	13			2	19/6	S	43-00							1,679	#6 @9" HORIZ.T&S.
881	TR	BF		G60	42			1	13/4	H	4-06							126	#4 @12" U BAR.
882	MT	SW-48 -REF.S501																	
883	MT	1'6"THK 8'-6"HEIGHT WALL -REF-S501-(40'-0"LFT)																	
884	TR	BF		G60	55			2	19/6	S	8-06							1,404	#6 @9" VERT.EF&IS.
885	TR	BF		G60	13			2	19/6	S	43-00							1,679	#6 @9" HORIZ.T&S.
886	TR	BF		G60	42			1	13/4	L	4-06							126	#4 @12" U BAR.
887	MT	SW-38 -REF.S501																	
888	MT	1'6"THK 8'-9"HEIGHT WALL -REF-S501-(40'-0"LFT)																	
889	TR	BF		G60	55			2	19/6	S	8-09							1,446	#6 @9" VERT.EF&IS.
890	TR	BF		G60	13			2	19/6	S	43-00							1,679	#6 @9" HORIZ.T&S.
891	TR	BF		G60	42			1	13/4	L	4-06							126	#4 @12" U BAR.
892	MT	SW-49 -REF.S501																	
893	MT	1'6"THK 9'-3"HEIGHT WALL -REF-S501-(40'-0"LFT)																	
894	TR	BF		G60	55			2	19/6	S	9-03							1,528	#6 @9" VERT.EF&IS.
895	TR	BF		G60	14			2	19/6	S	43-00							1,808	#6 @9" HORIZ.T&S.
896	TR	BF		G60	42			1	13/4	L	4-06							126	#4 @12" U BAR.
897	MT	SW-(12,13,14,15,16,22,23,24,27,28,29) -REF.S501																	
898	MT	1'6"THK 9'-6"HEIGHT WALL -REF-S501-(440'-0"LFT)																	
899	TR	BF		G60	589			2	19/6	S	9-06							16,811	#6 @9" VERT.EF&IS.
900	TR	BF		G60	14			2	19/6	S	485-00							20,397	#6 @9" HORIZ.T&S.
901	TR	BF		G60	442			1	13/4	L	4-06							1,329	#4 @12" U BAR.
902	MT	SW-50 -REF.S501																	
903	MT	1'6"THK 9'-9"HEIGHT WALL -REF-S501-(40'-0"LFT)																	
904	TR	BF		G60	55			2	19/6	S	9-09							1,611	#6 @9" VERT.EF&IS.
905	TR	BF		G60	14			2	19/6	S	43-00							1,808	#6 @9" HORIZ.T&S.
906	TR	BF		G60	42			1	13/4	L	4-06							126	#4 @12" U BAR.
907	MT	SW-(10,61) -REF.S501																	
908	MT	1'6"THK 10'HEIGHT WALL -REF-S501-(80'-0"LFT)																	
909	TR	BF		G60	108			2	19/6	S	10-00							3,244	#6 @9" VERT.EF&IS.
910	TR	BF		G60	15			2	19/6	S	89-00							4,010	#6 @9" HORIZ.T&S.
911	TR	BF		G60	82			1	13/4	L	4-06							247	#4 @12" U BAR.
912	MT	SW-51 -REF.S501																	
913	MT	1'6"THK 10'-2"HEIGHT WALL -REF-S501-(40'-0"LFT)																	
914	TR	BF		G60	55			2	19/6	S	10-02							1,680	#6 @9" VERT.EF&IS.
915	TR	BF		G60	15			2	19/6	S	43-00							1,938	#6 @9" HORIZ.T&S.

INT-080 - REBUILD BY DESIGN HUDSON RIVER

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes	
916	TR	BF		G60	42			1	13/4	L	4-06							126	#4 @12" U BAR.	
917	MT	SW-36 -REF.S501																		
918	MT	1'6"THK 10'-3"HEIGHT WALL -REF-S501-(40'-0"LFT)																		
919	TR	BF		G60	55			2	19/6	S	10-03							1,693	#6 @9" VERT.EF&IS.	
920	TR	BF		G60	15			2	19/6	S	43-00							1,938	#6 @9" HORIZ.T&S.	
921	TR	BF		G60	42			1	13/4	L	4-06							126	#4 @12" U BAR.	
922	MT	SW-(60,64,65) -REF.S501																		
923	MT	1'6"THK 10'-6"HEIGHT WALL -REF-S501-(112'-7"LFT)																		
924	TR	BF		G60	152			2	19/6	S	10-06							4,794	#6 @9" VERT.EF&IS.	
925	TR	BF		G60	15			2	19/6	S	124-07							5,614	#6 @9" HORIZ.T&S.	
926	TR	BF		G60	114			1	13/4	L	4-06							343	#4 @12" U BAR.	
927	MT	SW-(20,52,53,54) -REF.S501																		
928	MT	1'6"THK 10'-9"HEIGHT WALL -REF-S501-(197'-0"LFT)																		
929	TR	BF		G60	265			2	19/6	S	11-09							9,353	#6 @9" VERT.EF&IS.	
930	TR	BF		G60	16			2	19/6	S	178-00							8,555	#6 @9" HORIZ.T&S.	
931	TR	BF		G60	162			1	13/4	L	4-06							487	#4 @12" U BAR.	
932	MT	SW-(55,56) -REF.S501																		
933	MT	1'6"THK 10'-10"HEIGHT WALL -REF-S501-(80'-0"LFT)																		
934	TR	BF		G60	108			2	19/6	S	10-10							3,515	#6 @9" VERT.EF&IS.	
935	TR	BF		G60	16			2	19/6	S	89-00							4,278	#6 @9" HORIZ.T&S.	
936	TR	BF		G60	82			1	13/4	H	4-06							247	#4 @12" U BAR.	
937	MT	SW-(59,63) -REF.S501																		
938	MT	1'6"THK 11'-0"HEIGHT WALL -REF-S501-(80'-0"LFT)																		
939	TR	BF		G60	108			2	19/6	S	11-00							3,569	#6 @9" VERT.EF&IS.	
940	TR	BF		G60	16			2	19/6	S	89-00							4,278	#6 @9" HORIZ.T&S.	
941	TR	BF		G60	82			1	13/4	L	4-06							247	#4 @12" U BAR.	
942	MT	SW-(57,58) -REF.S501																		
943	MT	1'6"THK 11'-2"HEIGHT WALL -REF-S501-(80'-0"LFT)																		
944	TR	BF		G60	108			2	19/6	S	11-02							3,623	#6 @9" VERT.EF&IS.	
945	TR	BF		G60	16			2	19/6	S	89-00							4,278	#6 @9" HORIZ.T&S.	
946	TR	BF		G60	82			1	13/4	L	4-06							247	#4 @12" U BAR.	
947	MT	SW-37 -REF.S501																		
948	MT	1'6"THK 11'-3"HEIGHT WALL -REF-S501-(40'-0"LFT)																		
949	TR	BF		G60	55			2	19/6	S	11-03							1,859	#6 @9" VERT.EF&IS.	
950	TR	BF		G60	17			2	19/6	S	43-00							2,196	#6 @9" HORIZ.T&S.	
951	TR	BF		G60	42			1	13/4	L	4-06							126	#4 @12" U BAR.	
952	MT	SW-68 -REF.S501																		
953	MT	1'6"THK 11'-6"HEIGHT WALL -REF-S501-(40'-0"LFT)																		
954	TR	BF		G60	55			2	19/6	S	11-06							1,900	#6 @9" VERT.EF&IS.	
955	TR	BF		G60	17			2	19/6	S	43-00							2,196	#6 @9" HORIZ.T&S.	
956	TR	BF		G60	42			1	13/4	L	4-06							126	#4 @12" U BAR.	
957	MT	SW-30 -REF.S501																		
958	MT	1'6"THK 12'-9"HEIGHT WALL -REF-S501-(40'-0"LFT)																		
959	TR	BF		G60	55			2	19/6	S	12-09							2,106	#6 @9" VERT.EF&IS.	
960	TR	BF		G60	18			2	19/6	S	43-00							2,325	#6 @9" HORIZ.T&S.	
961	TR	BF		G60	42			1	13/4	L	4-06							126	#4 @12" U BAR.	
962	MT	SW-83A -REF.S503																		
963	MT	1'6"THK 7'-11"HEIGHT WALL -REF-S503-(43'-10"LFT)																		
964	TR	BF		G60	60			2	19/6	S	7-103							1,423	#6 @9" VERT.EF&IS.	
965	TR	BF		G60	11			2	19/6	S	46-10							1,548	#6 @9" HORIZ.T&S.	
966	TR	BF		G60	45			1	13/4	L	4-06							135	#4 @12" U BAR.	
967	MT	SW-111 -REF.S503																		
968	MT	1'6"THK8'-4"HEIGHT WALL -REF-S503-(37'-0"LFT)																		
969	TR	BF		G60	51			2	19/6	S	8-04							1,277	#6 @9" VERT.EF&IS.	
970	TR	BF		G60	12			2	19/6	S	40-00							1,442	#6 @9" HORIZ.T&S.	
971	TR	BF		G60	38			1	13/4	L	4-06							114	#4 @12" U BAR.	
972	MT	SW-78 -REF.S503																		
973	MT	1'6"THK9'-0"HEIGHT WALL -REF-S503-(38'-1"LFT)																		
974	TR	BF		G60	51			2	19/6	S	9-00							1,379	#6 @9" VERT.EF&IS.	
975	TR	BF		G60	13			2	19/6	S	40-00							1,562	#6 @9" HORIZ.T&S.	
976	TR	BF		G60	40			1	13/4	L	4-06							120	#4 @12" U BAR.	

INT-080 - REBUILD BY DESIGN HUDSON RIVER

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes	
977	MT	SW-(11,17,21) -REF.S503																		
978	MT	1'6"THK9'-6"HEIGHT WALL -REF-S503-(133'-6"LFT)																		
979	TR	BF		G60	179			2	19/6	S	9-06							5,109	#6 @9" VERT.EF&IS.	
980	TR	BF		G60	14			2	19/6	S	148-06							6,245	#6 @9" HORIZ.T&S.	
981	TR	BF		G60	135			1	13/4	L	4-06							406	#4 @12" U BAR.	
982	MT	SW-66 -REF.S503																		
983	MT	1'6"THK11'-0"HEIGHT WALL -REF-S503-(61'-0"LFT)																		
984	TR	BF		G60	83			2	19/6	S	11-00							2,743	#6 @9" VERT.EF&IS.	
985	TR	BF		G60	16			2	19/6	S	67-00							3,220	#6 @9" HORIZ.T&S.	
986	TR	BF		G60	62			1	13/4	L	4-06							186	#4 @12" U BAR.	
987	MT	SW-35 -REF.S503																		
988	MT	1'6"THK11'-5"HEIGHT WALL -REF-S503-(41'-9"LFT)																		
989	TR	BF		G60	57			2	19/6	S	11-043							1,951	#6 @9" VERT.EF&IS.	
990	TR	BF		G60	16			2	19/6	S	44-09							2,151	#6 @9" HORIZ.T&S.	
991	TR	BF		G60	43			1	13/4	L	4-06							129	#4 @12" U BAR.	
992	MT	SW-67 -REF.S503																		
993	MT	1'6"THK11'-6"HEIGHT WALL -REF-S503-(64'-11"LFT)																		
994	TR	BF		G60	88			2	19/6	S	11-06							3,040	#6 @9" VERT.EF&IS.	
995	TR	BF		G60	17			2	19/6	S	70-103							3,621	#6 @9" HORIZ.T&S.	
996	TR	BF		G60	66			1	13/4	L	4-06							198	#4 @12" U BAR.	
997	MT	SW-(I-02,88,89A,90,91) -REF.S504																		
998	MT	2'0"THK6'-6"HEIGHT WALL -REF-S504-(152'-1"LFT)																		
999	TR	BF		G60	4			2	16/5	S	164-07							1,373	4-#5 CONT.EF.	
1000	TR	BF		G60	1			1	16/5	H	2-03							2	#5 U BAR.	
1001	TR	BF		G60	204			2	22/7	H	10-06							8,755	#7 @9" VERT.EF.	
1002	TR	BF		G60	5			2	19/6	S	164-07							2,472	#6 #12" HORIZ.EF.	
1003	TR	BF		G60	154			1	13/4	L	5-00							514	#4 @12" U BAR.	
1004	MT	SW-I-01 -REF.S504																		
1005	MT	2'0"THK9'-6"HEIGHT WALL -REF-S504-(6'-0"LFT)																		
1006	TR	BF		G60	4			2	16/5	S	6-00							50	4-#5 CONT.EF.	
1007	TR	BF		G60	1			1	16/5	H	2-03							2	#5 U BAR.	
1008	TR	BF		G60	9			2	22/7	S	13-06							497	#7 @9" VERT.EF.	
1009	TR	BF		G60	12			2	19/6	S	6-00							216	#6 @12" HORIZ.EF	
1010	TR	BF		G60	7			1	13/4	L	5-00							23	#4 @12" U BAR.	
1011	MT	SW-92 -REF.S504																		
1012	MT	1'6"THK4'-5"HEIGHT WALL -REF-S504-(40'-0"LFT)																		
1013	TR	BF		G60	41			2	22/7	H	9-07							1,606	#7 @12" D/V.EF.IS.	
1014	TR	BF		G60	6			2	22/7	S	43-06							1,067	#7 @12" HORIZ.T&S.	
1015	TR	BF		G60	41			1	13/4	L	4-06							123	#4 @12" U BAR.	
1016	MT	SW-(93,94,95) -REF.S504																		
1017	MT	1'6"THK3'-6"HEIGHT WALL -REF-S504-(120'-0"LFT)																		
1018	TR	BF		G60	122			2	22/7	H	8-08							4,323	#7 @12" D/V.EF.IS.	
1019	TR	BF		G60	5			2	22/7	S	134-00							2,739	#7 @12" HORIZ.T&S.	
1020	TR	BF		G60	122			1	13/4	L	4-06							367	#4 @12" U BAR.	
1021	MT	SW-(96,97) -REF.S504																		
1022	MT	1'6"THK1'-6"HEIGHT WALL -REF-S504-(86'-8"LFT)																		
1023	TR	BF		G60	88			2	22/7	H	4-08							1,678	#7 @12" D/V.EF.IS.	
1024	TR	BF		G60	3			2	22/7	S	97-02							1,192	#7 @12" HORIZ.T&S.	
1025	TR	BF		G60	88			1	13/4	L	4-06							265	#4 @12" U BAR.	
1026	MT	SW-71 -REF.S502																		
1027	MT	1'6"THK11'-6"HEIGHT WALL -REF-S502-(40'-0"LFT)																		
1028	TR	BF		G60	55			2	19/6	S	11-06							1,900	#6 @9" VERT.ES&IS.	
1029	TR	BF		G60	13			2	19/6	S	43-00							1,679	#6 @9" HORIZ.T&S.	
1030	TR	BF		G60	41			1	13/4	L	4-06							123	#4 @12" U BAR.	
1031	MT	SW-(72,75,76) -REF.S502																		
1032	MT	1'6"THK10'-6"HEIGHT WALL -REF-S502-(119'-3"LFT)																		
1033	TR	BF		G60	161			2	19/6	S	10-06							5,078	#6 @9" VERT.ES&IS.	
1034	TR	BF		G60	12			2	19/6	S	131-03							4,731	#6 @9" HORIZ.T&S.	
1035	TR	BF		G60	121			1	13/4	L	4-06							364	#4 @12" U BAR.	
1036	MT	SW-(79,80,81,82) -REF.S502																		
1037	MT	1'6"THK8'-6"HEIGHT WALL -REF-S502-(160'-0"LFT)																		

INT-080 - REBUILD BY DESIGN HUDSON RIVER

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes	
1038	TR	BF		G60	215			2	19/6	S	8-06							5,490	#6 @9" VERT.ES&IS.	
1039	TR	BF		G60	9			2	19/6	S	178-00							4,812	#6 @9" HORIZ.T&S.	
1040	TR	BF		G60	162			1	13/4	L	4-06							487	#4 @12" U BAR.	
1041	MT	SW-(83,83B,84) -REF.S502																		
1042	MT	1'6"THK7'-11"HEIGHT WALL -REF-S502-(119'-7"LFT)																		
1043	TR	BF		G60	160			2	19/6	S	7-103							3,796	#6 @9" VERT.ES&IS	
1044	TR	BF		G60	9			2	19/6	S	131-07							3,558	#6 @9" HORIZ.T&S.	
1045	TR	BF		G60	121			1	13/4	L	4-06							364	#4 @12" U BAR.	
1046	MT	SW-104 -REF.S502																		
1047	MT	1'6"THK6'-5"HEIGHT WALL -REF-S502-(40'-0"LFT)																		
1048	TR	BF		G60	55			2	19/6	S	6-05							1,060	#6 @9" VERT.ES&IS.	
1049	TR	BF		G60	8			2	19/6	S	43-00							1,033	#6 #9" HORIZ.T&S	
1050	TR	BF		G60	42			1	13/4	L	4-06							126	#4 @12" U BAR.	
1051	MT	SW-105 -REF.S502																		
1052	MT	1'6"THK6'-9"HEIGHT WALL -REF-S502-(40'-0"LFT)																		
1053	TR	BF		G60	55			2	19/6	S	6-011							1,009	#6 @9" VERT.ES&IS.	
1054	TR	BF		G60	8			2	19/6	S	43-00							1,033	#6 #9" HORIZ.T&S	
1055	TR	BF		G60	42			1	13/4	L	4-06							126	#4 @12" U BAR.	
1056	MT	SW-106 -REF.S502																		
1057	MT	1'6"THK7'-6"HEIGHT WALL -REF-S502-(40'-0"LFT)																		
1058	TR	BF		G60	55			2	19/6	S	7-06							1,239	#6 @9" VERT.ES&IS.	
1059	TR	BF		G60	9			2	19/6	S	43-00							1,163	#6 #9" HORIZ.T&S	
1060	TR	BF		G60	42			1	13/4	L	4-06							126	#4 @12" U BAR.	
1061	MT	SW-107 -REF.S502																		
1062	MT	1'6"THK7'-10"HEIGHT WALL -REF-S502-(40'-0"LFT)																		
1063	TR	BF		G60	55			2	19/6	S	7-10							1,294	#6 @9" VERT.ES&IS.	
1064	TR	BF		G60	9			2	19/6	S	43-00							1,163	#6 #9" HORIZ.T&S	
1065	TR	BF		G60	42			1	13/4	L	4-06							126	#4 @12" U BAR.	
1066	MT	SW-110 -REF.S502																		
1067	MT	1'6"THK8'-4"HEIGHT WALL -REF-S502-(40'-0"LFT)																		
1068	TR	BF		G60	55			2	19/6	S	8-04							1,377	#6 @9" VERT.ES&IS.	
1069	TR	BF		G60	10			2	19/6	S	43-00							1,292	#6 #9" HORIZ.T&S	
1070	TR	BF		G60	42			1	13/4	L	4-06							126	#4 @12" U BAR.	
1071	MT	SW-18 -REF.S505A																		
1072	MT	1'6"THK9'-10"HEIGHT WALL -REF-S505A-(15'-1"LFT)																		
1073	TR	BF		G60	22			2	19/6	S	9-10							650	#6 @9" VERT.ES&IS.	
1074	TR	BF		G60	10			2	19/6	S	15-01							453	#6 #12" HORIZ.T&S	
1075	TR	BF		G60	16			1	13/4	L	4-06							48	#4 @12" U BAR.	
1076	MT	SW-47 -REF.S505A																		
1077	MT	1'6"THK7'-6"HEIGHT WALL -REF-S505A-(10'-3"LFT)																		
1078	TR	BF		G60	14			2	19/6	S	7-06							315	#6 @9" VERT.ES&IS.	
1079	TR	BF		G60	9			2	19/6	S	10-03							277	#6 #12" HORIZ.T&S	
1080	TR	BF		G60	12			1	13/4	L	4-06							36	#4 @12" U BAR.	
1081	MT	SW-62 -REF.S505A																		
1082	MT	1'6"THK10'-0"HEIGHT WALL -REF-S505A-(7'-0"LFT)																		
1083	TR	BF		G60	12			2	19/6	S	10-00							360	#6 @9" VERT.ES&IS.	
1084	TR	BF		G60	11			2	19/6	S	7-00							231	#6 #12" HORIZ.T&S	
1085	TR	BF		G60	8			1	13/4	L	4-06							24	#4 @12" U BAR.	
1086	MT	SW-85-REF.S505A																		
1087	MT	1'6"THK7'-9"HEIGHT WALL -REF-S505A-(25'-10"LFT)																		
1088	TR	BF		G60	36			2	19/6	S	7-10							847	#6 @9" VERT.ES&IS.	
1089	TR	BF		G60	8			2	19/6	S	25-10							621	#6 #12" HORIZ.T&S	
1090	TR	BF		G60	27			1	13/4	L	4-06							81	#4 @12" U BAR.	
1091	MT	SW-69-REF.S505B																		
1092	MT	1'6"THK11'-0"HEIGHT WALL -REF-S505B-(26'-0"LFT)																		
1093	TR	BF		G60	36			2	19/6	S	11-00							1,190	#6 @9" VERT.ES&IS.	
1094	TR	BF		G60	12			2	19/6	S	26-00							937	#6 #12" HORIZ.T&S	
1095	TR	BF		G60	27			1	13/4	L	4-06							81	#4 @12" U BAR.	
1096	MT	SW-74-REF.S505B																		
1097	MT	1'6"THK10'-4"HEIGHT WALL -REF-S505B-(15'-6"LFT)																		
1098	TR	BF		G60	22			2	19/6	S	10-04							683	#6 @9" VERT.ES&IS.	

INT-080 - REBUILD BY DESIGN HUDSON RIVER

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
1099	TR	BF		G60	12			2	19/6	S	15-06							559	#6 #12" HORIZ.T&S
1100	TR	BF		G60	17			1	13/4	L	4-06							51	#4 @12" U BAR.
1101	MT	SW-109-REF.S505B																	
1102	MT	1'6"THK7'-5"HEIGHT WALL -REF-S505B-(16'-9"LFT)																	
1103	TR	BF		G60	25			2	19/6	S	7-05							557	#6 @9" VERT.ES&IS.
1104	TR	BF		G60	8			2	19/6	S	16-09							403	#6 #12" HORIZ.T&S
1105	TR	BF		G60	18			1	13/4	L	4-06							54	#4 @12" U BAR.
1106	MT	SW-102-REF.S505B																	
1107	MT	1'6"THK5'-3"HEIGHT WALL -REF-S505B-(19'-11"LFT)																	
1108	TR	BF		G60	28			2	19/6	S	9-03							778	#6 @9" D/V.ES&IS.
1109	TR	BF		G60	6			2	19/6	S	18-103							341	#6 #12" HORIZ.T&S
1110	TR	BF		G60	21			1	13/4	L	4-06							63	#4 @12" U BAR.
1111	MT	SW-98-REF.S505B																	
1112	MT	1'6"THK10'-11"HEIGHT WALL -REF-S505B-(16'-9"LFT)																	
1113	TR	BF		G60	24			2	19/6	S	10-103							786	#6 @9" VERT.ES&IS.
1114	TR	BF		G60	11			2	19/6	S	16-09							553	#6 #12" HORIZ.T&S
1115	TR	BF		G60	18			1	13/4	L	4-06							54	#4 @12" U BAR.
1116	MT	SW-70 -REF.S525																	
1117	MT	1'6"THK6'-11"HEIGHT WALL -REF-S525-(40'-0"LFT)																	
1118	TR	BF		G60	55			2	19/6	S	6-103							1,139	#6 @9" VERT.ES&IS.
1119	TR	BF		G60	11			2	19/6	S	43-00							1,421	#6 #9" HORIZ.T&S
1120	TR	BF		G60	42			1	13/4	L	4-06							126	#4 @12" U BAR.
1121	MT	SW-73 -REF.S525																	
1122	MT	1'6"THK11'-0"HEIGHT WALL -REF-S525-(40'-0"LFT)																	
1123	TR	BF		G60	55			2	19/6	S	11-00							1,818	#6 @9" VERT.ES&IS.
1124	TR	BF		G60	16			2	19/6	S	43-00							2,067	#6 #9" HORIZ.T&S
1125	TR	BF		G60	42			1	13/4	L	4-06							126	#4 @12" U BAR.
1126	MT	SW-100 -REF.S525																	
1127	MT	1'6"THK9'-10"HEIGHT WALL -REF-S525-(50'-0"LFT)																	
1128	TR	BF		G60	68			2	19/6	S	9-10							2,009	#6 @9" VERT.ES&IS.
1129	TR	BF		G60	14			2	19/6	S	56-00							2,355	#6 #9" HORIZ.T&S
1130	TR	BF		G60	52			1	13/4	L	4-06							156	#4 @12" U BAR.
1131	MT	SW-103 -REF.S525																	
1132	MT	1'6"THK5'-4"HEIGHT WALL -REF-S525-(30'-6"LFT)																	
1133	TR	BF		G60	42			2	19/6	S	8-043							1,059	#6 @9"D/V.ES&IS.
1134	TR	BF		G60	9			2	19/6	S	33-071							909	#6 #9" HORIZ.T&S
1135	TR	BF		G60	32			1	13/4	L	4-06							96	#4 @12" U BAR.
1136	MT	SW-108 -REF.S525																	
1137	MT	1'6"THK7'-6"HEIGHT WALL -REF-S525-(40'-0"LFT)																	
1138	TR	BF		G60	55			2	19/6	S	7-06							1,239	#6 @9" VERT.ES&IS.
1139	TR	BF		G60	11			2	19/6	S	43-00							1,421	#6 #9" HORIZ.T&S
1140	TR	BF		G60	42			1	13/4	L	4-06							126	#4 @12" U BAR.
1141	MT	SW-86 -REF.S525																	
1142	MT	1'6"THK5'-6"HEIGHT WALL -REF-S525-(56'-2"LFT)																	
1143	TR	BF		G60	76			2	19/6	S	11-06							2,625	#6 @9" D/V.ES&IS.
1144	TR	BF		G60	15			2	19/6	S	62-02							2,801	#6 #9" HORIZ.T&S
1145	TR	BF		G60	57			1	13/4	L	4-06							171	#4 @12" U BAR.
1146	MT	SW-101 -REF.S525																	
1147	MT	1'6"THK10'-8"HEIGHT WALL -REF-S525-(17'-3"LFT)																	
1148	TR	BF		G60	35			2	19/6	S	10-08							1,121	#6 @6" VERT.ES&IS.
1149	TR	BF		G60	11			2	19/6	S	17-03							570	#6 #12" HORIZ.T&S
1150	TR	BF		G60	19			1	13/4	L	4-06							57	#4 @12" U BAR.
1151	MT	SW-34 -REF.S505A																	
1152	MT	1'6"THK11'-3"HEIGHT WALL -REF-S505A-(33'8"LFT)																	
1153	TR	BF		G60	46			2	29/9	S	11-022							3,506	#6 @9" VERT.ES&IS.
1154	TR	BF		G60	13			2	19/6	S	39-08							1,549	#6 #12" HORIZ.T&S
1155	TR	BF		G60	35			1	13/4	L	4-06							105	#4 @12" U BAR.
1156	MT	SW-33 -REF.S527																	
1157	MT	1'6"THK11'-3"HEIGHT WALL -REF-S527-(108'2"LFT)																	
1158	TR	BF		G60	146			2	29/9	S	11-09							11,664	#6 @9" VERT.EF.
1159	TR	BF		G60	13			2	19/6	S	120-02							4,693	#6 #9" HORIZ.EF.

INT-080 - REBUILD BY DESIGN HUDSON RIVER

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
1160	TR	BF		G60	110			1	13/4	L	4-06							331	#4 @12" U BAR.
1161	TR	BF		G60	146			2	19/6	S	8-02							3,581	#6 @9" VERT.EF.
1162	TR	BF		G60	9			2	19/6	S	120-02							3,249	#6 @12" HORIZ.EF
1163	TR	BF		G60	110			1	13/4	L	4-06							331	#4 @12" U BAR.
1164	MT	SW-32 -REF.S524																	
1165	MT	1'6"THK12'-2"HEIGHT WALL -REF-S524-(137'-9"LFT)																	
1166	TR	BF		G60	185			2	19/6	S	12-02							6,761	#6 @9" VERT.EF.
1167	TR	BF		G60	18			2	19/6	S	152-09							8,259	#6 #9" HORIZ.EF.
1168	TR	BF		G60	140			1	13/4	H	4-06							421	#4 @12" U BAR.
1169	TR	BF		G60	185			2	19/6	S	8-082							4,839	#6 @9" D/V.EF.
1170	TR	BF		G60	8			2	19/6	S	152-09							3,671	#6 @9" HORIZ.EF
1171	TR	BF		G60	140			1	13/4	L	4-06							421	#4 @12" U BAR.
1172	MT	SW-31 -REF.S507B																	
1173	MT	1'6"THK11'-9"HEIGHT WALL -REF-S507B-(24'-6"LFT)																	
1174	TR	BF		G60	33			2	19/6	S	11-09							1,165	#6 @9" VERT.EF.
1175	TR	BF		G60	17			2	19/6	S	10-07							541	#6 #9" HORIZ.EF.
1176	TR	BF		G60	26			1	13/4	L	4-06							78	#4 @12" U BAR.
1177	TR	BF		G60	4			2	19/6	H	8-10							106	#6 @12" D/V.
1178	TR	BF		G60	3			2	19/6	S	3-00							27	#6 @12" HORIZ.EF
1179	TR	BF		G60	3			1	13/4	L	4-06							9	#4 @12" U BAR.
1180	MT	SW-19 -REF.S506A																	
1181	MT	1'6"THK10'-6"HEIGHT WALL -REF-S506A-(17'-2"LFT)																	
1182	TR	BF		G60	24			2	19/6	S	10-06							757	#6 @9" VERT.EF.
1183	TR	BF		G60	15			2	19/6	S	17-02							773	#6 #9" HORIZ.EF.
1184	TR	BF		G60	18			1	13/4	L	4-06							54	#4 @12" U BAR.
1185	MT	SW-87 -REF.S517A																	
1186	MT	1'6"THK5'-6"HEIGHT WALL -REF-S517A-(25'-0"LFT)																	
1187	TR	BF		G60	34			2	19/6	S	10-06							1,072	#6 @9" D/V.EF.
1188	TR	BF		G60	12			2	19/6	S	25-00							901	#6 #12" HORIZ.EF.
1189	TR	BF		G60	26			1	13/4	S	4-06							78	#4 @12" U BAR.
1190	MT	SW-77 -REF.S415																	
1191	MT	1'6"THK9'-6"HEIGHT WALL -REF-S415-(132'-0"LFT)																	
1192	TR	BF		G60	177			2	19/6	S	9-06							5,052	#6 @9" EF.VERT.
1193	TR	BF		G60	13			2	19/6	S	144-00							5,623	#6 @9" EF.HORIZ.
1194	TR	BF		G60	134			1	13/4	L	5-06							492	#4 @12" U BAR.
1195	GI	Segment: FOUNDATION SOUTH Sub-Segment: CONCRETE PILASTER																	
1196	MT	SW-18 (2'-6"X2'-0"X11'-6") -REF-S505A																	
1197	TR	BF		G60	12			2	25/8	S	11-06							737	12-#8 VERT.
1198	TR	BF		G60	25			2	22/7	L	9-08							988	#4 @6" TIES.
1199	TR	BF		G60	3			2	13/4	L	5-00							20	#4 @12" U BAR.
1200	MT	SW-47 (2'-6"X2'-6"X7'-6") -REF-S505A																	
1201	TR	BF		G60	12			2	25/8	S	7-06							481	12-#8 VERT.
1202	TR	BF		G60	15			2	13/4	L	10-08							214	#4 @6" TIES.
1203	TR	BF		G60	3			2	13/4	L	5-06							22	#4 @12" U BAR.
1204	MT	SW-62 (2'-6"X2'-6"X10'-0") -REF-S503A																	
1205	TR	BF		G60	12			2	25/8	S	10-00							641	12-#8 VERT.
1206	TR	BF		G60	21			2	13/4	L	10-08							299	#4 @6" TIES.
1207	TR	BF		G60	3			2	13/4	L	5-06							22	#4 @12" U BAR.
1208	MT	SW-85 (2'-6"X2'-6"X8'3") -REF-S505A																	
1209	TR	BF		G60	8			2	25/8	S	8-03							352	8-#8 VERT.
1210	TR	BF		G60	18			2	13/4	L	10-08							256	#4 @6" TIES.
1211	TR	BF		G60	3			2	13/4	L	5-06							22	#4 @12" U BAR.
1212	MT	SW-69 (2'-6"X2'-6"X11'0") -REF-S505B																	
1213	TR	BF		G60	12			2	25/8	S	11-00							705	12-#8 VERT.
1214	TR	BF		G60	23			2	13/4	L	10-08							328	#4 @6" TIES.
1215	TR	BF		G60	3			2	13/4	L	5-06							22	#4 @12" U BAR.
1216	MT	SW-74 (2'-6"X2'-6"X10'-4") -REF-S505B																	
1217	TR	BF		G60	12			2	25/8	S	10-04							662	12-#8 VERT.
1218	TR	BF		G60	22			2	13/4	L	10-08							313	#4 @6" TIES.
1219	TR	BF		G60	3			2	13/4	L	5-06							22	#4 @12" U BAR.
1220	MT	SW-109 (2'-6"X2'-6"X7'-5") -REF-S505B																	

INT-080 - REBUILD BY DESIGN HUDSON RIVER

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes	
1221	TR	BF		G60	9			2	25/8	S	7-05							357	9-#8 VERT.	
1222	TR	BF		G60	16			2	13/4	L	10-08							228	#4 @6" TIES.	
1223	TR	BF		G60	3			2	13/4	L	5-06							22	#4 @12" U BAR.	
1224	MT	SW-102 (2'-0"X2'-0"X5'-3") -REF-S505B																		
1225	TR	BF		G60	9			2	25/8	H	7-05							357	9-#8 D/V.	
1226	TR	BF		G60	16			2	13/4	L	9-08							207	#4 @6" TIES.	
1227	TR	BF		G60	3			2	13/4	L	5-06							22	#4 @12" U BAR.	
1228	MT	SW-98 (2'-0"X2'-0"X10'-11") -REF-S505B																		
1229	TR	BF		G60	16			2	25/8	H	10-103							931	16-#8 VERT.	
1230	TR	BF		G60	23			2	13/4	L	9-08							297	#4 @6" TIES.	
1231	TR	BF		G60	3			2	13/4	L	5-06							22	#4 @12" U BAR.	
1232	MT	SW-101 (3'-0"X3'-0"X10'-8") -REF-S505B																		
1233	TR	BF		G60	16			2	25/8	H	10-08							911	16-#8 VERT.	
1234	TR	BF		G60	23			2	13/4	L	12-08							389	#4 @6" TIES.	
1235	TR	BF		G60	3			2	13/4	L	6-00							24	#4 @12" U BAR.	
1236	MT	SW-34 (3'-6"X3'-6"X11'-3") -REF-S505B																		
1237	TR	BF		G60	22			2	25/8	H	11-031							1,324	22-#8 VERT.	
1238	TR	BF		G60	23			2	13/4	L	14-08							451	#4 @6" TIES.	
1239	TR	BF		G60	23			2	13/4	L	9-08							297	#4 @5" TIES.	
1240	TR	BF		G60	23			2	13/4	L	4-02							128	#4 @5" TIES.	
1241	TR	BF		G60	4			2	13/4	L	6-06							35	#4 @12" U BAR.	
1242	MT	SW-31 (4'-6"X4'-6"X11'-9") -REF-S507B																		
1243	TR	BF		G60	28			2	25/8	H	11-09							1,757	28-#8 VERT.	
1244	TR	BF		G60	25			2	13/4	L	19-003							637	#4 @6" TIES.	
1245	TR	BF		G60	25			2	13/4	L	11-102							397	#4 @5" TIES.	
1246	TR	BF		G60	25			2	13/4	L	11-102							397	#4 @5" TIES.	
1247	TR	BF		G60	5			2	13/4	L	7-071							51	#4 @12" U BAR.	
1248	MT	SW-19 (3'-0"X3'-0"X10'-6") -REF-S506A																		
1249	TR	BF		G60	16			2	25/8	S	10-06							897	16-#8 VERT.	
1250	TR	BF		G60	22			2	13/4	L	12-08							372	#4 @6" TIES.	
1251	TR	BF		G60	4			2	13/4	L	6-00							32	#4 @12" U BAR.	
1252	MT	SW-87 (3'-0"X3'-0"X5'-6") -REF-S517A																		
1253	TR	BF		G60	16			2	25/8	H	10-10							926	16-#8 D/V.	
1254	TR	BF		G60	12			2	13/4	L	12-08							203	#4 @6" TIES.	
1255	TR	BF		G60	4			2	13/4	L	6-00							32	#4 @12" U BAR.	
1256	MT	SW-77 - (2'-0"X2'-0"X10'-0") - (2 EACH) - REF-S516C																		
1257	TR	BF		G60	4			2	19/6	S	10-00							120	4-#6 VERT.	
1258	TR	BF		G60	22			2	13/4	L	8-08							255	#4 @6" TIES.	
1259	TR	BF		G60	3			2	13/4	L	5-00							20	#4 @12" U BAR.	
1260	TR	BF		G60	4			2	19/6	H	7-00							84	4-#6 DWLS	
1261	GI	Segment: SITE WORK Sub-Segment: BRIDGE																		
1262	MT	PILE CAP																		
1263	MT	PC4 REF. 02/CPFS200 (4 EACH)																		
1264	TR	RA		E60		0-10	0-10	2*4	29/9	H	6-06	6-06	1-06	1-06	1-06	50D	30-00	4,652	#9 @10" EW. T&B.	
1265	MT	PC8 REF. 02/CPFS200 (1 EACH)																		
1266	TR	RA		E60		0-10	1-00	2	29/9	H	13-06	6-06	1-06	1-06	1-06	50D	30-00	1,593	#9 @10" LW, #7 @12" SW.	
1267	MT	GRADE BEAM																		
1268	MT	GB-01 REF. 03/CPFS200 (183 LFT)																		
1269	TR	LS		E60	8				29/9	H	183-00	1-06	1-06		1	50D	30-00	5,834	8-#9 TOP. CONT.	
1270	TR	LS		E60	3				29/9	H	183-00	1-06	1-06		1	40D	30-00	2,132	3-#9 BOT.	
1271	TR	TA		E60		183-00	1-00		16/5	L	2-00	1-06			3			1,560	#5 @12" TIES.	
1272	TR	BF		E60		183-00	1-00		16/5	L	2-06	0-08						608	#5 @12" LINKS	
1273	MT	CONCRETE PIER																		
1274	MT	38X38 PIER REF. 04/CPFS200																		
1275	TR	BF		E60	12			1	29/9	H	15-00	1-06						673	12-#9 VERT.	
1276	TR	TA		E60		13-00	1-00	1	13/4	L	3-02	3-02			5			170	#4 @12" TIES.	
1277	TR	TA		E60		13-00	1-00	2	13/4	L	3-02	1-06			3			229	#4 @12" TIES.	
1278	MT	38X38 PIER REF. 04/CPFS200																		
1279	TR	BF		E60	12			1	29/9	H	13-05	1-06						609	12-#9 VERT.	
1280	TR	TA		E60		12-00	1-00	1	13/4	L	3-02	3-02			5			161	#4 @12" TIES.	
1281	TR	TA		E60		12-00	1-00	2	13/4	L	3-02	1-06			3			215	#4 @12" TIES.	

INT-080 - REBUILD BY DESIGN HUDSON RIVER

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes	
1282	MT	PIER TIES REF. 01/CPFS200																		
1283	TR	TA		E60	3			5	13/4	L	3-02	3-02			0			134	3-#4 TIES.	
1284	GI	Segment: SITE WORK Sub-Segment: PLAY GROUND																		
1285	MT	CONCRETE PIER																		
1286	MT	FOUNDATION REF. 3/CPS406 (31 EACH)																		
1287	TR	BF		E60	4			31	29/9	H	3-04	1-06	1-06					2,670	4-#9 VERT.	
1288	TR	TA		E60		3-04	1-00	31	13/4	L	1-08	1-08			2			1,075	#4 @12" TIES.	
1289	MT	CONTINUOUS FOOTING																		
1290	MT	1'-8" WIDE CONT. FOOTING REF. 1/CPS404 (215 LFT)																		
1291	TR	LS		E60		1-08	1-00	2	16/5	S	215-00				1	50D	30-00	1,462	#5 @12" CONT. T.&B.	
1292	TR	BF		E60		215-00	1-00	2	16/5	H	0-06	1-08	0-06					1,200	#5 @12" TRANS. T.&B.	
1293	MT	CONCRETE WALL																		
1294	MT	6" THK WALL (95 LFT)																		
1295	TR	BF		E60		95-00	1-00	1	16/5	H	5-00	0-10	0-02	0-06				651	#5 @12" VERT.	
1296	TR	LS		E60		4-00	1-00		16/5	S	95-00				1	50D	30-00	537	#5 @12" H.	
1297	MT	12" THK WALL (130 LFT)																		
1298	TR	BF		E60		95-00	1-00	2	16/5	H	5-00	0-10	0-02	0-06				1,302	#5 @12" VERT. EF	
1299	TR	LS		E60		4-00	1-00	2	16/5	S	95-00				1	50D	30-00	1,074	#5 @12" H.	
1300	GI	Segment: SITE WORK Sub-Segment: NORTH DECK																		
1301	MT	CONCRETE PIER																		
1302	MT	FOUNDATION REF. 3/CPS406 (78 EACH)																		
1303	TR	BF		E60	4			78	29/9	H	3-04	1-06	1-06					6,717	4-#9 VERT.	
1304	TR	TA		E60		3-04	1-00	78	13/4	L	1-08	1-08			2			2,704	#4 @12" TIES.	
1305	MT	CONTINUOUS FOOTING																		
1306	MT	1'-8" WIDE CONT. FOOTING REF. 2/CPS404 (338 LFT)																		
1307	TR	LS		E60		1-08	1-00	2	16/5	S	338-00				1	50D	30-00	2,315	#5 @12" CONT. T.&B.	
1308	TR	BF		E60		338-00	1-00	2	16/5	H	0-06	1-08	0-06					1,884	#5 @12" TRANS. T.&B.	
1309	MT	CONCRETE WALL																		
1310	MT	8" THK WALL (338 LFT)																		
1311	TR	BF		E60		338-00	1-00	1	16/5	H	5-00	0-10	0-02	0-06				2,298	#5 @12" VERT.	
1312	TR	LS		E60		4-00	1-00		16/5	S	338-00				1	50D	30-00	1,930	#5 @12" H.	
1313	GI	Segment: SITE WORK Sub-Segment: MEADOW ROOM DECK																		
1314	MT	CONCRETE PIER																		
1315	MT	FOUNDATION REF. 3/CPS406 (10 EACH)																		
1316	TR	BF		E60	4			10	29/9	H	3-04	1-06	1-06					861	4-#9 VERT.	
1317	TR	TA		E60		3-04	1-00	10	13/4	L	1-08	1-08			2			347	#4 @12" TIES.	
1318	MT	CONTINUOUS FOOTING																		
1319	MT	1'-8" WIDE CONT. FOOTING REF. 2/CPS404 (10 LFT)																		
1320	TR	LS		E60		1-08	1-00	2	16/5	S	10-00				1	50D	30-00	63	#5 @12" CONT. T.&B.	
1321	TR	BF		E60		10-00	1-00	2	16/5	H	0-06	1-08	0-06					61	#5 @12" TRANS. T.&B.	
1322	MT	CONCRETE WALL																		
1323	MT	8" THK WALL (10 LFT)																		
1324	TR	BF		E60		10-00	1-00	1	16/5	H	5-00	0-10	0-02	0-06				75	#5 @12" VERT.	
1325	TR	LS		E60		4-00	1-00		16/5	S	10-00				1	50D	30-00	52	#5 @12" H.	
1326	GI	Segment: SITE WORK Sub-Segment: MEADOW ROOM																		
1327	MT	CONCRETE PIER																		
1328	MT	FOUNDATION REF. 3/CPS406 (31 EACH)																		
1329	TR	BF		E60	4			31	29/9	H	3-04	1-06	1-06					2,670	4-#9 VERT.	
1330	TR	TA		E60		3-04	1-00	31	13/4	L	1-08	1-08			2			1,075	#4 @12" TIES.	
1331	MT	CONTINUOUS FOOTING																		
1332	MT	1'-8" WIDE CONT. FOOTING REF. 2/CPS404 (22 LFT)																		
1333	TR	LS		E60		1-08	1-00	2	16/5	S	22-00				1	50D	30-00	138	#5 @12" CONT. T.&B.	
1334	TR	BF		E60		22-00	1-00	2	16/5	H	0-06	1-08	0-06					128	#5 @12" TRANS. T.&B.	
1335	MT	CONCRETE WALL																		
1336	MT	8" THK WALL (22 LFT)																		
1337	TR	BF		E60		22-00	1-00	1	16/5	H	5-00	0-10	0-02	0-06				156	#5 @12" VERT.	
1338	TR	LS		E60		4-00	1-00		16/5	S	22-00				1	50D	30-00	115	#5 @12" H.	
1339	GI	Segment: SITE WORK Sub-Segment: PORTLAND LOO																		
1340	MT	SLAB ON GRADE																		
1341	MT	6" THK SOG																		
1342	MT	REF. 2/CPS406 (28 LFT)																		

INT-080 - REBUILD BY DESIGN HUDSON RIVER

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
1343	TR	LS		E60	2			1	13/4	S	28-00				1	50D	30-00	37	2-#4 CONT.
1344	TR	BF		E60		28-00	0-06		13/4	L	1-00	1-06	1-06					152	#4 @6" DWL.
1345	TR	RA		E60		0-06	0-06	2	13/4	L	7-06	7-06	S90	S90	S90	50D	30-00	352	#4 @6" EW. T&B.
1346	GI	Segment: SITE WORK Sub-Segment: SHADE CANOPY																	
1347	MT	.PAD FOOTING																	
1348	MT	REF. 1/CPS401 (2 EACH)																	
1349	TR	BF		E60		8-00	1-00	2*2*2	25/8	H	8-00	1-04						1,794	#8 @12" EW. T&B.
1350	TR	BF		E60	6			2	13/4	L	3-00	1-06	5-00					76	#4 STANDEE.
1351	TR	TA		E60	3			2	13/4	L	2-00	2-00			0			35	3-#4 STIR.
1352	TR	BF		E60		8-00	1-00	2*2	13/4	S	8-00							192	#4 @12" EW.
1353	MT	GRADE BEAM																	
1354	MT	GB-01 (39 LFT)																	
1355	TR	BF		E60	3			1	29/9	H	39-00	5-00	1-06	1-06				479	3-#9 BOT.
1356	TR	BF		E60	4			2	29/9	H	39-00	5-00	1-06	1-06				1,278	4-#9 TOP. 2 LAYER
1357	TR	TA		E60		39-00	1-00	1	16/5	L	2-00	2-06			0			417	#5 @12" TIES.
1358	TR	BF		E60		39-00	1-00	1	16/5	L	2-08							111	#5 @12" HOOK.
1359	GI	Segment: SITE WORK Sub-Segment: TRELIS CANOPY																	
1360	MT	PAD FOOTING																	
1361	MT	REF. 2/CPS401 (01 EACH)																	
1362	TR	BF		E60		8-00	1-00	2*2	25/8	H	8-00	1-04						897	#8 @12" EW. T&B.
1363	TR	BF		E60	6			1	13/4	L	3-00	1-06	3-00					30	#4 STANDEE.
1364	MT	CONCRETE PIER																	
1365	MT	REF. 2/CPS401 (01 EACH)																	
1366	TR	BF		E60	12			1	29/9	H	3-06	2-00	1-06					286	12-#9 VERT.
1367	TR	TA		E60		3-06	1-00	1	13/4	L	3-02	3-02			1			54	#4 @12" TIES.
1368	TR	BF		S60	8			1	32/10	S	3-00							103	8-#10 SS. T/B.
1369	GI	Segment: SITE WORK Sub-Segment: RETAINING WALL																	
1370	MT	RETAINING WALL FOOTING																	
1371	MT	WALL ELEVATION REF. 01/CPS600																	
1372	MT	5'-6" WIDE FOOTING REF. B/CPS600 (61 LFT)																	
1373	TR	LS		E60		5-06	1-00	2	19/6	S	61-00				1	50D	30-00	1,416	#6 @12" CONT. T&B.
1374	TR	BF		E60		61-00	1-00	2	29/9	S	5-06							2,318	#9 @12" TRANS T&B.
1375	TR	BF		E60		61-00	1-00	2	19/6	H	2-00	2-00						745	#6 @12" HOOK.
1376	MT	8'-6" WIDE FOOTING REF. B/CPS600 (60 LFT)																	
1377	TR	LS		E60		8-06	1-00	2	19/6	S	60-00				1	50D	30-00	1,898	#6 @12" CONT. T&B.
1378	TR	BF		E60		60-00	1-00	2	29/9	S	8-06							3,526	#9 @12" TRANS T&B.
1379	TR	BF		E60		60-00	1-00	2	19/6	H	2-00	2-00						733	#6 @12" HOOK.
1380	MT	12'-6" WIDE FOOTING REF. B/CPS600 (53 LFT)																	
1381	TR	LS		E60		12-06	1-00	2	19/6	S	53-00				1	50D	30-00	2,362	#6 @12" CONT. T&B.
1382	TR	BF		E60		53-00	1-00	2	29/9	S	12-06							4,590	#9 @12" TRANS T&B.
1383	TR	BF		E60		53-00	1-00	2	19/6	H	2-06	2-00						730	#6 @12" HOOK.
1384	MT	WALL ELEVATION REF. 02/CPS600																	
1385	MT	12'-6" WIDE FOOTING REF. B/CPS600 (81 LFT)																	
1386	TR	LS		E60		12-06	1-00	2	19/6	S	81-00				1	50D	30-00	3,673	#6 @12" CONT. T&B.
1387	TR	BF		E60		81-00	1-00	2	29/9	S	12-06							6,970	#9 @12" TRANS T&B.
1388	TR	BF		E60		81-00	1-00	2	19/6	H	2-06	2-00						1,109	#6 @12" HOOK.
1389	MT	WALL ELEVATION REF. 04/CPS600																	
1390	MT	5'-6" WIDE FOOTING REF. B/CPS600 (39 LFT)																	
1391	TR	LS		E60		5-06	1-00	2	19/6	S	39-00				1	50D	30-00	887	#6 @12" CONT. T&B.
1392	TR	BF		E60		39-00	1-00	2	29/9	S	5-06							1,496	#9 @12" TRANS T&B.
1393	TR	BF		E60		39-00	1-00	2	19/6	H	2-00	2-00						481	#6 @12" HOOK.
1394	MT	WALL ELEVATION REF. 01,02/CPS601																	
1395	MT	5'-6" WIDE FOOTING REF. B/CPS600 (185 LFT)																	
1396	TR	LS		E60		5-06	1-00	2	19/6	S	185-00				1	50D	30-00	4,290	#6 @12" CONT. T&B.
1397	TR	BF		E60		185-00	1-00	2	29/9	S	5-06							6,955	#9 @12" TRANS T&B.
1398	TR	BF		E60		185-00	1-00	2	19/6	H	2-00	2-00						2,236	#6 @12" HOOK.
1399	MT	WALL ELEVATION REF. 01,02/CPS601																	
1400	MT	8'-6" WIDE FOOTING REF. B/CPS600 (145 LFT)																	
1401	TR	LS		E60		8-06	1-00	2	19/6	S	145-00				1	50D	30-00	4,831	#6 @12" CONT. T&B.
1402	TR	BF		E60		145-00	1-00	2	29/9	S	8-06							8,439	#9 @12" TRANS T&B.
1403	TR	BF		E60		145-00	1-00	2	19/6	H	2-00	2-00						1,755	#6 @12" HOOK.

INT-080 - REBUILD BY DESIGN HUDSON RIVER

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes	
1404	MT	WALL ELEVATION REF. 01,02/CPS601																		
1405	MT	12'-6" WIDE FOOTING REF. B/CPS600 (50 LFT)																		
1406	TR	LS		E60		12-06	1-00	2	19/6	S	50-00				1	50D	30-00	2,236	#6 @12" CONT. T&B.	
1407	TR	BF		E60		50-00	1-00	2	29/9	S	12-06							4,335	#9 @12" TRANS T&B.	
1408	TR	BF		E60		50-00	1-00	2	19/6	H	2-06	2-00						690	#6 @12" HOOK.	
1409	MT	CONCRETE WALL																		
1410	MT	WALL ELEVATION REF. 01/CPS600																		
1411	MT	5'-6" WIDE FOOTING REF. B/CPS600 (61 LFT)																		
1412	TR	BF		E60		61-00	1-00	1	16/5	H	2-06	2-00	0-10					345	#5 @12" D/V. IF.	
1413	TR	BF		E60		61-00	0-10	1	19/6	H	2-06	2-00	1-00					620	#6 @10" D/V. EF.	
1414	TR	LS		E60		2-06	1-00	2	19/6	S	61-00				1	50D	30-00	809	#6 @12" H. EF.	
1415	TR	BF		E60		61-00	0-10		19/6	H	2-06	2-06	1-00					676	#6 @10" U BAR.	
1416	MT	8'-6" WIDE FOOTING REF. B/CPS600 (60 LFT)																		
1417	TR	BF		E60		60-00	1-00	1	16/5	H	2-06	2-00	0-10					339	#5 @12" DOWEL. IF.	
1418	TR	BF		E60		60-00	0-08	1	25/8	H	4-00	2-00	1-04					1,782	#8 @8" DWL. EF.	
1419	TR	BF		E60		60-00	1-00	1	16/5	S	8-06							541	#5 @12" VERT. IF.	
1420	TR	BF		E60		60-00	0-08	1	25/8	S	8-06							2,065	#8 @8" VERT. EF.	
1421	TR	LS		E60		8-06	1-00	2	19/6	S	60-00				1	50D	30-00	1,898	#6 @12" H. EF.	
1422	TR	BF		E60		60-00	0-08		25/8	H	2-06	2-06	1-00					1,458	#8 @8" U BAR.	
1423	MT	12'-6" WIDE FOOTING REF. B/CPS600 (53 LFT)																		
1424	TR	BF		E60		53-00	1-00	1	16/5	H	2-06	2-00	0-10					300	#5 @12" DOWEL. IF.	
1425	TR	BF		E60		53-00	0-06	1	32/10	H	5-00	5-06	1-06					5,524	#10 @6" DWL. EF.	
1426	TR	BF		E60		53-00	1-00	1	16/5	S	13-06							760	#5 @12" VERT. IF.	
1427	TR	BF		E60		53-00	0-06	1	32/10	S	13-06							6,216	#10 @6" VERT. EF.	
1428	TR	LS		E60		13-06	1-00	2	19/6	S	53-00				1	50D	30-00	2,531	#6 @12" H. EF.	
1429	TR	BF		E60		53-00	0-06		32/10	H	2-06	2-06	1-00					2,763	#10 @6" U BAR.	
1430	MT	WALL ELEVATION REF. 02/CPS600																		
1431	MT	12'-6" WIDE FOOTING REF. B/CPS600 (81 LFT)																		
1432	TR	BF		E60		81-00	1-00	1	16/5	H	2-06	2-00	0-10					456	#5 @12" DOWEL. IF.	
1433	TR	BF		E60		81-00	0-06	1	32/10	H	5-00	5-06	1-06					8,415	#10 @6" DWL. EF.	
1434	TR	BF		E60		81-00	1-00	1	16/5	S	14-00							1,197	#5 @12" VERT. IF.	
1435	TR	BF		E60		81-00	0-06	1	32/10	S	14-00							9,819	#10 @6" VERT. EF.	
1436	TR	LS		E60		14-00	1-00	2	19/6	S	81-00				1	50D	30-00	3,935	#6 @12" H. EF.	
1437	TR	BF		E60		81-00	0-06		32/10	H	2-06	2-06	1-00					4,209	#10 @6" U BAR.	
1438	MT	WALL ELEVATION REF. 04/CPS600																		
1439	MT	5'-6" WIDE FOOTING REF. B/CPS600 (39 LFT)																		
1440	TR	BF		E60		39-00	1-00	1	16/5	H	2-06	2-00	0-10					223	#5 @12" DWL. IF.	
1441	TR	BF		E60		39-00	0-10	1	19/6	H	3-00	2-00	1-00					433	#6 @10" DWL. EF.	
1442	TR	BF		E60		39-00	1-00	1	16/5	S	7-00							292	#5 @12" VERT. IF.	
1443	TR	BF		E60		39-00	0-10	1	19/6	H	7-00							505	#6 @10" VERT. EF.	
1444	TR	LS		E60		7-00	1-00	2	19/6	S	39-00				1	50D	30-00	1,013	#6 @12" H. EF.	
1445	TR	BF		E60		39-00	0-10		19/6	H	2-06	2-06	1-00					433	#6 @10" U BAR.	
1446	MT	WALL ELEVATION REF. 01,02/CPS601																		
1447	MT	5'-6" WIDE FOOTING REF. B/CPS600 (185 LFT)																		
1448	TR	BF		E60		185-00	1-00	1	16/5	H	2-06	2-00	0-10					1,035	#5 @12" DWL. IF.	
1449	TR	BF		E60		185-00	0-10	1	19/6	H	3-00	2-00	1-00					2,010	#6 @10" DWL. EF.	
1450	TR	BF		E60		185-00	1-00	1	16/5	S	7-00							1,358	#5 @12" VERT. IF.	
1451	TR	BF		E60		185-00	0-10	1	19/6	H	7-00							2,345	#6 @10" VERT. EF.	
1452	TR	LS		E60		7-00	1-00	2	19/6	S	185-00				1	50D	30-00	4,903	#6 @12" H. EF.	
1453	TR	BF		E60		185-00	0-10		19/6	H	2-06	2-06	1-00					2,010	#6 @10" U BAR.	
1454	MT	WALL ELEVATION REF. 01,02/CPS601																		
1455	MT	8'-6" WIDE FOOTING REF. B/CPS600 (145 LFT)																		
1456	TR	BF		E60		145-00	1-00	1	16/5	H	2-06	2-00	0-10					812	#5 @12" DOWEL. IF.	
1457	TR	BF		E60		145-00	0-08	1	25/8	H	4-00	2-00	1-04					4,288	#8 @8" DWL. EF.	
1458	TR	BF		E60		145-00	1-00	1	16/5	S	10-00							1,523	#5 @12" VERT. IF.	
1459	TR	BF		E60		145-00	0-08	1	25/8	S	10-00							5,847	#8 @8" VERT. EF.	
1460	TR	LS		E60		10-00	1-00	2	19/6	S	145-00				1	50D	30-00	5,315	#6 @12" H. EF.	
1461	TR	BF		E60		145-00	0-08		25/8	H	2-06	2-06	1-00					3,509	#8 @8" U BAR.	
1462	MT	WALL ELEVATION REF. 01,02/CPS601																		
1463	MT	12'-6" WIDE FOOTING REF. B/CPS600 (50 LFT)																		
1464	TR	BF		E60		50-00	1-00	1	16/5	H	2-06	2-00	0-10					284	#5 @12" DOWEL. IF.	

INT-080 - REBUILD BY DESIGN HUDSON RIVER

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes	
1465	TR	BF		E60		50-00	0-06	1	32/10	H	5-00	5-06	1-06					5,214	#10 @6" DWL. EF.	
1466	TR	BF		E60		50-00	1-00	1	16/5	S	12-00							638	#5 @12" VERT. IF.	
1467	TR	BF		E60		50-00	0-06	1	32/10	S	12-00							5,216	#10 @6" VERT. EF.	
1468	TR	LS		E60		12-00	1-00	2	19/6	S	50-00				1	50D	30-00	2,076	#6 @12" H. EF.	
1469	TR	BF		E60		50-00	0-06		32/10	H	2-06	2-06	1-00					2,608	#10 @6" U BAR.	
1470	GI	Segment: SITE WORK Sub-Segment: LIGHT POLE																		
1471	MT	LIGHT POLE REF. 4/CPS406 (32 EACH)																		
1472	TR	BF		E60		14-00	1-00	32	16/5	S	3-00							1,501	#5 @12"	
1473	TR	BF		E60		3-00	1-00	32	16/5	L	4-00	4-00	3-00	3-00	0-08			1,957	#5 @12" TIES.	
1474	GI	Segment: SITE WORK Sub-Segment: AMPHITHEATER SEATING																		
1475	TR	BF		E60		145-00	0-06		19/6	H	4-00	1-00						2,185	#6 @6" DWL.	
1476	TR	BF		E60		145-00	0-06		19/6	H	4-00	1-00	5-00					4,371	#6 @6" DWL.	
1477	TR	BF		E60		7-00	0-06		19/6	S	145-00	17-06						3,661	#6 @6" H.	
1478	TR	BF		E60		145-00	0-06		19/6	H	4-00	1-00						2,185	#6 @6" DWL.	
1479	TR	BF		E60		145-00	0-06		19/6	H	4-00	1-00	5-00					4,371	#6 @6" DWL.	
1480	TR	BF		E60		7-00	0-06		19/6	S	145-00	17-06						3,661	#6 @6" H.	
1481	TR	BF		E60		145-00	0-06		19/6	S	3-00							1,311	#6 @6" VERT.	
1482	TR	BF		E60		145-00	0-06		19/6	H	2-00	2-00	1-00					2,187	#6 @6" U BAR	
1483	MT	10" THK SLAB (2300 SQ.FT)																		
1484	TR	RA		E60		0-09	0-09	2	19/6	S	48-00	48-00				50D	30-00	19,982	#6 @9" EW. T&B.	
1485	TR	BF		E60		145-00	0-06	5	19/6	H	1-06	0-10	2-00	2-00				13,845	#6 @6" DWL.	
1486	TR	BF		E60		3-00	0-06	5	19/6	S	145-00	17-06						8,543	#6 @6" CONT.	
1487	GI	Segment: SITE WORK Sub-Segment: SITE WORK																		
1488	MT	FENCE REF. CPL610 (846 LFT)																		
1489	TR	LS		E60	4			1	16/5	S	846-00				1	48D	30-00	3,842	4-#5 CONT.	
1490	TR	BF		E60		846-00	1-00		16/5	L	1-06	1-06	1-00	1-00	0-08			5,005	#5 @12" STIR.	
1491	TR	BF		E60	2			85	16/5	H	4-00							709	#5 U BAR	
1492	MT	GUARD RAIL FOUNDATION REF. CPL610 (1075 LFT)																		
1493	TR	LS		E60	4			1	16/5	S	7075-00				1	50D	30-00	32,387	2-#5 CONT.	
1494	TR	BF		E60		1075-00	1-00		16/5	H	0-06	1-00	4-00					6,171	#5 @12" DWL.	
1495	TR	BF		E60	4			110	16/5	H	4-00							1,835	#5 U BAR	
1496	MT	BENCH REF. CPL 610 (452 LFT)																		
1497	TR	RA		E60		1-00	1-00	2	13/4	H	452-00	5-00	S90	S90	S90	48D	30-00	7,722	#4 @12" EW. T&B.	
1498	TR	BF		E60		452-00	1-00		13/4	L	2-00	3-00						1,513	#4 @12" DWL.	
1499	TR	LS		E60	3			1	13/4	S	452-00				1	48D	30-00	966	3-#4 CONT.	
1500	MT	LOUNGER REF. CPL610 (83 LFT)																		
1501	TR	LS		E60		5-00	0-06	2	16/5	S	83-00				1	48D	30-00	2,019	#5 @6" CONT. T&B.	
1502	TR	BF		E60		83-00	0-06	2	16/5	H	5-00	1-00						2,090	#5 @6" T&B. TRANS.	
1503	MT	TRASH & RECYCLING REF. CPL610 (12 EACH)																		
1504	TR	BF		E60		2-03	1-00	12	13/4	L	2-03	2-03	1-00	1-00	0-08			225	#5 @12" CONT. T&B.	
1505	TR	BF		E60		2-03	0-06	12	13/4	L	2-03	2-03	1-00	1-00	0-08			345	#4 @6" TIES.	
1506	MT	BIKE RACK REF. CPL610 (50 LFT)																		
1507	TR	BF		E60		2-09	1-00	2	13/4	S	50-00							267	#4 @12" CONT. T&B.	
1508	TR	BF		E60		50-00	1-00	2	13/4	L	2-09	0-10	0-10					301	#4 @12" TRANS. T&B.	
1509	MT	DRINKING FOUNTAIN REF. CPL610 (12 LFT)																		
1510	TR	BF		E60		3-03	0-06	2	13/4	S	12-00							128	#4 @6" CONT. T&B.	
1511	TR	BF		E60		12-00	0-06	1	13/4	L	1-10	0-08	2-00	0-08	2-00			120	#4 @6" TRANS. BOT.	
1512	TR	BF		E60		12-00	0-06		13/4	S	1-10	0-10	0-10					58	#4 @6" TOP. TRANS.	
1513	MT	BOLLARD REF. CPL610 (6 EACH)																		
1514	TR	BF		E60	4			6	13/4	S	4-00							64	4-#4 VERT.	
1515	TR	BF		E60		4-00	0-08	6	13/4	L	1-09	1-09	1-09	1-09	0-08			215	#4 @8" STIR.	
1516	MT	DOG WASTE STATION REF. CPL620 (01 EACH)																		
1517	TR	BF		E60	4			1	16/5	S	4-00							17	4-#5 CONT.	
1518	TR	BF		E60		4-00	1-00	1	16/5	L	0-10	0-10	1-06	1-06	0-08			28	#5 @12" STIR.	

INT-080 - REBUILD BY DESIGN HUDSON RIVER

Rebar Sub-Segment Summary

Segment: FOUNDATION NORTH

Sub-Segment: MAT SLAB

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
13/4	123,958	75,650	0	48,308	58,776
19/6	252,122	152,227	99,895	0	143,049
22/7	308,943	22,472	286,471	0	21,830
25/8	20,975	19,298	1,677	0	14,418
29/9	226,041	221,106	4,935	0	80,939
32/10	38,183	38,183	0	0	21,068
	<u>970,222</u>	<u>528,936</u>	<u>392,978</u>	<u>48,308</u>	<u>340,080</u>

Sub-Segment: CONCRETE WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
13/4	10,847	401	0	10,446	0
19/6	190,275	190,143	132	0	86,623
22/7	31,483	31,483	0	0	5,709
	<u>232,605</u>	<u>222,027</u>	<u>132</u>	<u>10,446</u>	<u>92,332</u>

Sub-Segment: CONCRETE PILASTER

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
13/4	1,884	0	0	1,884	0
16/5	149	0	149	0	0
19/6	1,220	53	1,167	0	0
25/8	1,168	0	1,168	0	0
29/9	5,548	0	5,548	0	0
	<u>9,969</u>	<u>53</u>	<u>8,032</u>	<u>1,884</u>	<u>0</u>

Total for Segment: FOUNDATION NORTH

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
13/4	136,689	76,051	0	60,638	58,776
16/5	149	0	149	0	0
19/6	443,617	342,423	101,194	0	229,672
22/7	340,426	53,955	286,471	0	27,539
25/8	22,143	19,298	2,845	0	14,418
29/9	231,589	221,106	10,483	0	80,939
32/10	38,183	38,183	0	0	21,068
	<u>1,212,796</u>	<u>751,016</u>	<u>401,142</u>	<u>60,638</u>	<u>432,412</u>

INT-080 - REBUILD BY DESIGN HUDSON RIVER

Rebar Sub-Segment Summary

Segment: FOUNDATION SOUTH

Sub-Segment: MAT SLAB

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Galvanized **					
13/4	125,766	93,065	26,516	6,185	50,905
16/5	9,066	5,067	3,999	0	3,607
19/6	256,878	204,775	52,103	0	184,599
22/7	524,656	107,291	417,365	0	78,939
25/8	9,709	2,573	7,136	0	2,573
29/9	186,325	169,349	16,976	0	69,054
32/10	28,979	23,385	5,594	0	9,986
36/11	50,852	50,852	0	0	24,282
	<u>1,192,231</u>	<u>656,357</u>	<u>529,689</u>	<u>6,185</u>	<u>423,945</u>

Sub-Segment: CONCRETE WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Galvanized **					
13/4	14,898	78	1,300	13,520	0
16/5	1,427	1,423	4	0	1,373
19/6	350,345	350,239	106	0	118,433
22/7	21,857	5,495	16,362	0	3,931
25/8	737	737	0	0	0
29/9	15,170	15,170	0	0	0
	<u>404,434</u>	<u>373,142</u>	<u>17,772</u>	<u>13,520</u>	<u>123,737</u>

Sub-Segment: CONCRETE PILASTER

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Galvanized **					
13/4	6,060	0	0	6,060	0
19/6	204	120	84	0	0
22/7	988	0	0	988	0
25/8	11,039	4,833	6,206	0	0
	<u>18,291</u>	<u>4,953</u>	<u>6,290</u>	<u>7,048</u>	<u>0</u>

INT-080 - REBUILD BY DESIGN HUDSON RIVER

Rebar Sub-Segment Summary

Segment: FOUNDATION SOUTH

Total for Segment: FOUNDATION SOUTH

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Galvanized **					
13/4	146,724	93,143	27,816	25,765	50,905
16/5	10,493	6,490	4,003	0	4,980
19/6	607,427	555,134	52,293	0	303,032
22/7	547,501	112,786	433,727	988	82,870
25/8	21,485	8,143	13,342	0	2,573
29/9	201,495	184,519	16,976	0	69,054
32/10	28,979	23,385	5,594	0	9,986
36/11	50,852	50,852	0	0	24,282
	<u>1,614,956</u>	<u>1,034,452</u>	<u>553,751</u>	<u>26,753</u>	<u>547,682</u>

INT-080 - REBUILD BY DESIGN HUDSON RIVER

Rebar Sub-Segment Summary

Segment: SITE WORK

Sub-Segment: BRIDGE

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

** Grade 60, Epoxy **

13/4	909	0	0	909	0
16/5	2,168	0	0	2,168	0
22/7	583	0	583	0	0
29/9	14,910	5,610	9,300	0	6,732
	<u>18,570</u>	<u>5,610</u>	<u>9,883</u>	<u>3,077</u>	<u>6,732</u>

Sub-Segment: PLAY GROUND

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

** Grade 60, Epoxy **

13/4	1,075	0	0	1,075	0
16/5	6,227	3,074	3,153	0	2,722
29/9	2,670	0	2,670	0	0
	<u>9,972</u>	<u>3,074</u>	<u>5,823</u>	<u>1,075</u>	<u>2,722</u>

Sub-Segment: NORTH DECK

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

** Grade 60, Epoxy **

13/4	2,704	0	0	2,704	0
16/5	8,427	4,245	4,182	0	4,130
29/9	6,717	0	6,717	0	0
	<u>17,848</u>	<u>4,245</u>	<u>10,899</u>	<u>2,704</u>	<u>4,130</u>

Sub-Segment: MEADOW ROOM DECK

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

** Grade 60, Epoxy **

13/4	347	0	0	347	0
16/5	251	115	136	0	0
29/9	861	0	861	0	0
	<u>1,459</u>	<u>115</u>	<u>997</u>	<u>347</u>	<u>0</u>

INT-080 - REBUILD BY DESIGN HUDSON RIVER

Rebar Sub-Segment Summary

Segment: SITE WORK

Sub-Segment: MEADOW ROOM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

** Grade 60, Epoxy **

13/4	1,075	0	0	1,075	0
16/5	537	253	284	0	0
29/9	2,670	0	2,670	0	0
	<u>4,282</u>	<u>253</u>	<u>2,954</u>	<u>1,075</u>	<u>0</u>

Sub-Segment: PORTLAND LOO

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

** Grade 60, Epoxy **

13/4	541	37	0	504	0
	<u>541</u>	<u>37</u>	<u>0</u>	<u>504</u>	<u>0</u>

Sub-Segment: SHADE CANOPY

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

** Grade 60, Epoxy **

13/4	303	192	0	111	0
16/5	528	0	0	528	0
25/8	1,794	0	1,794	0	0
29/9	1,757	0	1,757	0	0
	<u>4,382</u>	<u>192</u>	<u>3,551</u>	<u>639</u>	<u>0</u>

Sub-Segment: TRELLIS CANOPY

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

** Grade 60, Epoxy **

13/4	84	0	0	84	0
25/8	897	0	897	0	0
29/9	286	0	286	0	0
	<u>1,267</u>	<u>0</u>	<u>1,183</u>	<u>84</u>	<u>0</u>

** Grade 60, Stainless Steel **

32/10	103	103	0	0	0
	<u>103</u>	<u>103</u>	<u>0</u>	<u>0</u>	<u>0</u>

** Grand Totals **

13/4	84	0	0	84	0
25/8	897	0	897	0	0
29/9	286	0	286	0	0
32/10	103	103	0	0	0
	<u>1,370</u>	<u>103</u>	<u>1,183</u>	<u>84</u>	<u>0</u>

INT-080 - REBUILD BY DESIGN HUDSON RIVER

Rebar Sub-Segment Summary

Segment: SITE WORK

Sub-Segment: RETAINING WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Epoxy **					
16/5	10,103	6,309	3,794	0	0
19/6	61,585	44,074	17,511	0	32,986
25/8	18,949	7,912	11,037	0	0
29/9	38,629	38,629	0	0	0
32/10	49,984	21,251	28,733	0	0
	<u>179,250</u>	<u>118,175</u>	<u>61,075</u>	<u>0</u>	<u>32,986</u>

Sub-Segment: LIGHT POLE

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Epoxy **					
16/5	3,458	1,501	0	1,957	0
	<u>3,458</u>	<u>1,501</u>	<u>0</u>	<u>1,957</u>	<u>0</u>

Sub-Segment: AMPHITHEATER SEATING

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Epoxy **					
19/6	66,303	37,159	29,144	0	27,582
	<u>66,303</u>	<u>37,159</u>	<u>29,144</u>	<u>0</u>	<u>27,582</u>

Sub-Segment: SITE WORK

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Epoxy **					
13/4	11,699	5,090	4,115	2,494	4,749
16/5	54,329	38,491	10,805	5,033	37,423
	<u>66,028</u>	<u>43,581</u>	<u>14,920</u>	<u>7,527</u>	<u>42,172</u>

INT-080 - REBUILD BY DESIGN HUDSON RIVER

Rebar Sub-Segment Summary

Segment: SITE WORK

Total for Segment: SITE WORK

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

** Grade 60, Epoxy **

13/4	18,737	5,319	4,115	9,303	4,749
16/5	86,028	53,988	22,354	9,686	44,275
19/6	127,888	81,233	46,655	0	60,568
22/7	583	0	583	0	0
25/8	21,640	7,912	13,728	0	0
29/9	68,500	44,239	24,261	0	6,732
32/10	49,984	21,251	28,733	0	0
	<u>373,360</u>	<u>213,942</u>	<u>140,429</u>	<u>18,989</u>	<u>116,324</u>

** Grade 60, Stainless Steel **

32/10	103	103	0	0	0
	<u>103</u>	<u>103</u>	<u>0</u>	<u>0</u>	<u>0</u>

** Grand Totals **

13/4	18,737	5,319	4,115	9,303	4,749
16/5	86,028	53,988	22,354	9,686	44,275
19/6	127,888	81,233	46,655	0	60,568
22/7	583	0	583	0	0
25/8	21,640	7,912	13,728	0	0
29/9	68,500	44,239	24,261	0	6,732
32/10	50,087	21,354	28,733	0	0
	<u>373,463</u>	<u>214,045</u>	<u>140,429</u>	<u>18,989</u>	<u>116,324</u>

INT-080 - REBUILD BY DESIGN HUDSON RIVER

Estimate Totals

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
13/4	136,689	76,051	0	60,638	58,776
16/5	149	0	149	0	0
19/6	443,617	342,423	101,194	0	229,672
22/7	340,426	53,955	286,471	0	27,539
25/8	22,143	19,298	2,845	0	14,418
29/9	231,589	221,106	10,483	0	80,939
32/10	38,183	38,183	0	0	21,068
	<u>1,212,796</u>	<u>751,016</u>	<u>401,142</u>	<u>60,638</u>	<u>432,412</u>
** Grade 60, Epoxy **					
13/4	18,737	5,319	4,115	9,303	4,749
16/5	86,028	53,988	22,354	9,686	44,275
19/6	127,888	81,233	46,655	0	60,568
22/7	583	0	583	0	0
25/8	21,640	7,912	13,728	0	0
29/9	68,500	44,239	24,261	0	6,732
32/10	49,984	21,251	28,733	0	0
	<u>373,360</u>	<u>213,942</u>	<u>140,429</u>	<u>18,989</u>	<u>116,324</u>
** Grade 60, Galvanized **					
13/4	146,724	93,143	27,816	25,765	50,905
16/5	10,493	6,490	4,003	0	4,980
19/6	607,427	555,134	52,293	0	303,032
22/7	547,501	112,786	433,727	988	82,870
25/8	21,485	8,143	13,342	0	2,573
29/9	201,495	184,519	16,976	0	69,054
32/10	28,979	23,385	5,594	0	9,986
36/11	50,852	50,852	0	0	24,282
	<u>1,614,956</u>	<u>1,034,452</u>	<u>553,751</u>	<u>26,753</u>	<u>547,682</u>
** Grade 60, Stainless Steel **					
32/10	103	103	0	0	0
	<u>103</u>	<u>103</u>	<u>0</u>	<u>0</u>	<u>0</u>
** Grand Totals **					
13/4	302,150	174,513	31,931	95,706	114,430
16/5	96,670	60,478	26,506	9,686	49,255
19/6	1,178,932	978,790	200,142	0	593,272
22/7	888,510	166,741	720,781	988	110,409
25/8	65,268	35,353	29,915	0	16,991
29/9	501,584	449,864	51,720	0	156,725
32/10	117,249	82,922	34,327	0	31,054
36/11	50,852	50,852	0	0	24,282
	<u>3,201,215</u>	<u>1,999,513</u>	<u>1,095,322</u>	<u>106,380</u>	<u>1,096,418</u>