

INT-091 - 4725 CHELTENHAM DRIVE

Project Name: 4725 CHELTENHAM DRIVE
BETHESDA, MD
USA



Architect: ERIC COLBERT & ASSOCIATES
Engineer: SK&A
Customer: MLA CONCRETE

Job Type: Lump Sum

Estimator: admin
Creation Date: 9/25/2022
Last Modified: 9/26/2022
Status: Complete

Escalation: No

Segment Summary

Segment	Rebar Wgt	Plain Wgt	Misc. Wgt	Total (Lbs)	Costing
Included Segments:					
FOUNDATION	47,393	0	0	47,393	No
SPREAD FOOTING	11,295	0	0	11,295	No
MAT FOOTING	21,956	0	0	21,956	No
CONTINUOUS FOOTING	1,029	0	0	1,029	No
GRADE BEAM	8,794	0	0	8,794	No
SLAB ON GRADE	4,319	0	0	4,319	No
SUPER STRUCTURE	360,066	0	0	360,066	No
CONCRETE WALL	8,594	0	0	8,594	No
SHEAR WALL	75,848	0	0	75,848	No
CONCRETE COLUMN	85,172	0	0	85,172	No
CONCRETE BEAM	8,212	0	0	8,212	No
ELEVATED SLAB	167,740	0	0	167,740	No
STAIRCASE	14,500	0	0	14,500	No
SITE WORK	136	0	0	136	No
LIGHT POLE	136	0	0	136	No

INT-091 - 4725 CHELTENHAM DRIVE**Estimate Defaults**

Size Unit: Imperial	Building Code: ACI 1983
Length Unit: Feet - Inches	Concrete Strength: 3000
Weight Unit: Pounds	Lap Table:
Soft Hooks: No	Estimating Lap: 48D
Seismic Hooks: No	Steel Manufactured In: ANY
	Tie Clearance: 0-012
	Spiral Clearance: 0-03
	Spacing Tolerance: 0-00
Rebar Coating: Black	Rebar Grade: 60
Plain Coating: Black	Plain Grade: 60
Number of lap lengths to extend a stock bar before lapping: 1	

INT-091 - 4725 CHELTENHAM DRIVE

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
1	GI	Segment: FOUNDATION Sub-Segment: SPREAD FOOTING																	
2	MT	PAD FOOTING - REF: S101																	
3	MT	MARK: F4.0 (4'-0"X4'-0")																	
4	TR	BF		60	4			2	13/4	S	4-00							21	4- #4 EW. @B
5	MT	MARK: F4.0x3.0 (4'-0"X3'-0")																	
6	TR	BF		60	4			1	13/4	L	5-04							14	4-#4 LW. @B
7	TR	BF		60	4			1	13/4	L	4-04							12	4-#4 SW. @B
8	MT	MARK: F5.0B (5'-0"X5'-0")																	
9	TR	BF		60	8			2	19/6	H	7-00							168	8-#6 EW. @B
10	MT	MARK: F6.0X3.0 (6'-0"X3'-0")																	
11	TR	BF		60	7			1	16/5	H	7-08							56	#5 @12" O.C LW. @B
12	TR	BF		60	4			1	16/5	H	4-08							19	#5 @12" O.C SW. @B
13	MT	MARK: F6.0X8.0 (6'-0"X8'-0")																	
14	TR	BF		60	7			1	19/6	H	10-00							105	#6 @12" O.C LW. @B
15	TR	BF		60	9			1	19/6	H	8-00							108	#6 @12" O.C SW. @B
16	MT	MARK: F6.0X11.0 (6'-0"X11'-0")																	
17	TR	BF		60	7			1	25/8	H	13-08							255	#8 @12" O.C LW. @B
18	TR	BF		60	12			1	25/8	H	8-08							278	#8 @12" O.C SW. @B
19	MT	MARK: F6.5 (6'-6"X6'-6")																	
20	TR	BF		60	8			2	16/5	S	6-06							108	8-#5 EW. @B
21	MT	MARK: F9.0 (9'-0"X9'-0")																	
22	TR	BF		60	10			2	19/6	S	9-00							270	10-#6EW. @B
23	MT	MARK: F10.0X12.5 (10'-0"X12'-5")																	
24	TR	BF		60	11			1	25/8	H	15-02							445	#8 @12" O.C LW. @B
25	TR	BF		60	14			1	25/8	H	12-08							474	#8 @12" O.C SW. @B
26	MT	MARK: F11 (11'-0"X11'-0")																	
27	TR	BF		60	11			2	22/7	S	11-00							495	11-#7 EW. @B
28	MT	MARK: F11.0X12.0 (11'-0"X12'-0")																	
29	TR	BF		60	10			1	25/8	S	12-00							320	10-#8 LW. @B
30	TR	BF		60	10			1	25/8	S	11-00							294	10-#8 SW. @B
31	MT	MARK: F11.5 (11'-6"X11'-6") (2 LOC)																	
32	TR	BF		60	9			4	25/8	S	11-06							1,105	9-#8 EW. @B
33	MT	MARK: F12.0 (12'-0"X12'-0") (2 LOC)																	
34	TR	BF		60	8			4	22/7	S	12-00							785	8-#7 EW. @B
35	MT	MARK: F12.0X13.0 (12'-0"X13'-0")																	
36	TR	BF		60	12			1	25/8	S	13-00							416	12-#8 LW. @B
37	TR	BF		60	12			1	25/8	S	12-00							385	12-#8 SW. @B
38	MT	MARK: F12.5 (12'-6"X12'-6") (2 LOC)																	
39	TR	BF		60	11			4	25/8	S	12-06							1,469	11-#8 EW. @B
40	MT	MARK: F13.0X5.0 (13'-0"X5'-0")																	
41	TR	BF		60	8			1	25/8	S	13-00							278	#8 @8" O.C LW. @B
42	TR	BF		60	20			1	25/8	S	5-00							267	#8 @8" O.C SW. @B
43	MT	MARK: F13.5 (13'-6"X13'-6")																	
44	TR	BF		60	10			2	29/9	S	13-06							918	10-#9 EW. @B
45	MT	MARK: F14.0 (14'-0"X14'-0")																	
46	TR	BF		60	11			2	29/9	S	14-00							1,047	11-#9 EW. @B
47	MT	MARK: F14.5 (14'-6"X14'-6")																	
48	TR	BF		60	12			2	29/9	S	14-06							1,183	12-#9 EW. @B
49	GI	Segment: FOUNDATION Sub-Segment: MAT FOOTING																	
50	MT	MAT FOOTING - REF: S101																	
51	MT	27" THK MAT FOOTING (190 SQ.FT)																	
52	TR	BF		60	11			2	22/7	H	21-04							959	#7 @12" O.C LW. T&B.
53	TR	BF		60	11			2	22/7	H	12-04							555	#7 @12" O.C SW. T&B.
54	TR	BF		60	14			1	16/5	H	7-09							113	#5 @STANDEES.
55	MT	30" THK MAT FOOTING (551 SQ.FT)																	
56	TR	BF		60	20			2	25/8	H	31-08							3,382	#8 @12" O.C LW. T&B.
57	TR	BF		60	30			2	25/8	H	21-08							3,471	#8 @12" O.C SW. T&B.
58	TR	BF		60	36			1	16/5	H	8-06							319	#5 @STANDEES.
59	MT	36" THK MAT FOOTING (465 LFT)																	
60	TR	BF		60	31			1	25/8	H	34-08							2,869	#8 @6" O.C LW. @B
61	TR	BF		60	16			1	25/8	H	34-08							1,481	#8 @12" O.C LW. @T

INT-091 - 4725 CHELTENHAM DRIVE

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
62	TR	BF		60	32			2	25/8	H	17-08							3,019	#8 @12" O.C SW. T&B.
63	TR	BF		60	32			1	16/5	H	9-011							304	#5 @STANDEES.
64	MT	36" THK MAT FOOTING (416 SQ.FT)																	
65	TR	BF		60	17			2	25/8	H	28-08							2,602	#8 @12" O.C LW. T&B.
66	TR	BF		60	27			2	25/8	H	18-08							2,692	#8 @12" O.C SW. T&B.
67	TR	BF		60	20			1	16/5	H	9-011							190	#5 @STANDEES.
68	GI	Segment: FOUNDATION Sub-Segment: CONTINUOUS FOOTING																	
69	MT	CONTINUOUS FOOTING - REF: S101																	
70	MT	2'-0" WIDE CONTINUOUS FOOTING (250 LFT) - REF: S300																	
71	TR	BF		60	3			1	13/4	S	285-10							573	3-#4 CONT. @B
72	TR	BF		60	3			2	13/4	H	7-02							29	3-#4 COR. @B
73	TR	BF		60	3			7	13/4	H	6-06							91	3-#4 STEP. @B
74	TR	BF		60	251			1	13/4	S	2-00							336	#4 @12" O.C TRANS. @B
75	GI	Segment: FOUNDATION Sub-Segment: GRADE BEAM																	
76	MT	GARDE BEAM - REF: S101																	
77	MT	MARK: SB1 - (36"X48") (30 LFT) - REF: S400																	
78	TR	BF		60	7			1	25/8	S	30-00							561	7-#8 CONT @B
79	TR	BF		60	3			1	32/10	H	21-10							282	3-#10 CONT @T (L.E)
80	TR	BF		60	6			1	32/10	H	33-08							869	6-#10 CONT @T (F.L)
81	TR	BF		60	59			2	13/4	S	30-00							2,365	#4 @10" O.C ADD'L. EF.
82	TR	BF		60	18			3	13/4	L	7-08							277	18-#4 @6" STRR. (LE)
83	TR	BF		60	33			3	13/4	L	7-08							507	#4 @12" O.C STRR. (TYPE3)
84	MT	MARK: SB2 - (30"X40") (20 LFT)																	
85	TR	BF		60	5			1	25/8	S	20-00							267	5-#8 CONT @B
86	TR	BF		60	5			1	25/8	H	22-08							303	5-#8 CONT @T (F.L)
87	TR	BF		60	5			2	13/4	S	20-00							134	#4 @10" O.C ADD'L. EF.
88	TR	BF		60	12			4	13/4	L	12-04							395	12-#4 @6" STRR.
89	TR	BF		60	9			2	13/4	L	12-04							148	#4 @12" O.C STRR. (TYPE2)
90	MT	MARK: SB3 - (30"X36") (16 LFT)																	
91	TR	BF		60	5			1	25/8	S	16-00							214	5-#8 CONT @B
92	TR	BF		60	5			1	25/8	H	18-08							249	5-#8 CONT @T (F.L)
93	TR	BF		60	5			2	13/4	S	16-00							107	#4 @10" O.C ADD'L. EF.
94	TR	BF		60	9			4	13/4	L	11-08							281	9-#4 @8" STRR.
95	TR	BF		60	7			2	13/4	L	11-08							109	#4 @12" O.C STRR. (TYPE2)
96	MT	(1'-6" X2'-0")(80 LFT) REF:3/S300																	
97	TR	BF		60	3			2	19/6	S	96-00							865	3-#6 CONT. T&B.
98	TR	BF		60	3			2	13/4	S	90-09							364	#4 @12" O.C ADD'L. EF.
99	TR	BF		60	97			1	13/4	L	7-08							497	#4 @10" O.C STRR.
100	GI	Segment: FOUNDATION Sub-Segment: SLAB ON GRADE																	
101	MT	SLAB ON GRADE - REF: S101																	
102	MT	5" THK SLAB ON GRADE (7760 SQ.FT)																	
103	TR	BF		60	1			8	13/4	S	4-00							21	1-#4 CORNERS
104	TR	BF		60	2			27	16/5	S	6-00							338	2-#5 RE-ENTRNT
105	MT	REF: 1 & 2 /S300 (140 LFT)																	
106	TR	BF		60	3			1	13/4	S	158-073							318	3-#4 CONT. @B
107	TR	BF		60	1			1	16/5	S	157-06							164	1-#5 CONT. @T
108	TR	BF		60	141			1	13/4	L	7-00							659	#4 @12" O.C DWL. @SOG.
109	MT	REF: 3/S300 (80 LFT)																	
110	TR	BF		60	3			1	13/4	S	89-033							179	3-#4 CONT. @B
111	TR	BF		60	1			1	16/5	S	91-08							96	3-#5 CONT. @T
112	TR	BF		60	81			1	13/4	H	6-06							352	#4 @12" O.C DWL. @SOG
113	TR	BF		60	81			1	13/4	L	6-00							325	#4 @12" O.C DWL. @SOG
114	TR	BF		60	81			1	13/4	L	5-06							298	#4 @12" O.C DWL. @SOG
115	MT	REF:9/S002																	
116	TR	BF		60	2			2	16/5	S	6-00							25	2-#5 CONT. @B
117	MT	8" THK SLAB ON GRADE (400 SQ.FT) - REF: 4/S300																	
118	TR	BF		E60	6			2	13/4	S	89-04							716	#4 @12" O.C LW. T&B.
119	TR	BF		E60	61			2	13/4	S	5-00							407	#4 @12" O.C SW. T&B.
120	TR	BF		E60	1			1	16/5	S	71-08							75	1-#5 CONT. @T
121	TR	BF		E60	61			1	13/4	L	8-06							346	#4 @12" O.C DWL. @SOG.
122	GI	Segment: SUPER STRUCTURE Sub-Segment: CONCRETE WALL																	

INT-091 - 4725 CHELTENHAM DRIVE

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
123	MT	CONCRETE WALL - REF: S101																	
124	MT	8" & 12" THK CONCRETE WALL (155 LFT) - REF: 1 & 2/S300																	
125	TR	BF		60	156			2	13/4	L	4-08							972	#4 @12" O.C D/V. EF
126	TR	BF		60	4			2	13/4	S	176-07							944	#4 @12" O.C HORZ. EF
127	TR	BF		60	4			12	13/4	L	6-02							198	#4 @12" O.C COR. EF
128	MT	8"THK CONCRETE WALL (80 LFT) - REF: 3/S300																	
129	TR	BF		60	81			2	13/4	H	6-08							721	#4 @12" O.C D/V. EF
130	TR	BF		60	6			2	13/4	S	89-03							715	#4 @12" O.C HORZ. EF
131	TR	BF		60	6			2	13/4	H	6-02							49	#4 @12" O.C COR. EF
132	MT	8"THK CONCRETE WALL (70 LFT) - REF: 4/S300																	
133	TR	BF		60	71			2	13/4	H	6-02							585	#4 @12" O.C D/V. EF
134	TR	BF		60	6			2	13/4	S	79-03							635	#4 @12" O.C HORZ. EF
135	TR	BF		60	6			2	13/4	L	6-02							49	#4 @12" O.C COR. EF
136	MT	8"THK CONCRETE WALL (15 LFT) - REF: 7/S300																	
137	TR	BF		60	16			2	13/4	L	6-01							130	#4 @12" O.C DWL. EF
138	TR	BF		60	16			2	13/4	S	7-00							150	#4 @12" O.C VERT. EF
139	TR	BF		60	8			2	13/4	S	15-00							160	#4 @12" O.C HORZ. EF
140	TR	BF		60	9			1	13/4	L	1-09							11	#4 @24" O.C D & E
141	MT	8" THK CONCRETE WALL (80 LFT) - REF: 8/S300																	
142	TR	BF		60	16			2	13/4	L	4-09							102	#4 @12" O.C DWL. EF
143	TR	BF		60	16			2	13/4	S	7-00							150	#4 @12" O.C VERT. EF
144	TR	BF		60	8			2	13/4	S	89-03							954	#4 @12" O.C HORZ. EF
145	TR	BF		60	8			2	13/4	L	6-02							66	#4 @12" O.C COR. EF
146	TR	BF		60	41			1	13/4	L	1-09							48	#4 @24" O.C D & E
147	MT	8" THK PIT WALL (19 LFT) - REF: S101, 2/S002																	
148	TR	BF		60	20			2	13/4	L	8-02							218	#4 @12" O.C D/V. EF
149	TR	BF		60	8			2	13/4	S	19-00							203	#4 @12" O.C HORZ. EF
150	TR	BF		60	8			4	13/4	L	6-02							132	#4 @12" O.C COR. EF
151	TR	BF		60	1			1	16/5	S	36-02							38	1-#5 CONT. @T
152	TR	BF		60	1			4	16/5	L	11-02							47	1-#5 COR. @T
153	TR	BF		60	38			1	13/4	L	5-00							127	#4 @12" O.C DWL. @SOG.
154	MT	RETAINING WALL FOUNDATION - REF: S101																	
155	MT	4'-0" WIDE CONTINUOUS FOOTING (50 LFT) - REF:14/S006																	
156	TR	BF		60	5			1	16/5	S	53-06							279	#5 @12" O.C CONT. @B
157	MT	8" THK WALL																	
158	TR	BF		60	51			1	16/5	H	9-02							488	#5 @12" O.C D/V. @OF.
159	TR	BF		60	51			1	13/4	L	6-10							233	#4 @12" O.C D/V. @IF.
160	TR	BF		60	5			1	13/4	S	57-02							191	#4 @12" O.C HORZ. EF.
161	GI	Segment: SUPER STRUCTURE Sub-Segment: SHEAR WALL																	
162	MT	SHEAR WALL - REF: S101 TO S107, S410																	
163	MT	MARK: SW-1 8" THK SHEAR WALL																	
164	MT	1ST FLOOR TO PH ROOF																	
165	TR	BF		60	10			2	13/4	L	4-05							59	#4 @12" O.C DWL. EF.(V)
166	TR	BF		60	10			2	13/4	S	130-02							1,739	#4 @12" O.C VERT. EF.(V)
167	TR	BF		60	115			2	13/4	L	10-01							1,549	#4 @12" O.C HORZ. EF.(H)
168	TR	BF		60	6			2	19/6	H	6-10							123	6-#6 DWL. ES.(M)
169	TR	BF		60	6			2	19/6	H	147-08							2,662	6-#6 VERT. ES.(M)
170	TR	BF		60	4			1	19/6	H	6-10							41	4-#6 DWL @COR.(M)
171	TR	BF		60	4			1	19/6	H	147-08							887	4-#6 VERT @COR.(M)
172	TR	BF		60	171			1	10/3	L	3-04							214	#3 @8" O.C TIES.
173	TR	BF		60	171			1	10/3	L	4-08							300	#3 @8" O.C TIES.
174	TR	BF		60	171			3	10/3	L	1-04							257	#3 @8" O.C LINKS.
175	MT	MARK: SW-2 8" THK SHEAR WALL																	
176	MT	1ST FLOOR TO PH ROOF																	
177	TR	BF		60	20			2	13/4	L	4-05							118	#4 @12" O.C DWL. EF.(V)
178	TR	BF		60	20			2	13/4	S	130-02							3,478	#4 @12" O.C VERT. EF.(V)
179	TR	BF		60	115			2	13/4	L	20-00							3,073	#4 @12" O.C HORZ. EF.(H)
180	TR	BF		60	6			2	19/6	H	6-10							123	6-#6 DWL. ES.(M)
181	TR	BF		60	6			2	19/6	H	147-08							2,662	6-#6 VERT. ES.(M)
182	TR	BF		60	171			2	10/3	L	4-08							600	#3 @8" O.C. ES. TIES.
183	TR	BF		60	171			4	10/3	L	1-04							343	#3 @8" O.C. ES. LINKS.

INT-091 - 4725 CHELTENHAM DRIVE

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
184	MT	MARK: SW-3 8" THK SHEAR WALL																	
185	MT	1ST FLOOR TO PH ROOF																	
186	TR	BF			60	10			2	13/4	L	4-05						59	#4 @12" O.C DWL. EF.(V)
187	TR	BF			60	10			2	13/4	S	130-02						1,739	#4 @12" O.C VERT. EF.(V)
188	TR	BF			60	115			2	13/4	L	10-01						1,549	#4 @12" O.C HORZ. EF.(H)
189	TR	BF			60	6			2	19/6	H	6-10						123	6-#6 DWL. ES.(M)
190	TR	BF			60	6			2	19/6	H	147-08						2,662	6-#6 VERT. ES.(M)
191	TR	BF			60	4			1	19/6	H	6-10						41	4-#6 DWL @COR.(M)
192	TR	BF			60	4			1	19/6	H	147-08						887	4-#6 VERT @COR.(M)
193	TR	BF			60	171			1	10/3	L	3-04						214	#3 @8" O.C TIES.
194	TR	BF			60	171			1	10/3	L	4-08						300	#3 @8" O.C TIES.
195	TR	BF			60	171			3	10/3	L	1-04						257	#3 @8" O.C LINKS.
196	MT	MARK: SW-4 8" THK SHEAR WALL																	
197	MT	1ST FLOOR TO PH FLOOR																	
198	TR	BF			60	19			2	13/4	L	4-11						125	#4 @12" O.C DWL. EF.(V)
199	TR	BF			60	19			2	13/4	S	115-00						2,919	#4 @12" O.C VERT. EF.(V)
200	TR	BF			60	101			2	13/4	L	19-04						2,609	#4 @12" O.C HORZ. EF.(H)
201	TR	BF			60	6			2	19/6	H	7-04						132	6-#6 DWL. ES.(M)
202	TR	BF			60	6			2	19/6	H	124-04						2,241	6-#6 VERT. ES.(M)
203	TR	BF			60	4			1	19/6	H	7-04						44	4-#6 DWL @COR.(M)
204	TR	BF			60	4			1	19/6	H	129-113						781	4-#6 VERT @COR.(M)
205	TR	BF			60	151			1	10/3	L	3-04						189	#3 @8" O.C TIES.
206	TR	BF			60	151			1	10/3	L	4-08						265	#3 @8" O.C TIES.
207	TR	BF			60	151			3	10/3	L	1-04						227	#3 @8" O.C LINKS.
208	MT	MARK: SW-5 8" THK SHEAR WALL																	
209	MT	1ST FLOOR TO PH FLOOR																	
210	TR	BF			60	10			2	13/4	L	4-11						66	#4 @12" O.C DWL. EF.(V)
211	TR	BF			60	10			2	13/4	S	115-00						1,536	#4 @12" O.C VERT. EF.(V)
212	TR	BF			60	101			2	13/4	L	10-04						1,395	#4 @12" O.C HORZ. EF.(H)
213	TR	BF			60	6			2	19/6	H	7-04						132	6-#6 DWL. ES.(M)
214	TR	BF			60	6			2	19/6	H	129-113						2,343	6-#6 VERT. ES.(M)
215	TR	BF			60	151			2	10/3	L	4-08						530	#3 @8" O.C. ES. TIES.
216	TR	BF			60	151			4	10/3	L	1-04						303	#3 @8" O.C. ES. LINKS.
217	MT	MARK: SW-6 8" THK SHEAR WALL																	
218	MT	1ST FLOOR TO PH FLOOR																	
219	TR	BF			60	15			2	13/4	L	4-11						99	#4 @12" O.C DWL. EF.(V)
220	TR	BF			60	15			2	13/4	S	115-00						2,305	#4 @12" O.C VERT. EF.(V)
221	TR	BF			60	101			2	13/4	L	14-10						2,001	#4 @12" O.C HORZ. EF.(H)
222	TR	BF			60	6			2	19/6	H	7-04						132	6-#6 DWL. ES.(M)
223	TR	BF			60	6			2	19/6	H	129-08						2,337	6-#6 VERT. ES.(M)
224	TR	BF			60	4			1	19/6	H	7-04						44	4-#6 DWL @COR.(M)
225	TR	BF			60	4			1	19/6	H	119-113						721	4-#6 VERT @COR.(M)
226	TR	BF			60	151			1	10/3	L	3-04						189	#3 @8" O.C TIES.
227	TR	BF			60	151			1	10/3	L	4-08						265	#3 @8" O.C TIES.
228	TR	BF			60	151			3	10/3	L	1-04						227	#3 @8" O.C LINKS.
229	MT	MARK: SW-7 8" THK SHEAR WALL																	
230	MT	1ST FLOOR TO PH FLOOR																	
231	TR	BF			60	19			2	13/4	L	4-11						125	#4 @12" O.C DWL. EF.(V)
232	TR	BF			60	19			2	13/4	S	115-00						2,919	#4 @12" O.C VERT. EF.(V)
233	TR	BF			60	101			2	13/4	L	19-04						2,609	#4 @12" O.C HORZ. EF.(H)
234	TR	BF			60	6			1	19/6	H	7-04						66	6-#6 DWL.(M)
235	TR	BF			60	6			1	19/6	H	126-051						1,139	6-#6 VERT.(M)
236	TR	BF			60	4			1	19/6	H	7-04						44	4-#6 DWL @COR.(M)
237	TR	BF			60	4			1	19/6	H	129-08						779	4-#6 VERT @COR.(M)
238	TR	BF			60	151			1	10/3	L	3-04						189	#3 @8" O.C TIES.
239	TR	BF			60	151			1	10/3	L	4-08						265	#3 @8" O.C TIES.
240	TR	BF			60	151			3	10/3	L	1-04						227	#3 @8" O.C LINKS.
241	TR	BF			60	2			2	19/6	S	4-00						24	2-#6 @OPNG CORNER. EF
242	TR	BF			60	3			2	13/4	L	19-04						77	3-#4 CONT. EF. @OPNG.
243	MT	PIER - P1																	
244	TR	BF			60	18			1	29/9	H	7-09						474	18-#9 DWL.(M)

INT-091 - 4725 CHELTENHAM DRIVE

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
245	TR	BF		60	18			1	29/9	H	12-06							765	18-#9 VERT.(M)
246	MT	MARK: SW-8 8" THK SHEAR WALL																	
247	MT	1ST FLOOR TO PH FLOOR																	
248	TR	BF		60	10			2	13/4	L	4-11							66	#4 @12" O.C DWL. EF.(V)
249	TR	BF		60	10			2	13/4	S	115-00							1,536	#4 @12" O.C VERT. EF.(V)
250	TR	BF		60	101			2	13/4	L	10-04							1,395	#4 @12" O.C HORZ. EF.(H)
251	TR	BF		60	6			2	19/6	H	7-04							132	6-#6 DWL. ES.(M)
252	TR	BF		60	6			2	19/6	H	129-08							2,337	6-#6 VERT. ES.(M)
253	TR	BF		60	151			2	10/3	L	4-08							530	#3 @8" O.C. ES. TIES.
254	TR	BF		60	151			4	10/3	L	1-04							303	#3 @8" O.C. ES. LINKS.
255	MT	MARK: SW-9 8" THK SHEAR WALL																	
256	MT	1ST FLOOR TO PH FLOOR																	
257	TR	BF		60	19			2	13/4	L	4-11							125	#4 @12" O.C DWL. EF.(V)
258	TR	BF		60	19			2	13/4	S	115-00							2,919	#4 @12" O.C VERT. EF.(V)
259	TR	BF		60	101			2	13/4	L	19-04							2,609	#4 @12" O.C HORZ. EF.(H)
260	TR	BF		60	6			2	19/6	H	7-04							132	6-#6 DWL. ES.(M)
261	TR	BF		60	6			2	19/6	H	129-113							2,343	6-#6 VERT. ES.(M)
262	TR	BF		60	4			1	19/6	H	7-04							44	4-#6 DWL @COR.(M)
263	TR	BF		60	4			1	19/6	H	129-113							781	4-#6 VERT @COR.(M)
264	TR	BF		60	151			1	10/3	L	3-04							189	#3 @8" O.C TIES.
265	TR	BF		60	151			1	10/3	L	4-08							265	#3 @8" O.C TIES.
266	TR	BF		60	151			3	10/3	L	1-04							227	#3 @8" O.C LINKS.
267	GI	Segment: SUPER STRUCTURE Sub-Segment: CONCRETE COLUMN																	
268	MT	MARK: 01 TO 03 (24X14) (3 LOC) - REF:S400																	
269	MT	1ST FLOOR																	
270	TR	BF		60	6			3	22/7	H	4-081							172	6-#7 DWL. @COLUMN.
271	TR	BF		60	6			3	22/7	H	17-08							650	6-#7 VERT.
272	TR	BF		60	19			3	10/3	L	7-00							150	#3 @12" O.C TIES.
273	TR	BF		60	19			3	10/3	L	1-10							39	#3 @12" O.C LINKS
274	MT	MARK: 04 (24X14)- REF:S400																	
275	MT	1ST FLOOR																	
276	TR	BF		60	6			1	32/10	H	6-06							168	6-#10 DWL. @COLUMN.
277	TR	BF		60	6			1	32/10	S	15-10							409	6-#10 VERT.
278	TR	BF		60	19			1	10/3	L	7-00							50	#3 @12" O.C TIES.
279	TR	BF		60	19			1	10/3	L	1-10							13	#3 @12" O.C LINKS
280	MT	2ND FLOOR																	
281	TR	BF		60	6			1	32/10	S	13-021							341	6-#10 VERT.
282	TR	BF		60	16			1	10/3	L	7-00							42	#3 @12" O.C TIES.
283	TR	BF		60	16			1	10/3	L	1-10							11	#3 @12" O.C LINKS
284	MT	3RD FLOOR																	
285	TR	BF		60	6			1	32/10	S	12-081							328	6-#10 VERT.
286	TR	BF		60	16			1	10/3	L	7-00							42	#3 @12" O.C TIES.
287	TR	BF		60	16			1	10/3	L	1-10							11	#3 @12" O.C LINKS
288	MT	4TH FLOOR																	
289	TR	BF		60	6			1	32/10	S	12-081							328	6-#10 VERT.
290	TR	BF		60	16			1	10/3	L	7-00							42	#3 @12" O.C TIES.
291	TR	BF		60	16			1	10/3	L	1-10							11	#3 @12" O.C LINKS
292	MT	5TH FLOOR																	
293	TR	BF		60	6			1	25/8	S	12-00							192	6-#8 VERT.
294	TR	BF		60	16			1	10/3	L	7-00							42	#3 @12" O.C TIES.
295	TR	BF		60	16			1	10/3	L	1-10							11	#3 @12" O.C LINKS
296	MT	6TH FLOOR																	
297	TR	BF		60	6			1	25/8	S	12-00							192	6-#8 VERT.
298	TR	BF		60	16			1	10/3	L	7-00							42	#3 @12" O.C TIES.
299	TR	BF		60	16			1	10/3	L	1-10							11	#3 @12" O.C LINKS
300	MT	7TH FLOOR																	
301	TR	BF		60	6			1	25/8	S	12-00							192	6-#8 VERT.
302	TR	BF		60	16			1	10/3	L	7-00							42	#3 @12" O.C TIES.
303	TR	BF		60	16			1	10/3	L	1-10							11	#3 @12" O.C LINKS
304	MT	8TH FLOOR																	
305	TR	BF		60	6			1	25/8	S	12-00							192	6-#8 VERT.

INT-091 - 4725 CHELTENHAM DRIVE

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
306	TR	BF		60	16			1	10/3	L	7-00							42	#3 @12" O.C TIES.
307	TR	BF		60	16			1	10/3	L	1-10							11	#3 @12" O.C LINKS
308	MT	9TH FLOOR																	
309	TR	BF		60	6			1	25/8	S	13-07							218	6-#8 VERT.
310	TR	BF		60	17			1	10/3	L	7-00							45	#3 @12" O.C TIES.
311	TR	BF		60	17			1	10/3	L	1-10							12	#3 @12" O.C LINKS
312	MT	PH FLOOR																	
313	TR	BF		60	6			1	25/8	H	16-01							258	6-#8 VERT.
314	TR	BF		60	17			1	10/3	L	7-00							45	#3 @12" O.C TIES.
315	TR	BF		60	17			1	10/3	L	1-10							12	#3 @12" O.C LINKS
316	MT	MARK: 05 (16X24)- REF:S400																	
317	MT	1ST FLOOR																	
318	TR	BF		60	8			1	32/10	H	6-10							235	8-#10 DWL. @COLUMN.
319	TR	BF		60	8			1	32/10	S	15-10							545	8-#10 VERT.
320	TR	BF		60	19			1	10/3	L	7-04							52	#3 @16" O.C TIES.
321	TR	BF		60	19			1	10/3	L	5-04							38	#3 @16" O.C TIES.
322	MT	2ND FLOOR (14X24)																	
323	TR	BF		60	8			1	32/10	S	13-021							454	8-#10 VERT.
324	TR	BF		60	14			1	10/3	L	7-00							37	#3 @16" O.C TIES.
325	TR	BF		60	14			1	10/3	L	1-10							10	#3 @16" O.C TIES.
326	MT	3RD FLOOR																	
327	TR	BF		60	8			1	32/10	S	12-081							437	8-#10 VERT.
328	TR	BF		60	13			1	10/3	L	7-00							34	#3 @16" O.C TIES.
329	TR	BF		60	13			1	10/3	L	1-10							9	#3 @16" O.C TIES.
330	MT	4TH FLOOR																	
331	TR	BF		60	8			1	32/10	S	12-081							437	8-#10 VERT.
332	TR	BF		60	13			1	10/3	L	7-00							34	#3 @16" O.C TIES.
333	TR	BF		60	13			1	10/3	L	1-10							9	#3 @16" O.C TIES.
334	MT	5TH FLOOR																	
335	TR	BF		60	6			1	25/8	S	12-00							192	6-#8 VERT.
336	TR	BF		60	16			1	10/3	L	7-00							42	#3 @12" O.C TIES.
337	TR	BF		60	16			1	10/3	L	1-10							11	#3 @12" O.C LINKS
338	MT	6TH FLOOR																	
339	TR	BF		60	6			1	25/8	S	12-00							192	6-#8 VERT.
340	TR	BF		60	16			1	10/3	L	7-00							42	#3 @12" O.C TIES.
341	TR	BF		60	16			1	10/3	L	1-10							11	#3 @12" O.C LINKS
342	MT	7TH FLOOR																	
343	TR	BF		60	6			1	25/8	S	12-00							192	6-#8 VERT.
344	TR	BF		60	16			1	10/3	L	7-00							42	#3 @12" O.C TIES.
345	TR	BF		60	16			1	10/3	L	1-10							11	#3 @12" O.C LINKS
346	MT	8TH FLOOR																	
347	TR	BF		60	6			1	25/8	S	12-00							192	6-#8 VERT.
348	TR	BF		60	16			1	10/3	L	7-00							42	#3 @12" O.C TIES.
349	TR	BF		60	16			1	10/3	L	1-10							11	#3 @12" O.C LINKS
350	MT	9TH FLOOR																	
351	TR	BF		60	6			1	25/8	S	13-07							218	6-#8 VERT.
352	TR	BF		60	17			1	10/3	L	7-00							45	#3 @12" O.C TIES.
353	TR	BF		60	17			1	10/3	L	1-10							12	#3 @12" O.C LINKS
354	MT	PH FLOOR																	
355	TR	BF		60	6			1	25/8	H	16-01							258	6-#8 VERT.
356	TR	BF		60	17			1	10/3	L	7-00							45	#3 @12" O.C TIES.
357	TR	BF		60	17			1	10/3	L	1-10							12	#3 @12" O.C LINKS
358	MT	MARK: 06 (24X14)- REF:S400																	
359	MT	1ST FLOOR																	
360	TR	BF		60	6			1	32/10	H	5-081							147	6-#10 DWL. @COLUMN.
361	TR	BF		60	6			1	32/10	S	17-04							447	6-#10 VERT.
362	TR	BF		60	20			1	10/3	L	7-00							53	#3 @12" O.C TIES.
363	TR	BF		60	20			1	10/3	L	1-10							14	#3 @12" O.C LINKS
364	MT	2ND FLOOR																	
365	TR	BF		60	6			1	32/10	S	13-021							341	6-#10 VERT.
366	TR	BF		60	16			1	10/3	L	7-00							42	#3 @12" O.C TIES.

INT-091 - 4725 CHELTENHAM DRIVE

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes		
367	TR	BF		60	16			1	10/3	L	1-10							11	#3 @12" O.C LINKS		
368	MT	3RD FLOOR																			
369	TR	BF		60	6			1	32/10	S	12-081							328	6-#10 VERT.		
370	TR	BF		60	16			1	10/3	L	7-00							42	#3 @12" O.C TIES.		
371	TR	BF		60	16			1	10/3	L	1-10							11	#3 @12" O.C LINKS		
372	MT	4TH FLOOR																			
373	TR	BF		60	6			1	32/10	S	12-081							328	6-#10 VERT.		
374	TR	BF		60	16			1	10/3	L	7-00							42	#3 @12" O.C TIES.		
375	TR	BF		60	16			1	10/3	L	1-10							11	#3 @12" O.C LINKS		
376	GM	ON							4												
377	MT	5TH FLOOR TO 8TH FLOOR																			
378	TR	BF		60	6			1	25/8	S	12-00							769	6-#8 VERT.		
379	TR	BF		60	16			1	10/3	L	7-00							168	#3 @12" O.C TIES.		
380	TR	BF		60	16			1	10/3	L	1-10							44	#3 @12" O.C LINKS		
381	GM	OFF																			
382	MT	9TH FLOOR																			
383	TR	BF		60	6			1	25/8	S	13-07							218	6-#8 VERT.		
384	TR	BF		60	17			1	10/3	L	7-00							45	#3 @12" O.C TIES.		
385	TR	BF		60	17			1	10/3	L	1-10							12	#3 @12" O.C LINKS		
386	MT	PH FLOOR																			
387	TR	BF		60	6			1	25/8	H	16-01							258	6-#8 VERT.		
388	TR	BF		60	17			1	10/3	L	7-00							45	#3 @12" O.C TIES.		
389	TR	BF		60	17			1	10/3	L	1-10							12	#3 @12" O.C LINKS		
390	MT	MARK: 07 (24X14)- REF:S400																			
391	MT	1ST FLOOR																			
392	TR	BF		60	6			1	32/10	H	5-081							147	6-#10 DWL. @COLUMN.		
393	TR	BF		60	6			1	32/10	S	17-10							460	6-#10 VERT.		
394	TR	BF		60	21			1	10/3	L	7-00							55	#3 @12" O.C TIES.		
395	TR	BF		60	21			1	10/3	L	1-10							14	#3 @12" O.C LINKS		
396	MT	2ND FLOOR																			
397	TR	BF		60	6			1	32/10	S	13-021							341	6-#10 VERT.		
398	TR	BF		60	16			1	10/3	L	7-00							42	#3 @12" O.C TIES.		
399	TR	BF		60	16			1	10/3	L	1-10							11	#3 @12" O.C LINKS		
400	MT	3RD FLOOR																			
401	TR	BF		60	6			1	32/10	S	12-081							328	6-#10 VERT.		
402	TR	BF		60	16			1	10/3	L	7-00							42	#3 @12" O.C TIES.		
403	TR	BF		60	16			1	10/3	L	1-10							11	#3 @12" O.C LINKS		
404	MT	4TH FLOOR																			
405	TR	BF		60	6			1	32/10	S	12-081							328	6-#10 VERT.		
406	TR	BF		60	16			1	10/3	L	7-00							42	#3 @12" O.C TIES.		
407	TR	BF		60	16			1	10/3	L	1-10							11	#3 @12" O.C LINKS		
408	GM	ON							4												
409	MT	5TH FLOOR TO 8TH FLOOR																			
410	TR	BF		60	6			1	25/8	S	12-00							769	6-#8 VERT.		
411	TR	BF		60	16			1	10/3	L	7-00							168	#3 @12" O.C TIES.		
412	TR	BF		60	16			1	10/3	L	1-10							44	#3 @12" O.C LINKS		
413	GM	OFF																			
414	MT	9TH FLOOR																			
415	TR	BF		60	6			1	25/8	S	13-07							218	6-#8 VERT.		
416	TR	BF		60	17			1	10/3	L	7-00							45	#3 @12" O.C TIES.		
417	TR	BF		60	17			1	10/3	L	1-10							12	#3 @12" O.C LINKS		
418	MT	PH FLOOR																			
419	TR	BF		60	6			1	25/8	H	16-01							258	6-#8 VERT.		
420	TR	BF		60	17			1	10/3	L	7-00							45	#3 @12" O.C TIES.		
421	TR	BF		60	17			1	10/3	L	1-10							12	#3 @12" O.C LINKS		
422	MT	MARK: 08 (16X24)- REF:S400																			
423	MT	1ST FLOOR																			
424	TR	BF		60	8			1	32/10	H	6-10							235	8-#10 DWL. @COLUMN.		
425	TR	BF		60	8			1	32/10	S	17-10							614	8-#10 VERT.		
426	TR	BF		60	17			1	10/3	L	7-04							47	#3 @16" O.C TIES.		
427	TR	BF		60	17			1	10/3	L	5-04							34	#3 @16" O.C TIES.		

INT-091 - 4725 CHELTENHAM DRIVE

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes	
428	MT	2ND FLOOR (14X24)																		
429	TR	BF		60	8			1	32/10	S	13-021							454	8-#10 VERT.	
430	TR	BF		60	14			1	10/3	L	7-00							37	#3 @16" O.C TIES.	
431	TR	BF		60	14			1	10/3	L	1-10							10	#3 @16" O.C TIES.	
432	MT	3RD FLOOR																		
433	TR	BF		60	8			1	32/10	S	12-081							437	8-#10 VERT.	
434	TR	BF		60	14			1	10/3	L	7-00							37	#3 @16" O.C TIES.	
435	TR	BF		60	14			1	10/3	L	1-10							10	#3 @16" O.C TIES.	
436	MT	4TH FLOOR																		
437	TR	BF		60	8			1	32/10	S	12-081							437	8-#10 VERT.	
438	TR	BF		60	14			1	10/3	L	7-00							37	#3 @16" O.C TIES.	
439	TR	BF		60	14			1	10/3	L	1-10							10	#3 @16" O.C TIES.	
440	GM	ON							04											
441	MT	5TH FLOOR TO 8TH FLOOR																		
442	TR	BF		60	6			1	25/8	S	12-00							769	6-#8 VERT.	
443	TR	BF		60	16			1	10/3	L	7-00							168	#3 @12" O.C TIES.	
444	TR	BF		60	16			1	10/3	L	1-10							44	#3 @12" O.C LINKS	
445	GM	OFF																		
446	MT	9TH FLOOR																		
447	TR	BF		60	6			1	25/8	S	13-07							218	6-#8 VERT.	
448	TR	BF		60	17			1	10/3	L	7-00							45	#3 @12" O.C TIES.	
449	TR	BF		60	17			1	10/3	L	1-10							12	#3 @12" O.C LINKS	
450	MT	PH FLOOR																		
451	TR	BF		60	6			1	25/8	H	16-01							258	6-#8 VERT.	
452	TR	BF		60	17			1	10/3	L	7-00							45	#3 @12" O.C TIES.	
453	TR	BF		60	17			1	10/3	L	1-10							12	#3 @12" O.C LINKS	
454	MT	MARK: 09 (14X32)- REF:S400																		
455	MT	1ST FLOOR																		
456	TR	BF		60	12			1	32/10	H	7-021							371	12-#10 DWL. @COLUMN.	
457	TR	BF		60	12			1	32/10	S	17-10							921	12-#10 VERT.	
458	TR	BF		60	17			1	13/4	L	8-04							95	#4 @14" O.C TIES.	
459	TR	BF		60	17			1	13/4	L	4-04							49	#4 @14" O.C TIES.	
460	TR	BF		60	17			1	13/4	L	6-08							76	#4 @14" O.C TIES.	
461	MT	2ND FLOOR (12X32)																		
462	TR	BF		60	12			1	32/10	S	13-021							681	12-#10 VERT.	
463	TR	BF		60	15			1	13/4	L	8-00							80	#4 @14" O.C TIES.	
464	TR	BF		60	15			1	13/4	L	4-00							40	#4 @14" O.C TIES.	
465	TR	BF		60	15			1	13/4	L	6-06							65	#4 @14" O.C TIES.	
466	MT	3RD FLOOR																		
467	TR	BF		60	10			1	32/10	S	12-081							546	10-#10 VERT.	
468	TR	BF		60	16			1	10/3	L	8-04							50	#3 @12" O.C TIES.	
469	TR	BF		60	16			1	10/3	L	4-04							26	#3 @12" O.C TIES.	
470	TR	BF		60	16			1	10/3	L	6-08							40	#3 @12" O.C TIES.	
471	GM	ON							05											
472	MT	4TH FLOOR TO 8TH FLOOR																		
473	TR	BF		60	8			1	32/10	S	12-081							2,184	8-#10 VERT.	
474	TR	BF		60	16			1	10/3	L	8-04							251	#3 @12" O.C TIES.	
475	TR	BF		60	16			1	10/3	L	5-00							150	#3 @12" O.C TIES.	
476	GM	OFF																		
477	MT	9TH FLOOR																		
478	TR	BF		60	8			1	32/10	S	14-03							490	8-#10 VERT.	
479	TR	BF		60	17			1	10/3	L	8-04							53	#3 @12" O.C TIES.	
480	TR	BF		60	17			1	10/3	L	5-00							32	#3 @12" O.C TIES.	
481	MT	PH FLOOR																		
482	TR	BF		60	8			1	32/10	H	16-00							551	8-#10 VERT.	
483	TR	BF		60	17			1	10/3	L	8-04							53	#3 @12" O.C TIES.	
484	TR	BF		60	17			1	10/3	L	5-00							32	#3 @12" O.C TIES.	
485	GM	ON							02											
486	MT	MARK:10 & 11 (32X14)- REF:S400																		
487	MT	1ST FLOOR																		
488	TR	BF		60	10			1	32/10	H	6-081							575	10-#10 DWL. @COLUMN.	

INT-091 - 4725 CHELTENHAM DRIVE

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
489	TR	BF		60	10			1	32/10	S	17-04							1,492	10-#10 VERT.
490	TR	BF		60	15			1	10/3	L	8-04							94	#3 @18" O.C TIES.
491	TR	BF		60	15			2	10/3	L	4-04							98	#3 @18" O.C TIES.
492	MT	2ND FLOOR																	
493	TR	BF		60	10			1	32/10	S	13-021							1,135	10-#10 VERT.
494	TR	BF		60	13			1	10/3	L	8-00							78	#3 @18" O.C TIES.
495	TR	BF		60	13			2	10/3	L	5-00							98	#3 @18" O.C TIES.
496	MT	3RD FLOOR																	
497	TR	BF		60	8			1	32/10	S	12-081							873	8-#10 VERT.
498	TR	BF		60	16			1	10/3	L	8-00							96	#3 @12" O.C TIES.
499	TR	BF		60	16			1	10/3	L	5-00							60	#3 @12" O.C TIES.
500	MT	4TH FLOOR																	
501	TR	BF		60	6			1	32/10	S	12-081							655	6-#10 VERT.
502	TR	BF		60	16			1	10/3	L	8-00							96	#3 @12" O.C TIES.
503	TR	BF		60	16			1	10/3	L	1-08							20	#3 @12" O.C LINKS.
504	GM	OFF																	
505	GM	ON																	
								06											
506	MT	5TH FLOOR TO 8TH FLOOR																	
507	TR	BF		60	8			1	25/8	S	12-00							1,538	8-#8 VERT.
508	TR	BF		60	16			1	10/3	L	8-00							289	#3 @12" O.C TIES.
509	TR	BF		60	16			2	10/3	L	5-00							361	#3 @12" O.C TIES.
510	GM																		
511	GM	ON																	
								02											
512	MT	9TH FLOOR																	
513	TR	BF		60	8			1	25/8	S	13-07							580	8-#8 VERT.
514	TR	BF		60	17			1	10/3	L	8-00							102	#3 @12" O.C TIES.
515	TR	BF		60	17			2	10/3	L	5-00							128	#3 @12" O.C TIES.
516	MT	PH FLOOR																	
517	TR	BF		60	8			1	25/8	H	16-00							684	8-#8 VERT.
518	TR	BF		60	17			1	10/3	L	8-00							102	#3 @12" O.C TIES.
519	TR	BF		60	17			2	10/3	L	5-00							128	#3 @12" O.C TIES.
520	GM																		
521	GM	ON																	
								02											
522	MT	MARK:12 & 15 (32X16)- REF:S400																	
523	MT	1ST FLOOR																	
524	TR	BF		60	10			1	32/10	H	6-111							597	10-#10 DWL. @COLUMN.
525	TR	BF		60	10			1	32/10	S	18-04							1,578	10-#10 VERT.
526	TR	BF		60	16			1	10/3	L	8-08							104	#3 @18" O.C TIES.
527	TR	BF		60	16			2	10/3	L	4-08							112	#3 @18" O.C TIES.
528	MT	2ND FLOOR																	
529	TR	BF		60	10			1	32/10	S	13-021							1,135	10-#10 VERT.
530	TR	BF		60	13			1	10/3	L	8-00							78	#3 @18" O.C TIES.
531	TR	BF		60	13			2	10/3	L	5-00							98	#3 @18" O.C TIES.
532	MT	3RD FLOOR																	
533	TR	BF		60	8			1	32/10	S	12-081							873	8-#10 VERT.
534	TR	BF		60	16			1	10/3	L	8-00							96	#3 @12" O.C TIES.
535	TR	BF		60	16			1	10/3	L	5-00							60	#3 @12" O.C TIES.
536	MT	4TH FLOOR																	
537	TR	BF		60	6			1	32/10	S	12-081							655	6-#10 VERT.
538	TR	BF		60	16			1	10/3	L	8-00							96	#3 @12" O.C TIES.
539	TR	BF		60	16			1	10/3	L	1-08							20	#3 @12" O.C LINKS.
540	GM																		
541	GM	ON																	
								06											
542	MT	5TH FLOOR TO 8TH FLOOR																	
543	TR	BF		60	8			1	25/8	S	12-00							1,538	8-#8 VERT.
544	TR	BF		60	13			1	10/3	L	8-00							235	#3 @16" O.C TIES.
545	TR	BF		60	13			2	10/3	L	5-00							293	#3 @16" O.C TIES.
546	GM																		
547	GM	ON																	
								2											
548	MT	9TH FLOOR																	
549	TR	BF		60	8			1	25/8	S	13-07							580	8-#8 VERT.

INT-091 - 4725 CHELTENHAM DRIVE

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
550	TR	BF		60	14			1	10/3	L	8-00							84	#3 @16" O.C TIES.
551	TR	BF		60	14			2	10/3	L	5-00							105	#3 @16" O.C TIES.
552	MT	PH FLOOR																	
553	TR	BF		60	8			1	25/8	S	13-06							577	8-#8 VERT.
554	TR	BF		60	14			1	10/3	L	8-00							84	#3 @16" O.C TIES.
555	TR	BF		60	14			2	10/3	L	5-00							105	#3 @16" O.C TIES.
556	GM																		
557	MT	MARK:14 (14X24)- REF:S400																	
558	MT	1ST FLOOR																	
559	TR	BF		60	6			1	29/9	H	5-002							103	6-#9 DWL. @COLUMN.
560	TR	BF		60	6			1	29/9	S	15-062							317	6-#9 VERT.
561	TR	BF		60	19			1	10/3	L	7-00							50	#3 @12" O.C TIES.
562	TR	BF		60	19			1	10/3	L	1-10							13	#3 @12" O.C LINKS.
563	MT	2ND FLOOR																	
564	TR	BF		60	6			1	29/9	S	12-102							263	6-#9 VERT.
565	TR	BF		60	16			1	10/3	L	7-00							42	#3 @12" O.C TIES.
566	TR	BF		60	16			1	10/3	L	1-10							11	#3 @12" O.C LINKS.
567	MT	3RD FLOOR																	
568	TR	BF		60	6			1	29/9	S	12-042							252	6-#9 VERT.
569	TR	BF		60	16			1	10/3	L	7-00							42	#3 @12" O.C TIES.
570	TR	BF		60	16			1	10/3	L	1-10							11	#3 @12" O.C LINKS.
571	MT	4TH FLOOR																	
572	TR	BF		60	6			1	29/9	S	12-042							252	6-#9 VERT.
573	TR	BF		60	16			1	10/3	L	7-00							42	#3 @12" O.C TIES.
574	TR	BF		60	16			1	10/3	L	1-10							11	#3 @12" O.C LINKS.
575	GM	ON																	
576	MT	5TH FLOOR TO 8TH FLOOR																	
577	TR	BF		60	6			1	25/8	S	12-00							769	6-#8 VERT.
578	TR	BF		60	16			1	10/3	L	7-00							168	#3 @12" O.C TIES.
579	TR	BF		60	16			1	10/3	L	1-10							44	#3 @12" O.C LINKS.
580	GM	OFF																	
581	MT	9TH FLOOR																	
582	TR	BF		60	6			1	25/8	S	13-07							218	6-#8 VERT.
583	TR	BF		60	18			1	10/3	L	7-00							47	#3 @12" O.C TIES.
584	TR	BF		60	18			1	10/3	L	1-10							12	#3 @12" O.C LINKS.
585	MT	PH FLOOR																	
586	TR	BF		60	6			1	25/8	H	16-00							256	6-#8 VERT.
587	TR	BF		60	17			1	10/3	L	7-00							45	#3 @12" O.C TIES.
588	TR	BF		60	17			1	10/3	L	1-10							12	#3 @12" O.C LINKS.
589	MT	MARK:16 (32X14)- REF:S400																	
590	MT	1ST FLOOR																	
591	TR	BF		60	10			1	32/10	H	7-021							309	10-#10 DWL. @COLUMN.
592	TR	BF		60	10			1	32/10	S	19-10							853	10-#10 VERT.
593	TR	BF		60	16			1	10/3	L	8-04							50	#3 @18" O.C TIES.
594	TR	BF		60	16			2	10/3	L	4-04							52	#3 @18" O.C TIES.
595	MT	2ND FLOOR																	
596	TR	BF		60	10			1	32/10	S	13-021							568	10-#10 VERT.
597	TR	BF		60	13			1	10/3	L	8-00							39	#3 @18" O.C TIES.
598	TR	BF		60	13			2	10/3	L	5-00							49	#3 @18" O.C TIES.
599	MT	3RD FLOOR																	
600	TR	BF		60	8			1	32/10	S	12-081							437	8-#10 VERT.
601	TR	BF		60	13			1	10/3	L	8-00							39	#3 @16" O.C TIES.
602	TR	BF		60	13			2	10/3	L	5-00							49	#3 @16" O.C TIES.
603	MT	4TH FLOOR																	
604	TR	BF		60	8			1	32/10	S	12-081							437	8-#10 VERT.
605	TR	BF		60	13			1	10/3	L	8-00							39	#3 @16" O.C TIES.
606	TR	BF		60	13			2	10/3	L	5-00							49	#3 @16" O.C TIES.
607	GM	ON																	
608	MT	5TH FLOOR TO 8TH FLOOR																	
609	TR	BF		60	8			1	25/8	S	12-00							1,025	8-#8 VERT.
610	TR	BF		60	13			1	10/3	L	8-00							156	#3 @16" O.C TIES.

INT-091 - 4725 CHELTENHAM DRIVE

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
611	TR	BF		60	13			2	10/3	L	5-00							196	#3 @16" O.C TIES.
612	GM	OFF																	
613	MT	9TH FLOOR																	
614	TR	BF		60	8			1	25/8	S	13-07							290	8-#8 VERT.
615	TR	BF		60	14			1	10/3	L	8-00							42	#3 @16" O.C TIES.
616	TR	BF		60	14			2	10/3	L	5-00							53	#3 @16" O.C TIES.
617	MT	PH FLOOR																	
618	TR	BF		60	8			1	25/8	H	16-00							342	8-#8 VERT.
619	TR	BF		60	14			1	10/3	L	8-00							42	#3 @16" O.C TIES.
620	TR	BF		60	14			2	10/3	L	5-00							53	#3 @16" O.C TIES.
621	MT	MARK:17 (24X18)- REF:S400																	
622	MT	1ST FLOOR																	
623	TR	BF		60	10			1	32/10	H	7-021							309	10-#10 DWL. @COLUMN.
624	TR	BF		60	10			1	32/10	S	19-10							853	10-#10 VERT.
625	TR	BF		60	16			1	10/3	L	7-08							46	#3 @18" O.C TIES.
626	TR	BF		60	16			2	10/3	L	3-10							46	#3 @18" O.C TIES.
627	MT	2ND FLOOR																	
628	MT	MARK:17 (24X14)																	
629	TR	BF		60	10			1	32/10	S	13-021							568	10-#10 VERT.
630	TR	BF		60	13			1	10/3	L	7-00							34	#3 @18" O.C TIES.
631	TR	BF		60	13			2	10/3	L	3-02							31	#3 @18" O.C TIES.
632	MT	3RD FLOOR																	
633	TR	BF		60	10			1	32/10	S	12-081							546	10-#10 VERT.
634	TR	BF		60	12			1	10/3	L	7-00							32	#3 @18" O.C TIES.
635	TR	BF		60	12			2	10/3	L	3-02							29	#3 @18" O.C TIES.
636	MT	4TH FLOOR																	
637	TR	BF		60	10			1	32/10	S	12-081							546	10-#10 VERT.
638	TR	BF		60	12			1	10/3	L	7-00							32	#3 @18" O.C TIES.
639	TR	BF		60	12			2	10/3	L	3-02							29	#3 @18" O.C TIES.
640	GM	ON						04											
641	MT	5TH FLOOR TO 8TH FLOOR																	
642	TR	BF		60	6			1	25/8	S	12-00							769	6-#8 VERT.
643	TR	BF		60	16			1	10/3	L	7-00							168	#3 @12" O.C TIES.
644	TR	BF		60	16			1	10/3	L	1-10							44	#3 @12" O.C LINKS.
645	GM	OFF																	
646	MT	9TH FLOOR																	
647	TR	BF		60	6			1	25/8	S	13-07							218	6-#8 VERT.
648	TR	BF		60	17			1	10/3	L	7-00							45	#3 @12" O.C TIES.
649	TR	BF		60	17			1	10/3	L	1-10							12	#3 @12" O.C LINKS.
650	MT	PH FLOOR																	
651	TR	BF		60	6			1	25/8	H	16-00							256	6-#8 VERT.
652	TR	BF		60	17			1	10/3	L	7-00							45	#3 @12" O.C TIES.
653	TR	BF		60	17			1	10/3	L	1-10							12	#3 @12" O.C LINKS.
654	MT	MARK:18 (24X18)- REF:S400																	
655	MT	1ST FLOOR																	
656	TR	BF		60	12			1	32/10	H	7-021							371	12-#10 DWL. @COLUMN.
657	TR	BF		60	12			1	32/10	S	19-10							1,024	12-#10 VERT.
658	TR	BF		60	16			1	13/4	L	7-08							82	#4 @22" O.C TIES.
659	TR	BF		60	16			1	13/4	L	3-10							41	#4 @22" O.C TIES.
660	TR	BF		60	16			1	13/4	L	4-10							52	#4 @22" O.C TIES.
661	MT	2ND FLOOR																	
662	MT	MARK:18 (24X14)																	
663	TR	BF		60	12			1	32/10	S	13-021							681	12-#10 VERT.
664	TR	BF		60	11			1	13/4	L	7-08							56	#4 @22" O.C TIES.
665	TR	BF		60	11			1	13/4	L	3-10							28	#4 @22" O.C TIES.
666	TR	BF		60	11			1	13/4	L	4-10							36	#4 @22" O.C TIES.
667	MT	3RD FLOOR																	
668	TR	BF		60	12			1	32/10	S	12-081							655	12-#10 VERT.
669	TR	BF		60	11			1	13/4	L	7-08							56	#4 @22" O.C TIES.
670	TR	BF		60	11			1	13/4	L	3-10							28	#4 @22" O.C TIES.
671	TR	BF		60	11			1	13/4	L	4-10							36	#4 @22" O.C TIES.

INT-091 - 4725 CHELTENHAM DRIVE

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes	
672	MT	4TH FLOOR																		
673	TR	BF		60	12			1	32/10	S	12-081							655	12-#10 VERT.	
674	TR	BF		60	11			1	13/4	L	7-08							56	#4 @22" O.C TIES.	
675	TR	BF		60	11			1	13/4	L	3-10							28	#4 @22" O.C TIES.	
676	TR	BF		60	11			1	13/4	L	4-10							36	#4 @22" O.C TIES.	
677	GM	ON						04												
678	MT	5TH FLOOR TO 8TH FLOOR																		
679	TR	BF		60	6			1	25/8	S	12-00							769	6-#8 VERT.	
680	TR	BF		60	16			1	10/3	L	7-00							168	#3 @12" O.C TIES.	
681	TR	BF		60	16			1	10/3	L	1-10							44	#3 @12" O.C LINKS.	
682	GM	OFF																		
683	MT	9TH FLOOR																		
684	TR	BF		60	6			1	25/8	S	13-07							218	6-#8 VERT.	
685	TR	BF		60	17			1	10/3	L	7-00							45	#3 @12" O.C TIES.	
686	TR	BF		60	17			1	10/3	L	1-10							12	#3 @12" O.C LINKS.	
687	MT	PH FLOOR																		
688	TR	BF		60	6			1	25/8	H	16-00							256	6-#8 VERT.	
689	TR	BF		60	17			1	10/3	L	7-00							45	#3 @12" O.C TIES.	
690	TR	BF		60	17			1	10/3	L	1-10							12	#3 @12" O.C LINKS.	
691	MT	MARK:19 (24X14)- REF:S400																		
692	MT	1ST FLOOR																		
693	TR	BF		60	6			1	25/8	H	5-09							92	6-#8 DWL. @COLUMN.	
694	TR	BF		60	6			1	25/8	H	17-08							283	6-#8 VERT.	
695	TR	BF		60	19			1	10/3	L	7-00							50	#3 @12" O.C TIES.	
696	TR	BF		60	19			1	10/3	L	1-10							13	#3 @12" O.C LINKS	
697	MT	1ST FLOOR																		
698	MT	MARK:20 (14X24)- REF:S400																		
699	TR	BF		60	10			1	32/10	H	6-051							277	10-#10 DWL. @COLUMN.	
700	TR	BF		60	10			1	32/10	S	15-10							681	10-#10 VERT.	
701	TR	BF		60	14			1	10/3	L	7-08							40	#3 @14" O.C TIES.	
702	TR	BF		60	14			2	10/3	L	3-10							40	#3 @14" O.C TIES.	
703	MT	2ND FLOOR																		
704	MT	MARK:17 (24X14)																		
705	TR	BF		60	10			1	32/10	S	13-021							568	10-#10 VERT.	
706	TR	BF		60	13			1	10/3	L	7-00							34	#3 @14" O.C TIES.	
707	TR	BF		60	13			2	10/3	L	3-02							31	#3 @14" O.C TIES.	
708	MT	3RD FLOOR																		
709	MT	MARK:17 (24X14)																		
710	TR	BF		60	10			1	32/10	S	12-081							546	10-#10 VERT.	
711	TR	BF		60	12			1	10/3	L	7-00							32	#3 @14" O.C TIES.	
712	TR	BF		60	12			2	10/3	L	3-02							29	#3 @14" O.C TIES.	
713	MT	4TH FLOOR																		
714	MT	MARK:17 (24X14)																		
715	TR	BF		60	10			1	32/10	S	12-081							546	10-#10 VERT.	
716	TR	BF		60	12			1	10/3	L	7-00							32	#3 @14" O.C TIES.	
717	TR	BF		60	12			2	10/3	L	3-02							29	#3 @14" O.C TIES.	
718	GM	ON						04												
719	MT	5TH FLOOR TO 8TH FLOOR																		
720	TR	BF		60	6			1	25/8	S	12-00							769	6-#8 VERT.	
721	TR	BF		60	16			1	10/3	L	7-00							168	#3 @12" O.C TIES.	
722	TR	BF		60	16			1	10/3	L	1-10							44	#3 @12" O.C LINKS.	
723	GM	OFF																		
724	MT	9TH FLOOR																		
725	TR	BF		60	6			1	25/8	S	13-07							218	6-#8 VERT.	
726	TR	BF		60	17			1	10/3	L	7-00							45	#3 @12" O.C TIES.	
727	TR	BF		60	17			1	10/3	L	1-10							12	#3 @12" O.C LINKS.	
728	MT	PH FLOOR																		
729	TR	BF		60	6			1	25/8	H	16-00							256	6-#8 VERT.	
730	TR	BF		60	17			1	10/3	L	7-00							45	#3 @12" O.C TIES.	
731	TR	BF		60	17			1	10/3	L	1-10							12	#3 @12" O.C LINKS.	
732	MT	MARK:21 (14X32)- REF:S400																		

INT-091 - 4725 CHELTENHAM DRIVE

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
733	MT	1ST FLOOR																	
734	TR	BF		60	8			1	32/10	H	7-021							247	8-#10 DWL. @COLUMN.
735	TR	BF		60	8			1	32/10	S	19-081							678	8-#10 VERT.
736	TR	BF		60	18			1	10/3	L	8-04							56	#3 @14" O.C TIES.
737	TR	BF		60	18			1	10/3	L	6-00							41	#3 @14" O.C TIES.
738	MT	2ND FLOOR																	
739	MT	MARK:21 (32X12)- REF:S400																	
740	TR	BF		60	8			1	32/10	S	13-021							454	8-#10 VERT.
741	TR	BF		60	14			1	10/3	L	8-00							42	#3 @14" O.C TIES.
742	TR	BF		60	14			1	10/3	L	5-08							30	#3 @14" O.C TIES.
743	MT	3RD FLOOR																	
744	MT	MARK:21 (32X12)																	
745	TR	BF		60	8			1	32/10	S	12-081							437	8-#10 VERT.
746	TR	BF		60	13			1	10/3	L	8-00							39	#3 @14" O.C TIES.
747	TR	BF		60	13			1	10/3	L	5-08							28	#3 @14" O.C TIES.
748	MT	4TH FLOOR																	
749	MT	MARK:21 (32X12)																	
750	TR	BF		60	8			1	32/10	S	12-081							437	8-#10 VERT.
751	TR	BF		60	13			1	10/3	L	8-00							39	#3 @14" O.C TIES.
752	TR	BF		60	13			1	10/3	L	5-08							28	#3 @14" O.C TIES.
753	GM	ON						04											
754	MT	5TH FLOOR TO 8TH FLOOR																	
755	MT	MARK:21 (32X12)																	
756	TR	BF		60	8			1	25/8	S	12-00							1,025	8-#8 VERT.
757	TR	BF		60	13			1	10/3	L	8-00							156	#3 @16" O.C TIES.
758	TR	BF		60	13			1	10/3	L	5-08							111	#3 @16" O.C TIES.
759	GM	OFF																	
760	MT	9TH FLOOR																	
761	TR	BF		60	8			1	25/8	S	13-07							290	8-#8 VERT.
762	TR	BF		60	14			1	10/3	L	8-00							42	#3 @16" O.C TIES.
763	TR	BF		60	14			1	10/3	L	5-08							30	#3 @16" O.C TIES.
764	MT	PH FLOOR																	
765	MT	MARK:21 (32X12)																	
766	TR	BF		60	8			1	25/8	H	16-00							342	8-#8 VERT.
767	TR	BF		60	14			1	10/3	L	8-00							42	#3 @16" O.C TIES.
768	TR	BF		60	14			1	10/3	L	5-08							30	#3 @16" O.C TIES.
769	MT	MARK:22 (14X24)- REF:S400																	
770	MT	1ST FLOOR																	
771	TR	BF		60	6			1	29/9	H	5-002							103	6-#9 DWL. @COLUMN.
772	TR	BF		60	6			1	29/9	S	15-062							317	6-#9 VERT.
773	TR	BF		60	19			1	10/3	L	7-00							50	#3 @12" O.C TIES.
774	TR	BF		60	19			1	10/3	L	1-10							13	#3 @12" O.C LINKS.
775	MT	2ND FLOOR																	
776	TR	BF		60	6			1	29/9	S	12-102							263	6-#9 VERT.
777	TR	BF		60	16			1	10/3	L	7-00							42	#3 @12" O.C TIES.
778	TR	BF		60	16			1	10/3	L	1-10							11	#3 @12" O.C LINKS.
779	MT	3RD FLOOR																	
780	TR	BF		60	6			1	29/9	S	12-042							252	6-#9 VERT.
781	TR	BF		60	16			1	10/3	L	7-00							42	#3 @12" O.C TIES.
782	TR	BF		60	16			1	10/3	L	1-10							11	#3 @12" O.C LINKS.
783	MT	4TH FLOOR																	
784	TR	BF		60	6			1	29/9	S	12-042							252	6-#9 VERT.
785	TR	BF		60	16			1	10/3	L	7-00							42	#3 @12" O.C TIES.
786	TR	BF		60	16			1	10/3	L	1-10							11	#3 @12" O.C LINKS.
787	MT	5TH FLOOR TO 8TH FLOOR																	
788	TR	BF		60	6			1	25/8	S	12-00							192	6-#8 VERT.
789	TR	BF		60	16			1	10/3	L	7-00							42	#3 @12" O.C TIES.
790	TR	BF		60	16			1	10/3	L	1-10							11	#3 @12" O.C LINKS.
791	MT	9TH FLOOR																	
792	TR	BF		60	6			1	25/8	S	13-07							218	6-#8 VERT.
793	TR	BF		60	18			1	10/3	L	7-00							47	#3 @12" O.C TIES.

INT-091 - 4725 CHELTENHAM DRIVE

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
794	TR	BF		60	18			1	10/3	L	1-10							12	#3 @12" O.C LINKS.
795	MT	PH FLOOR																	
796	TR	BF		60	6			1	25/8	H	16-00							256	6-#8 VERT.
797	TR	BF		60	17			1	10/3	L	7-00							45	#3 @12" O.C TIES.
798	TR	BF		60	17			1	10/3	L	1-10							12	#3 @12" O.C LINKS.
799	MT	MARK:23(14X24)- REF:S400																	
800	MT	1ST FLOOR																	
801	TR	BF		60	12			1	29/9	H	6-042							260	12-#9 DWL. @COLUMN.
802	TR	BF		60	12			1	29/9	S	15-062							634	12-#9 VERT.
803	TR	BF		60	17			1	10/3	L	7-00							45	#3 @14" O.C TIES.
804	TR	BF		60	17			1	10/3	L	5-00							32	#3 @14" O.C TIES.
805	TR	BF		60	17			1	10/3	L	6-00							38	#3 @14" O.C TIES.
806	MT	2ND FLOOR																	
807	TR	BF		60	12			1	29/9	S	12-102							525	12-#9 VERT.
808	TR	BF		60	15			1	10/3	L	7-00							39	#3 @14" O.C TIES.
809	TR	BF		60	15			1	10/3	L	5-00							28	#3 @14" O.C TIES.
810	TR	BF		60	15			1	10/3	L	6-00							34	#3 @14" O.C TIES.
811	MT	3RD FLOOR																	
812	TR	BF		60	12			1	29/9	S	12-042							505	12-#9 VERT.
813	TR	BF		60	14			1	10/3	L	7-00							37	#3 @14" O.C TIES.
814	TR	BF		60	14			1	10/3	L	5-00							26	#3 @14" O.C TIES.
815	TR	BF		60	14			1	10/3	L	6-00							32	#3 @14" O.C TIES.
816	MT	4TH FLOOR																	
817	TR	BF		60	12			1	29/9	S	12-042							505	12-#9 VERT.
818	TR	BF		60	14			1	10/3	L	7-00							37	#3 @14" O.C TIES.
819	TR	BF		60	14			1	10/3	L	5-00							26	#3 @14" O.C TIES.
820	TR	BF		60	14			1	10/3	L	6-00							32	#3 @14" O.C TIES.
821	GM	ON 04																	
822	MT	5TH FLOOR TO 8TH FLOOR																	
823	TR	BF		60	6			1	25/8	S	12-00							769	6-#8 VERT.
824	TR	BF		60	16			1	10/3	L	7-00							168	#3 @12" O.C TIES.
825	TR	BF		60	16			1	10/3	L	1-10							44	#3 @12" O.C LINKS.
826	GM	OFF																	
827	MT	9TH FLOOR																	
828	TR	BF		60	6			1	25/8	S	13-07							218	6-#8 VERT.
829	TR	BF		60	18			1	10/3	L	7-00							47	#3 @12" O.C TIES.
830	TR	BF		60	18			1	10/3	L	1-10							12	#3 @12" O.C LINKS.
831	MT	PH FLOOR																	
832	TR	BF		60	6			1	25/8	H	16-00							256	6-#8 VERT.
833	TR	BF		60	17			1	10/3	L	7-00							45	#3 @12" O.C TIES.
834	TR	BF		60	17			1	10/3	L	1-10							12	#3 @12" O.C LINKS.
835	MT	MARK:24(16X24)- REF:S400																	
836	MT	1ST FLOOR																	
837	TR	BF		60	8			1	29/9	H	6-042							173	8-#9 DWL. @COLUMN.
838	TR	BF		60	8			1	29/9	S	15-062							423	8-#9 VERT.
839	TR	BF		60	16			1	10/3	L	7-04							44	#3 @16" O.C TIES.
840	TR	BF		60	16			1	10/3	L	5-04							32	#3 @16" O.C TIES.
841	MT	2ND FLOOR																	
842	MT	MARK:24(14X24)- REF:S400																	
843	TR	BF		60	6			1	29/9	S	12-093							261	6-#9 VERT.
844	TR	BF		60	16			1	10/3	L	7-00							42	#3 @12" O.C TIES.
845	TR	BF		60	16			1	10/3	L	1-10							11	#3 @12" O.C LINKS.
846	MT	3RD FLOOR																	
847	MT	MARK:24(14X24)- REF:S400																	
848	TR	BF		60	6			1	29/9	S	12-033							251	6-#9 VERT.
849	TR	BF		60	16			1	10/3	L	7-00							42	#3 @12" O.C TIES.
850	TR	BF		60	16			1	10/3	L	1-10							11	#3 @12" O.C LINKS.
851	MT	4TH FLOOR																	
852	MT	MARK:24(14X24)- REF:S400																	
853	TR	BF		60	6			1	29/9	S	12-033							251	6-#9 VERT.
854	TR	BF		60	16			1	10/3	L	7-00							42	#3 @12" O.C TIES.

INT-091 - 4725 CHELTENHAM DRIVE

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
855	TR	BF		60	16			1	10/3	L	1-10							11	#3 @12" O.C LINKS.
856	GM	ON						4											
857	MT	5TH FLOOR TO 8TH FLOOR																	
858	TR	BF		60	6			1	25/8	S	12-00							769	6-#8 VERT.
859	TR	BF		60	16			1	10/3	L	7-00							168	#3 @12" O.C TIES.
860	TR	BF		60	16			1	10/3	L	1-10							44	#3 @12" O.C LINKS.
861	GM	OFF																	
862	MT	9TH FLOOR																	
863	TR	BF		60	6			1	25/8	S	13-07							218	6-#8 VERT.
864	TR	BF		60	17			1	10/3	L	7-00							45	#3 @12" O.C TIES.
865	TR	BF		60	17			1	10/3	L	1-10							12	#3 @12" O.C LINKS.
866	MT	PH FLOOR																	
867	TR	BF		60	6			1	25/8	H	16-00							256	6-#8 VERT.
868	TR	BF		60	17			1	10/3	L	7-00							45	#3 @12" O.C TIES.
869	TR	BF		60	17			1	10/3	L	1-10							12	#3 @12" O.C LINKS.
870	MT	MARK:25(14X24)- REF:S400																	
871	MT	1ST FLOOR																	
872	TR	BF		60	6			1	25/8	H	6-04							101	6-#8 DWL.
873	TR	BF		60	6			1	25/8	S	16-02							259	6-#8 VERT.
874	TR	BF		60	20			1	10/3	L	7-00							53	#3 @12" O.C TIES.
875	TR	BF		60	20			1	10/3	L	1-10							14	#3 @12" O.C LINKS.
876	MT	2ND FLOOR																	
877	MT	MARK:25(14X24)- REF:S400																	
878	TR	BF		60	6			1	25/8	H	15-00							240	6-#8 VERT.
879	TR	BF		60	16			1	10/3	L	7-00							42	#3 @12" O.C TIES.
880	TR	BF		60	16			1	10/3	L	1-10							11	#3 @12" O.C LINKS.
881	MT	MARK:26(20X12)- REF:S400																	
882	MT	1ST FLOOR																	
883	TR	BF		60	6			1	25/8	H	6-04							101	6-#8 DWL.
884	TR	BF		60	6			1	25/8	S	16-02							259	6-#8 VERT.
885	TR	BF		60	20			1	10/3	L	6-00							45	#3 @12" O.C TIES.
886	TR	BF		60	20			1	10/3	L	1-08							13	#3 @12" O.C LINKS.
887	MT	2ND FLOOR																	
888	MT	MARK:26(20X12)- REF:S400																	
889	TR	BF		60	6			1	25/8	H	15-00							240	6-#8 VERT.
890	TR	BF		60	16			1	10/3	L	6-00							36	#3 @12" O.C TIES.
891	TR	BF		60	16			1	10/3	L	1-08							10	#3 @12" O.C LINKS.
892	MT	2ND FLOOR																	
893	MT	MARK:22 (14X24)- REF:S400																	
894	TR	BF		60	6			1	29/9	H	4-052							91	6-#9 DWL. @COLUMN.
895	TR	BF		60	6			1	29/9	S	12-102							263	6-#9 VERT.
896	TR	BF		60	16			1	10/3	L	7-00							42	#3 @12" O.C TIES.
897	TR	BF		60	16			1	10/3	L	1-10							11	#3 @12" O.C LINKS.
898	MT	3RD FLOOR																	
899	TR	BF		60	6			1	29/9	S	12-042							252	6-#9 VERT.
900	TR	BF		60	16			1	10/3	L	7-00							42	#3 @12" O.C TIES.
901	TR	BF		60	16			1	10/3	L	1-10							11	#3 @12" O.C LINKS.
902	MT	4TH FLOOR																	
903	TR	BF		60	6			1	29/9	S	12-042							252	6-#9 VERT.
904	TR	BF		60	16			1	10/3	L	7-00							42	#3 @12" O.C TIES.
905	TR	BF		60	16			1	10/3	L	1-10							11	#3 @12" O.C LINKS.
906	MT	5TH FLOOR TO 8TH FLOOR																	
907	TR	BF		60	6			1	25/8	S	12-00							192	6-#8 VERT.
908	TR	BF		60	16			1	10/3	L	7-00							42	#3 @12" O.C TIES.
909	TR	BF		60	16			1	10/3	L	1-10							11	#3 @12" O.C LINKS.
910	MT	9TH FLOOR																	
911	TR	BF		60	6			1	25/8	S	13-07							218	6-#8 VERT.
912	TR	BF		60	18			1	10/3	L	7-00							47	#3 @12" O.C TIES.
913	TR	BF		60	18			1	10/3	L	1-10							12	#3 @12" O.C LINKS.
914	MT	PH FLOOR																	
915	TR	BF		60	6			1	25/8	H	16-00							256	6-#8 VERT.

INT-091 - 4725 CHELTENHAM DRIVE

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
916	TR	BF		60	16			1	10/3	L	7-00							42	#3 @12" O.C TIES.
917	TR	BF		60	16			1	10/3	L	1-10							11	#3 @12" O.C LINKS.
918	GI	Segment: SUPER STRUCTURE Sub-Segment: CONCRETE BEAM																	
919	MT	2ND FLOOR - REF: S102																	
920	MT	MARK: BM-1(20 LFT) (8"X16")																	
921	TR	BF		60	2			1	19/6	H	22-00							66	2-#6 CONT. @B.
922	TR	BF		60	2			1	19/6	H	22-00							66	2-#6 CONT. @T.(F.L)
923	TR	BF		60	18			2	13/4	L	4-08							112	18-#4 STRR. EE.
924	TR	BF		60	11			1	13/4	L	4-08							34	#4 @12" O.C STRR.
925	MT	MARK: BM-2(10 LFT) (8"X44")																	
926	TR	BF		60	2			1	19/6	H	12-00							36	2-#6 CONT. @B.
927	TR	BF		60	2			1	19/6	H	12-00							36	2-#6 CONT. @T.(F.L)
928	TR	BF		60	4			2	13/4	H	11-04							61	#4 @10" O.C ADD'L.EF.
929	TR	BF		60	11			1	13/4	L	9-04							69	#4 @12" O.C STRR.
930	MT	3RD FLOOR - REF: S103																	
931	MT	MARK: BM-1(20 LFT) (8"X16")																	
932	TR	BF		60	2			1	19/6	H	22-00							66	2-#6 CONT. @B.
933	TR	BF		60	2			1	19/6	H	22-00							66	2-#6 CONT. @T.(F.L)
934	TR	BF		60	18			2	13/4	L	4-08							112	18-#4 STRR. EE.
935	TR	BF		60	11			1	13/4	L	4-08							34	#4 @12" O.C STRR.
936	MT	MARK: BM-3(28LFT) (14"X16")																	
937	TR	BF		60	2			1	19/6	H	30-00							90	2-#6 CONT. @B.
938	TR	BF		60	2			1	19/6	H	30-00							90	2-#6 CONT. @T.(F.L)
939	TR	BF		60	85			1	13/4	L	5-08							322	#4 @4" O.C STRR.
940	GM	ON						6											
941	MT	4TH FLOOR TO 9TH FLOOR- REF: S104																	
942	MT	MARK: BM-1(20 LFT) (8"X16")																	
943	TR	BF		60	2			1	19/6	H	22-00							397	2-#6 CONT. @B.
944	TR	BF		60	2			1	19/6	H	22-00							397	2-#6 CONT. @T.(F.L)
945	TR	BF		60	18			2	13/4	L	4-08							673	18-#4 STRR. EE.
946	TR	BF		60	11			1	13/4	L	4-08							206	#4 @12" O.C STRR.
947	MT	MARK: BM-3(28LFT) (14"X16")																	
948	TR	BF		60	2			1	19/6	H	30-00							541	2-#6 CONT. @B.
949	TR	BF		60	2			1	19/6	H	30-00							541	2-#6 CONT. @T.(F.L)
950	TR	BF		60	85			1	13/4	L	5-08							1,930	#4 @4" O.C STRR.
951	GM	OFF																	
952	MT	PENT HOUSE FLOOR - REF: S106																	
953	MT	MARK: BM-1(20 LFT) (8"X16")																	
954	TR	BF		60	2			1	19/6	H	22-00							66	2-#6 CONT. @B.
955	TR	BF		60	2			1	19/6	H	22-00							66	2-#6 CONT. @T.(F.L)
956	TR	BF		60	18			2	13/4	L	4-08							112	18-#4 STRR. EE.
957	TR	BF		60	11			1	13/4	L	4-08							34	#4 @12" O.C STRR.
958	MT	MARK: BM-4(20 LFT) (8"X94")																	
959	TR	BF		60	4			1	25/8	H	22-08							242	4-#8 CONT. @B.
960	TR	BF		60	2			1	25/8	H	22-08							121	2-#8 CONT. @T.(F.L)
961	TR	BF		60	9			2	13/4	H	21-04							256	#4 @10" O.C ADD'L (2
962	TR	BF		60	21			1	13/4	L	17-08							248	#4 @12" O.C STRR.
963	MT	CONCRETE POST - REF: S106																	
964	MT	MARK: P1 (12X20) (5 LOC)																	
965	TR	BF		60	4			5	25/8	H	4-04							231	4-#8 DWL. @POST.
966	TR	BF		60	4			5	25/8	H	13-06							721	4-#8 VERT.
967	TR	BF		60	12			5	10/3	L	6-00							135	#3 @12" O.C TIES.
968	TR	BF		60	3			5	10/3	L	6-00							34	3- #3 TIES. @T.
969	GI	Segment: SUPER STRUCTURE Sub-Segment: ELEVATED SLAB																	
970	MT	2ND FLOOR - REF: S102																	
971	MT	7" & 8" THK PT SLAB (8785 SQ FT)																	
972	TR	BF		60	325			1	13/4	S	30-00							6,513	#4 @24" O.C EW. @B.
973	MT	ADD'L BAR																	
974	TR	BF		60	1			1	13/4	S	2554-08							1,707	#4 ADD'L BAR
975	TR	BF		60	1			1	16/5	S	3635-00							3,791	#5 ADD'L BAR
976	TR	BF		60	1			1	19/6	S	234-00							351	#6 ADD'L BAR

INT-091 - 4725 CHELTENHAM DRIVE

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes	
977	TR	BF		E60	9			20	13/4	L	4-10							581	#4 @36" O.C CHAIRS.	
978	MT	5 1/2" THK BALCONIES																		
979	TR	BF		E60	141			2	13/4	H	9-08							1,821	#4 @12" O.C ADD'L. T&B	
980	TR	BF		E60	71			2	13/4	S	10-00							949	#4 @24" O.C ADD'L. T&B.	
981	TR	BF		E60	2			2	16/5	S	157-06							657	2-#5 CONT. @T&B.	
982	MT	SLAB STEP																		
983	TR	BF		E60	121			1	13/4	S	10-00							808	#4 @12" O.C ADD'L. @T.	
984	TR	BF		E60	121			1	13/4	L	8-08							701	#4 @24" O.C ADD'L. @B.	
985	MT	MARK:TG-1 (15 LFT) (36"X48")																		
986	TR	BF		E60	6			1	29/9	H	18-02							371	6-#9 CONT. @B.	
987	TR	BF		E60	6			1	29/9	H	18-02							371	4-#9 CONT. @T.	
988	TR	BF		E60	6			2	13/4	S	15-00							120	#4 @10" O.C ADD'L. EF.	
989	TR	BF		E60	27			2	13/4	L	11-08							421	#4 @7" O.C STRR.	
990	MT	REF:8/S004																		
991	TR	BF		E60	2			3	22/7	H	14-10							182	2-#7 ADD'L. @MID	
992	MT	REF:7/S005																		
993	TR	BF		E60	2			36	13/4	S	5-00							240	2-#4 ADD'L. T&B.	
994	TR	BF		E60	7			18	10/3	L	2-02							103	#3 @HAIRPIN BAR	
995	MT	3RD FLOOR - REF: S103																		
996	MT	7" THK PT SLAB (8250 SQ FT)																		
997	TR	BF		E60	305			1	13/4	S	30-00							6,112	#4 @24" O.C EW. @B.	
998	MT	ADD'L BAR																		
999	TR	BF		E60	1			1	13/4	S	2980-09							1,991	#4 ADD'L	
1000	TR	BF		E60	1			1	16/5	S	3731-00							3,891	#5 ADD'L	
1001	TR	BF		E60	1			1	19/6	S	234-00							351	#6 ADD'L	
1002	MT	5 1/2" THK BALCONIES																		
1003	TR	BF		E60	111			2	13/4	L	9-08							1,433	#4 @12" O.C ADD'L. T&B	
1004	TR	BF		E60	56			2	13/4	S	10-00							748	#4 @24" O.C ADD'L. T&B.	
1005	TR	BF		E60	2			2	16/5	S	120-06							503	2-#5 CONT. @T&B.	
1006	MT	7" THK BALCONIES																		
1007	TR	BF		E60	106			2	13/4	L	12-08							1,794	#4 @12" O.C ADD'L. T&B	
1008	TR	BF		E60	54			1	13/4	S	12-00							433	#4 @24" O.C ADD'L. T&B.	
1009	TR	BF		E60	2			2	16/5	S	115-06							482	2-#5 CONT. @T&B.	
1010	MT	SLOPES - REF:8/S004																		
1011	TR	BF		E60	2			3	22/7	H	14-10							182	2-#7 ADD'L. @MID	
1012	MT	REF:7/S005																		
1013	TR	BF		E60	2			36	13/4	S	5-00							240	2-#4 ADD'L. T&B.	
1014	TR	BF		E60	7			18	10/3	L	2-01							99	#3 @HAIRPIN BAR	
1015	MT	4TH FLOOR - REF: S104																		
1016	MT	7" & 8" THK PT SLAB (7780 SQ FT)																		
1017	TR	BF		E60	290			1	13/4	S	30-00							5,812	#4 @24" O.C EW. @B.	
1018	MT	ADD'L BAR																		
1019	TR	BF		E60	1			1	13/4	S	3111-03							2,078	#4 ADD'L	
1020	TR	BF		E60	1			1	16/5	S	3731-00							3,891	#5 ADD'L	
1021	TR	BF		E60	1			1	19/6	S	234-00							351	#6 ADD'L.	
1022	MT	5 1/2" THK BALCONIES																		
1023	TR	BF		E60	111			2	13/4	H	9-08							1,433	#4 @12" O.C ADD'L. T&B	
1024	TR	BF		E60	56			2	13/4	S	10-00							748	#4 @24" O.C ADD'L. T&B.	
1025	TR	BF		E60	2			2	16/5	S	120-06							503	2-#5 CONT. @T&B.	
1026	MT	7" THK BALCONIES																		
1027	TR	BF		E60	51			2	13/4	L	12-08							863	#4 @12" O.C ADD'L. T&B	
1028	TR	BF		E60	26			1	13/4	S	12-00							208	#4 @24" O.C ADD'L. T&B.	
1029	TR	BF		E60	2			2	16/5	S	57-00							238	2-#5 CONT. @T&B.	
1030	MT	REF:7/S005																		
1031	TR	BF		E60	2			30	13/4	S	5-00							200	2-#4 ADD'L. T&B.	
1032	TR	BF		E60	7			15	10/3	L	2-02							85	#3 @HAIRPIN BAR	
1033	GM	ON																		
1034	MT	5TH FLOOR TO 9TH FLOOR - REF: S105																		
1035	MT	7" THK PT SLAB (7550 SQ FT)																		
1036	TR	BF		E60	280			1	13/4	S	30-00							28,056	#4 @24" O.C EW. @B.	
1037	MT	ADD'L BAR																		

INT-091 - 4725 CHELTENHAM DRIVE

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
1038	TR	BF		60	1			1	13/4	S	3111-03							10,392	#4 ADD'L
1039	TR	BF		60	1			1	16/5	S	3731-01							19,458	#5 ADD'L
1040	TR	BF		60	1			1	19/6	S	234-00							1,757	#6 ADD'L
1041	MT	5 1/2" THK BALCONIES																	
1042	TR	BF		E60	151			2	13/4	L	9-08							9,749	#4 @12" O.C ADD'L. T&B
1043	TR	BF		E60	76			2	13/4	S	10-00							5,077	#4 @24" O.C ADD'L. T&B.
1044	TR	BF		E60	2			2	16/5	S	167-06							3,494	2-#5 CONT. @T&B.
1045	MT	REF:7/S005																	
1046	TR	BF		60	2			34	13/4	S	5-00							1,136	2-#4 ADD'L. T&B.
1047	TR	BF		60	7			17	10/3	L	2-01							466	#3 @HAIRPIN BAR
1048	GM	OFF																	
1049	MT	PENTHOUSE FLOOR - REF: S106																	
1050	MT	10" THK PT SLAB (5910 SQ FT)																	
1051	TR	BF		E60	220			1	16/5	S	30-00							6,884	#5 @24" O.C EW. @B.
1052	MT	ADD'L BAR																	
1053	TR	BF		E60	9			20	13/4	L	5-04							641	#4 @36" O.C CHAIRS.
1054	TR	BF		E60	1			1	16/5	S	7640-07							7,969	#5 ADDL
1055	TR	BF		E60	1			1	19/6	S	84-00							126	#6 ADD'L
1056	MT	8" THK PARAPET WALL (230 LFT) - REF:S106,1, 2&5/S301																	
1057	TR	BF		60	231			2	13/4	L	6-02							1,904	#4 @12" O.C D/V. EF.
1058	TR	BF		60	6			2	13/4	S	258-08							2,073	#4 @12" O.C HORZ. EF.
1059	TR	BF		60	6			12	13/4	L	7-02							345	#4 @12" O.C COR. EF.
1060	MT	8" THK PARAPET WALL (120 LFT) - REF:S106,3, 4/S301																	
1061	TR	BF		60	121			2	13/4	L	5-00							808	#4 @12" O.C D/V. EF.
1062	TR	BF		60	5			2	13/4	S	134-04							897	#4 @12" O.C HORZ. EF.
1063	TR	BF		60	5			12	13/4	L	7-02							287	#4 @12" O.C COR. EF.
1064	MT	REF:7/S005																	
1065	TR	BF		60	2			34	13/4	S	5-00							227	2-#4 ADD'L. T&B.
1066	TR	BF		60	7			17	10/3	L	2-04							104	#3 @HAIRPIN BAR
1067	MT	PH ROOF - REF: S107																	
1068	MT	9" THK PT SLAB (5910 SQ FT)																	
1069	TR	BF		60	220			1	13/4	S	30-00							4,409	#4 @24" O.C EW. @B.
1070	MT	ADD'L BAR																	
1071	TR	BF		60	9			10	13/4	L	5-02							311	#4 @36" O.C CHAIRS.
1072	TR	BF		60	1			1	16/5	S	5039-00							5,256	#5 ADD'L
1073	TR	BF		60	1			1	19/6	S	168-00							252	#6 ADD'L
1074	MT	8" THK CONCRETE SLAB @ELEVATOR ROOF																	
1075	TR	BF		60	11			2	13/4	S	20-00							294	#4 @12" O.C LW. @T&B.
1076	TR	BF		60	21			2	13/4	S	10-00							281	#4 @12" O.C SW. @T&B.
1077	TR	BF		60	12			1	13/4	L	5-00							40	#4 @36" O.C CHAIRS.
1078	MT	REF:15/S301																	
1079	TR	BF		60	4			16	19/6	S	5-00							481	4-#6 EW. T&B
1080	MT	REF:7/S005																	
1081	TR	BF		60	2			10	13/4	S	5-00							67	2-#4 ADD'L. T&B.
1082	TR	BF		60	7			5	10/3	L	2-03							30	#3 @HAIRPIN BAR
1083	MT	6" THK HOUSEKEEPING PAD - REF:																	
1084	TR	BF		60	8			1	10/3	S	20-00							60	#3 @12" O.C LW. @B.
1085	TR	BF		60	21			1	10/3	S	7-00							55	#3 @12" O.C SW. @B.
1086	GI	Segment: SUPER STRUCTURE Sub-Segment: STAIRCASE																	
1087	MT	CONCRETE STAIR - REF: S411																	
1088	MT	1ST FLOOR TO 9TH FLOOR																	
1089	MT	8" THK CONCRETE STAIR - REF:1/S411																	
1090	TR	BF		60	2			8	16/5	S	4-06							75	2-#5 CONT. @B
1091	TR	BF		60	7			8	19/6	H	7-04							617	#6 @8" O.C DWL. BAR.
1092	TR	BF		60	8			8	19/6	H	22-00							2,115	#6 @8" O.C LW. @B.
1093	TR	BF		60	25			8	13/4	S	4-06							601	#4 @10" O.C SW. @B.
1094	TR	BF		60	1			144	13/4	S	4-06							433	1-#3 NOSING. BAR.
1095	TR	BF		60	7			32	13/4	S	9-00							1,347	#4 @8" O.C LW. T&B.
1096	TR	BF		60	14			32	13/4	S	4-00							1,197	#4 @8" O.C SW. T&B.
1097	TR	BF		60	2			32	19/6	S	9-00							865	2-#6 ADD'L. T&B.
1098	MT	CONCRETE STAIR - REF: S411																	

INT-091 - 4725 CHELTENHAM DRIVE

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
1099	MT	1ST FLOOR TO 9TH FLOOR																	
1100	MT	8" THK CONCRETE STAIR - REF:2/S411																	
1101	TR	BF		60	2				8	16/5	S	4-06						75	2-#5 CONT. @B
1102	TR	BF		60	7				8	19/6	H	7-04						617	#6 @8" O.C DWL. BAR.
1103	TR	BF		60	8				8	19/6	H	22-00						2,115	#6 @8" O.C LW. @B.
1104	TR	BF		60	25				8	13/4	S	4-06						601	#4 @10" O.C SW. @B.
1105	TR	BF		60	1				144	13/4	S	4-06						433	1-#3 NOSING. BAR.
1106	TR	BF		60	7				32	13/4	S	9-00						1,347	#4 @8" O.C LW. T&B.
1107	TR	BF		60	14				32	13/4	S	4-00						1,197	#4 @8" O.C SW. T&B.
1108	TR	BF		60	2				32	19/6	S	9-00						865	2-#6 ADD'L. T&B.
1109	GI	Segment: SITE WORK Sub-Segment: LIGHT POLE																	
1110	MT	REF. SHEET:4																	
1111	MT	1'-4" DIA LIGHT POLE BASE (2 LOC) REF: 17/S002																	
1112	TR	BF		60	4				2	19/6	S	7-00						84	4-#6 VERT.
1113	TR	BF		60	11				2	10/3	L	5-00						41	#3 @8" O.C TIES.
1114	TR	BF		60	3				2	10/3	L	5-00						11	3-#3 TIES. @T.

Rebar Sub-Segment Summary

Segment: FOUNDATION

Sub-Segment: SPREAD FOOTING

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

** Grade 60, Black **

13/4	47	21	0	26	0
16/5	183	108	75	0	0
19/6	651	270	381	0	0
22/7	1,280	1,280	0	0	0
25/8	5,986	4,534	1,452	0	0
29/9	3,148	3,148	0	0	0
	<u>11,295</u>	<u>9,361</u>	<u>1,908</u>	<u>26</u>	<u>0</u>

Sub-Segment: MAT FOOTING

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

** Grade 60, Black **

16/5	926	0	926	0	0
22/7	1,514	0	1,514	0	0
25/8	19,516	0	19,516	0	0
	<u>21,956</u>	<u>0</u>	<u>21,956</u>	<u>0</u>	<u>0</u>

Sub-Segment: CONTINUOUS FOOTING

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

** Grade 60, Black **

13/4	1,029	909	120	0	573
	<u>1,029</u>	<u>909</u>	<u>120</u>	<u>0</u>	<u>573</u>

Sub-Segment: GRADE BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

** Grade 60, Black **

13/4	5,184	2,970	0	2,214	364
19/6	865	865	0	0	865
25/8	1,594	1,042	552	0	0
32/10	1,151	0	1,151	0	0
	<u>8,794</u>	<u>4,877</u>	<u>1,703</u>	<u>2,214</u>	<u>1,229</u>

Rebar Sub-Segment Summary

Segment: FOUNDATION

Sub-Segment: SLAB ON GRADE

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

** Grade 60, Black **

13/4	2,152	518	352	1,282	497
16/5	624	624	0	0	261
	<u>2,776</u>	<u>1,142</u>	<u>352</u>	<u>1,282</u>	<u>758</u>

** Grade 60, Epoxy **

13/4	1,469	1,123	0	346	716
16/5	74	74	0	0	74
	<u>1,543</u>	<u>1,197</u>	<u>0</u>	<u>346</u>	<u>790</u>

** Grand Totals **

13/4	3,621	1,641	352	1,628	1,213
16/5	698	698	0	0	335
	<u>4,319</u>	<u>2,339</u>	<u>352</u>	<u>1,628</u>	<u>1,548</u>

Total for Segment: FOUNDATION

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

** Grade 60, Black **

13/4	8,412	4,418	472	3,522	1,434
16/5	1,733	732	1,001	0	261
19/6	1,516	1,135	381	0	865
22/7	2,794	1,280	1,514	0	0
25/8	27,096	5,576	21,520	0	0
29/9	3,148	3,148	0	0	0
32/10	1,151	0	1,151	0	0
	<u>45,850</u>	<u>16,289</u>	<u>26,039</u>	<u>3,522</u>	<u>2,560</u>

** Grade 60, Epoxy **

13/4	1,469	1,123	0	346	716
16/5	74	74	0	0	74
	<u>1,543</u>	<u>1,197</u>	<u>0</u>	<u>346</u>	<u>790</u>

** Grand Totals **

13/4	9,881	5,541	472	3,868	2,150
16/5	1,807	806	1,001	0	335
19/6	1,516	1,135	381	0	865
22/7	2,794	1,280	1,514	0	0
25/8	27,096	5,576	21,520	0	0
29/9	3,148	3,148	0	0	0
32/10	1,151	0	1,151	0	0
	<u>47,393</u>	<u>17,486</u>	<u>26,039</u>	<u>3,868</u>	<u>3,350</u>

Rebar Sub-Segment Summary

Segment: SUPER STRUCTURE

Sub-Segment: CONCRETE WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

** Grade 60, Black **

13/4	7,742	4,101	1,355	2,286	3,247
16/5	852	317	488	47	0
	<u>8,594</u>	<u>4,418</u>	<u>1,843</u>	<u>2,333</u>	<u>3,247</u>

Sub-Segment: SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

** Grade 60, Black **

10/3	6,875	0	0	6,875	0
13/4	40,798	21,090	0	19,708	21,090
19/6	26,936	24	26,912	0	25,559
29/9	1,239	0	1,239	0	0
	<u>75,848</u>	<u>21,114</u>	<u>28,151</u>	<u>26,583</u>	<u>46,649</u>

Sub-Segment: CONCRETE COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

** Grade 60, Black **

10/3	12,940	0	0	12,940	0
13/4	940	0	0	940	0
22/7	822	0	822	0	0
25/8	25,399	19,636	5,763	0	0
29/9	7,020	6,290	730	0	0
32/10	38,051	33,512	4,539	0	0
	<u>85,172</u>	<u>59,438</u>	<u>11,854</u>	<u>13,880</u>	<u>0</u>

Sub-Segment: CONCRETE BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

** Grade 60, Black **

10/3	169	0	0	169	0
13/4	4,204	0	318	3,886	0
19/6	2,524	0	2,524	0	0
25/8	1,315	0	1,315	0	0
	<u>8,212</u>	<u>0</u>	<u>4,157</u>	<u>4,055</u>	<u>0</u>

Rebar Sub-Segment Summary

Segment: SUPER STRUCTURE

Sub-Segment: ELEVATED SLAB

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

** Grade 60, Black **

10/3	1,002	115	0	887	0
13/4	79,051	73,653	0	5,398	19,138
16/5	36,285	36,285	0	0	36,285
19/6	3,543	3,543	0	0	3,062
22/7	182	0	182	0	0
29/9	742	0	742	0	0
	<u>120,805</u>	<u>113,596</u>	<u>924</u>	<u>6,285</u>	<u>58,485</u>

** Grade 60, Epoxy **

13/4	25,897	8,163	3,254	14,480	0
16/5	20,730	20,730	0	0	13,608
19/6	126	126	0	0	126
22/7	182	0	182	0	0
	<u>46,935</u>	<u>29,019</u>	<u>3,436</u>	<u>14,480</u>	<u>13,734</u>

** Grand Totals **

10/3	1,002	115	0	887	0
13/4	104,948	81,816	3,254	19,878	19,138
16/5	57,015	57,015	0	0	49,893
19/6	3,669	3,669	0	0	3,188
22/7	364	0	364	0	0
29/9	742	0	742	0	0
	<u>167,740</u>	<u>142,615</u>	<u>4,360</u>	<u>20,765</u>	<u>72,219</u>

Sub-Segment: STAIRCASE

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

** Grade 60, Black **

13/4	7,156	7,156	0	0	0
16/5	150	150	0	0	0
19/6	7,194	1,730	5,464	0	0
	<u>14,500</u>	<u>9,036</u>	<u>5,464</u>	<u>0</u>	<u>0</u>

Rebar Sub-Segment Summary

Segment: SUPER STRUCTURE

Total for Segment: SUPER STRUCTURE

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

** Grade 60, Black **

10/3	20,986	115	0	20,871	0
13/4	139,891	106,000	1,673	32,218	43,475
16/5	37,287	36,752	488	47	36,285
19/6	40,197	5,297	34,900	0	28,621
22/7	1,004	0	1,004	0	0
25/8	26,714	19,636	7,078	0	0
29/9	9,001	6,290	2,711	0	0
32/10	38,051	33,512	4,539	0	0
	<u>313,131</u>	<u>207,602</u>	<u>52,393</u>	<u>53,136</u>	<u>108,381</u>

** Grade 60, Epoxy **

13/4	25,897	8,163	3,254	14,480	0
16/5	20,730	20,730	0	0	13,608
19/6	126	126	0	0	126
22/7	182	0	182	0	0
	<u>46,935</u>	<u>29,019</u>	<u>3,436</u>	<u>14,480</u>	<u>13,734</u>

** Grand Totals **

10/3	20,986	115	0	20,871	0
13/4	165,788	114,163	4,927	46,698	43,475
16/5	58,017	57,482	488	47	49,893
19/6	40,323	5,423	34,900	0	28,747
22/7	1,186	0	1,186	0	0
25/8	26,714	19,636	7,078	0	0
29/9	9,001	6,290	2,711	0	0
32/10	38,051	33,512	4,539	0	0
	<u>360,066</u>	<u>236,621</u>	<u>55,829</u>	<u>67,616</u>	<u>122,115</u>

Rebar Sub-Segment Summary

Segment: SITE WORK

Sub-Segment: LIGHT POLE

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
10/3	52	0	0	52	0
19/6	84	84	0	0	0
	<u>136</u>	<u>84</u>	<u>0</u>	<u>52</u>	<u>0</u>

Total for Segment: SITE WORK

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
10/3	52	0	0	52	0
19/6	84	84	0	0	0
	<u>136</u>	<u>84</u>	<u>0</u>	<u>52</u>	<u>0</u>

Estimate Totals

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

** Grade 60, Black **

10/3	21,038	115	0	20,923	0
13/4	148,303	110,418	2,145	35,740	44,909
16/5	39,020	37,484	1,489	47	36,546
19/6	41,797	6,516	35,281	0	29,486
22/7	3,798	1,280	2,518	0	0
25/8	53,810	25,212	28,598	0	0
29/9	12,149	9,438	2,711	0	0
32/10	39,202	33,512	5,690	0	0
	<u>359,117</u>	<u>223,975</u>	<u>78,432</u>	<u>56,710</u>	<u>110,941</u>

** Grade 60, Epoxy **

13/4	27,366	9,286	3,254	14,826	716
16/5	20,804	20,804	0	0	13,682
19/6	126	126	0	0	126
22/7	182	0	182	0	0
	<u>48,478</u>	<u>30,216</u>	<u>3,436</u>	<u>14,826</u>	<u>14,524</u>

** Grand Totals **

10/3	21,038	115	0	20,923	0
13/4	175,669	119,704	5,399	50,566	45,625
16/5	59,824	58,288	1,489	47	50,228
19/6	41,923	6,642	35,281	0	29,612
22/7	3,980	1,280	2,700	0	0
25/8	53,810	25,212	28,598	0	0
29/9	12,149	9,438	2,711	0	0
32/10	39,202	33,512	5,690	0	0
	<u>407,595</u>	<u>254,191</u>	<u>81,868</u>	<u>71,536</u>	<u>125,465</u>